Sample #	Location	Matrix	Lab Matrix	Analysis	Analyte
A830-0001A68		Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0001A68		Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0001A68		Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0001A68		Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0001A68		Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0001A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0001A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0001A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0001A68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0001A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0001A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0001A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0001A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0002A72	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0002A72	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0002A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0002A72	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0002A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0002A72	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0002A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0002A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0002A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0002A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0003M34	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0003M34	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0003M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Calcium

A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0003M34	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0003M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0003M34	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0003M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0003M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0003M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0003M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0004CC02D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0004CC02D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel

A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0004CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0004CC02D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0004CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0004CC02D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0004CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0004CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0004CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0004CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0005CC01U	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0005CC01U	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic

A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0005CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0005CC01U	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0005CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0005CC01U	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0005CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0005CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0005CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0005CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0006CC03B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0006CC03B	Surface Water	Water	ICPMS Diss. Metals	Lead

A830-000ECC03B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-000ECC03B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-000ECC03B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-000ECC03B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-000ECC03B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-000ECC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-000ECC03B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-000ECC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-000ECC03B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-000ECC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-000ECC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-000ECC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-000ECC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0007CC03	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Antimony

A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0007CC03	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0007CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0007CC03	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0007CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc

A830-0007CC03	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0007CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0007CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0007CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0007CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0008CC18B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0008CC18B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0008CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0008CC18B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium

A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0008CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0008CC18B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0008CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0008CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0008CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0008CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0009CC18	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0009CC18	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0009CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Manganes

A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0009CC18	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0009CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0009CC18	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0009CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0009CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0009CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0009CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-001CCC21	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-001CCC21	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium

A830-001CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-001CCC21	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-001CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-001CCC21	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-001CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-001CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-001CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-001CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0011CC21B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0011CC21B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium

A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0011CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0011CC21B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0011CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0011CC21B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0011CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0011CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0011CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0011CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0012CC41	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Silver

A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0012CC41	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0012CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0012CC41	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0012CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0012CC41	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0012CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0012CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0012CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0012CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0013CC48	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Cadmium

A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0013CC48	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0013CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0013CC48	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0013CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0013CC48	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0013CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0013CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride

A830-0013CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0013CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0014CC01C1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0014CC01C1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0014CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0014CC01C1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes

A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0014CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0014CC01C1	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0014CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0014CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0014CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0014CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0015CC01C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0015CC01C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0015CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Strontium

A830-0015CC01C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0015CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0015CC01C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0015CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0015CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0015CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0015CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0016CC01C2	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0016CC01C2	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0016CC01C2	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Beryllium

A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0016CC01C2	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0016CC01C2	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0016CC01C2	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0016CC01C2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0016CC01C2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0016CC01C2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0016CC01C2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0017CC02D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0017CC02D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead

A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0017CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0017CC02D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0017CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0017CC02D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0017CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0017CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0017CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0017CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0018CC02E	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0018CC02E	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony

A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0018CC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0018CC02E	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0018CC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0018CC02E	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0018CC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0018CC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0018CC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0018CC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0019CC02K	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Copper

A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0019CC02K	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0019CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0019CC02K	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0019CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0019CC02K	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0019CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0019CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0019CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0019CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-002CMTD-4	Surface Water	Water	DM-Hardness - Calculated	Hardness

A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-002CMTD-4	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-002CMTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-002CMTD-4	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium

A830-002CMTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-002CMTD-4	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-002CMTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-002CMTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-002CMTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-002CMTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0021FD-1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0021FD-1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0021FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0021FD-1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium

A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0021FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0021FD-1	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0021FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0021FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0021FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0021FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0022CC03D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0022CC03D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0022CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur

A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0022CC03D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0022CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0022CC03D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0022CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0022CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0022CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0022CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0023CC03C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0023CC03C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver

A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0023CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0023CC03C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0023CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0023CC03C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0023CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0023CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0023CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0023CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0024CC07	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0024CC07	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium

A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0024CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0024CC07	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0024CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0024CC07	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0024CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0024CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0024CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0024CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0025CC19	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Selenium

A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0025CC19	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0025CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0025CC19	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0025CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0025CC19	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0025CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0025CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0025CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0025CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0026CC14	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0026CC14	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0026CC14	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0026CC14	Surface Water	Water	ICPMS Diss. Metals	Barium

A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-002ECC14	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-002ECC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-002ECC14	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-002ECC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-002ECC14	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-002ECC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride

A830-0026CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0026CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0026CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0027CC15	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0027CC15	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0027CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0027CC15	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur

A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0027CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0027CC15	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0027CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0027CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0027CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0027CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0028CC16B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0028CC16B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0028CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Sodium

A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0028CC16B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0028CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0028CC16B	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0028CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0028CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0028CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0028CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0029CC17	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0029CC17	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0029CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0029CC17	Surface Water	Water	ICPOE Diss. Metals	Aluminum

A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-002ŞCC17	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-002ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-002ŞCC17	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-002ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-002ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-002ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-002ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-003CCC26	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-003CCC26	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper

A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-003CCC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-003CCC26	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-003CCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-003CCC26	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-003CCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-003CCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-003CCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-003CCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0031CC40	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0031CC40	Surface Water	Water	ICPMS Diss. Metals	Vanadium

A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0031CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0031CC40	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0031CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0031CC40	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0031CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0031CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0031CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0031CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0032CC42	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Cobalt

A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0032CC42	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0032CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0032CC42	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0032CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0032CC42	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0032CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0032CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0032CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0032CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S

A830-0033CC04	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0033CC04	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0033CC04	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0033CC04	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium

A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0033CC04	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0033CC04	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0033CC04	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0033CC04	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0033CC04	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0033CC04	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0035CC06	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0035CC06	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0035CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0035CC06	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum

A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0035CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0035CC06	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0035CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0035CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0035CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0035CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0037CC01H	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0037CC01H	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0037CC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Iron

A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0037CC01H	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0037CC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0037CC01H	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0037CC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0037CC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0037CC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0037CC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0038CC02B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0038CC02B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium

A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0038CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0038CC02B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0038CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0038CC02B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0038CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0038CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0038CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0038CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0039Opp sample 1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium

A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0039Opp sample 1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0039Opp sample 1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0039Opp sample 1	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0039Opp sample 1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0039Opp sample 1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0039Opp sample 1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0039Opp sample 1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-004COpp sample 2	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Nickel

A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-004COpp sample 2	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-004COpp sample 2	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-004COpp sample 2	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-004COpp sample 2	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-004COpp sample 2	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-004COpp sample 2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-004COpp sample 2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-004COpp sample 2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-004COpp sample 2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0041Opp sample 3	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Arsenic

A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0041Opp sample 3	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0041Opp sample 3	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0041Opp sample 3	Surface Water	Water	WC - Alkalinity	Total Alkal

A830-0041Opp sample 3	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0041Opp sample 3	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0041Opp sample 3	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0041Opp sample 3	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0042Opp sample 4	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0042Opp sample 4	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron

A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0042Opp sample 4	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0042Opp sample 4	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0042Opp sample 4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0042Opp sample 4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0042Opp sample 4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0042Opp sample 4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0043Opp sample 5	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0043Opp sample 5	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Potassium

A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0043Opp sample 5	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0043Opp sample 5	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0043Opp sample 5	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0043Opp sample 5	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0043Opp sample 5	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0043Opp sample 5	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0044Opp sample 6	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0044Opp sample 6	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium

A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0044Opp sample 6	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0044Opp sample 6	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0044Opp sample 6	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0044Opp sample 6	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0044Opp sample 6	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0044Opp sample 6	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0045Opp sample 7	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt

A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0045Opp sample 7	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0045Opp sample 7	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0045Opp sample 7	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0045Opp sample 7	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0045Opp sample 7	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0045Opp sample 7	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0045Opp sample 7	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0046Opp sample 8	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Thallium

A830-0046Opp sample 8	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0046Opp sample 8	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0046Opp sample 8	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0046Opp sample 8	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0046Opp sample 8	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0046Opp sample 8	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0046Opp sample 8	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0046Opp sample 8	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0047Opp sample 9	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0047Opp sample 9	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0047Opp sample 9	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0047Opp sample 9	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0047Opp sample 9	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0047Opp sample 9	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0047Opp sample 9	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a

A830-0047	Opp sample 9	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0048	Opp sample 10	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0048	Opp sample 10	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0048	Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0048Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0048Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0048Opp sample 10	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0048Opp sample 10	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0048Opp sample 10	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0048Opp sample 10	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0048Opp sample 10	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0048Opp sample 10	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0049CC17	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0049CC17	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0049CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0049CC17	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-004ŞCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-004ŞCC17	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-004ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-004ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-004ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-004ŞCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-005CA72	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-005CA72	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-005CA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Calcium

A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-005CA72	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-005CA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-005CA72	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-005CA72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-005CA72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-005CA72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-005CA72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0051CC06	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0051CC06	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel

A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0051CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0051CC06	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0051CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0051CC06	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0051CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0051CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0051CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0051CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0052CC02D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0052CC02D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic

A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0052CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0052CC02D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0052CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0052CC02D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0052CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0052CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0052CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0052CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0054FB-01	Water	Water	DM-Hardness - Calculated	Hardness
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Antimony
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Barium
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Chromium
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Copper
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Lead

A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Nickel
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Selenium
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Silver
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Thallium
A830-0054FB-01	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0054FB-01	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Calcium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Iron
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Manganese
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Potassium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Sodium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Strontium
A830-0054FB-01	Water	Water	ICPOE Diss. Metals	Zinc
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0054FB-01	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0054FB-01	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0054FB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0054FB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0054FB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0054FB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0055FB-02	Water	Water	DM-Hardness - Calculated	Hardness
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Antimony

A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Barium
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Chromium
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Copper
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Lead
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Nickel
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Selenium
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Silver
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Thallium
A830-0055FB-02	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0055FB-02	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Calcium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Iron
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Manganese
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Potassium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Sodium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Strontium
A830-0055FB-02	Water	Water	ICPOE Diss. Metals	Zinc
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0055FB-02	Water	Water	ICPOE Tot. Rec. Metals	Zinc

A830-0055FB-02	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0055FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0055FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0055FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0055FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Copper
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium
A830-0056A68	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Vanadium
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Aluminum
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Beryllium
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Calcium
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Iron
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-0056A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-0056A68	Sediment	Soil	TM_Mercury 7473	Mercury
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Copper
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium
A830-0057A72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Vanadium
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Aluminum
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Beryllium
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Calcium
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Iron

A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-0057A72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-0057A72	Sediment	Soil	TM_Mercury 7473	Mercury
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Copper
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Vanadium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Aluminum
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Beryllium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Calcium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Iron
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-0058Opp sample 1	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-0058Opp sample 1	Sediment	Soil	TM_Mercury 7473	Mercury
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Copper
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Vanadium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Aluminum

A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Beryllium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Calcium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Iron
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-0059Opp sample 6	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-0059Opp sample 6	Sediment	Soil	TM_Mercury 7473	Mercury
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Copper
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium
A830-006CA72	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Vanadium
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Aluminum
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Beryllium
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Calcium
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Iron
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-006CA72	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-006CA72	Sediment	Soil	TM_Mercury 7473	Mercury
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-0083A56	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium

A830-0083A56	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0083A56	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0083A56	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0084A58	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0084A58	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0084A58	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel

A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0085A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0085A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0085A68	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0086A72	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0086A72	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0086A72	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium

A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0087A73	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0087A73	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0087A73	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0088A73B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0088A73B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0088A73B	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0089A75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony

A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-008ŞA75B	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-008ŞA75B	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-008ŞA75B	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-009CA75CC	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium

A830-009CA75CC	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-009CA75CC	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0091A75D	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0091A75D	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0091A75D	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes

A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0092BBRIDGE	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0092BBRIDGE	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0093CC49	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Lead
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Magnesiur
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Manganes
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Potassium
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Sodium
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Strontium
A830-0093CC49	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Zinc
A830-0093CC49	Sediment	Solid (dry \TM_Mercury 7473	Mercury
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Antimony
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Arsenic
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Barium
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cadmium
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Chromium
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Cobalt
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Nickel
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Selenium
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Silver
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Thallium
A830-0094A68	Sediment	Solid (dry \ICPMS Tot. Rec. Metals	Vanadium
A830-0094A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Aluminum
A830-0094A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Beryllium
A830-0094A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Calcium
A830-0094A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Copper
A830-0094A68	Sediment	Solid (dry \ICPOE Tot. Rec. Metals	Iron

A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-0094A68	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-0094A68	Sediment	Solid (dry \	TM_Mercury 7473	Mercury
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Antimony
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Arsenic
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Barium
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cadmium
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Chromium
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Cobalt
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Nickel
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Selenium
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Silver
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Thallium
A830-0095M34	Sediment	Solid (dry \	ICPMS Tot. Rec. Metals	Vanadium
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Aluminum
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Beryllium
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Calcium
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Copper
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Iron
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Lead
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Magnesiur
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Manganes
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Potassium
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Sodium
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Strontium
A830-0095M34	Sediment	Solid (dry \	ICPOE Tot. Rec. Metals	Zinc
A830-0095M34	Sediment	Solid (dry \	TM_Mercury 7473	Mercury
A830-009€A56	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Thallium

A830-009€A56	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-009€A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-009€A56	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-009€A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-009€A56	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-009€A56	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-009€A56	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-009€A56	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-009€A56	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0097A58	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0097A58	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0097A58	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0097A58	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0097A58	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0097A58	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0097A58	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0097A58	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0097A58	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit

A830-0097A58	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0098A62	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0098A62	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0098A62	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0098A62	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0098A62	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0098A62	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0098A62	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0098A62	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0098A62	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0098A62	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0099A62B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0099A62B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0099A62B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0099A62B	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0095A62B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0095A62B	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0095A62B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0095A62B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0095A62B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0095A62B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-010CA68	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-010CA68	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-010CA68	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Calcium

A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-010CA68	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-010CA68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-010CA68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-010CA68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-010CA68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-010CA68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-010CA68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0101A68	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0101A68	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel

A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0101A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0101A68	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0101A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0101A68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0101A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0101A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0101A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0101A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0102A68	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0102A68	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic

A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0102A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0102A68	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0102A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0102A68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0102A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0102A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0102A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0102A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0103A68	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Lead

A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0103A68	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0103A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0103A68	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0103A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0103A68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0103A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0103A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0103A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0103A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0104A69A	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Antimony

A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0104A69A	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0104A69A	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0104A69A	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0104A69A	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc

A830-0104A69A	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0104A69A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0104A69A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0104A69A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0104A69A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0105A70B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0105A70B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0105A70B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0105A70B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium

A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0105A70B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0105A70B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0105A70B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0105A70B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0105A70B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0105A70B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0106A71B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0106A71B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0106A71B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0106A71B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0106A71B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0106A71B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0106A71B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0106A71B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0106A71B	Surface Water	Water	ICPOE Diss. Metals	Manganes

A830-010ϵA71B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-010ϵA71B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-010ϵA71B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-010ϵA71B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-010ϵA71B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-010ϵA71B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-010ϵA71B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-010ϵA71B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-010ϵA71B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-010ϵA71B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0107A72	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0107A72	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium

A830-0107A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0107A72	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0107A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0107A72	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0107A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0107A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0107A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0107A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0108A72	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0108A72	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium

A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0108A72	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0108A72	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0108A72	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0108A72	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0108A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0108A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0108A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0108A72	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0109A73	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0109A73	Surface Water	Water	ICPMS Diss. Metals	Silver

A830-010ŞA73	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-010ŞA73	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-010ŞA73	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-010ŞA73	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-010ŞA73	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-010ŞA73	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-010ŞA73	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-010ŞA73	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-010ŞA73	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-010ŞA73	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-011CA73B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Cadmium

A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-011CA73B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-011CA73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-011CA73B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-011CA73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-011CA73B	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-011CA73B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-011CA73B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride

A830-011CA73B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-011CA73B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0111A73EC	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0111A73EC	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0111A73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0111A73EC	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese

A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0111A73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0111A73EC	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0111A73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0111A73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0111A73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0111A73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0112A75B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0112A75B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0112A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Strontium

A830-0112A75B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0112A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0112A75B	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0112A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0112A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0112A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0112A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0113A75CC	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0113A75CC	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0113A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Beryllium

A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0113A75CC	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0113A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0113A75CC	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0113A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0113A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0113A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0113A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0114A75D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0114A75D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead

A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0114A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0114A75D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0114A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0114A75D	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0114A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0114A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0114A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0114A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0115ATS-1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0115ATS-1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony

A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0115ATS-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0115ATS-1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0115ATS-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0115ATS-1	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0115ATS-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0115ATS-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0115ATS-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0115ATS-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0116BBRIDGE	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0116BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Copper

A830-011€BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-011€BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-011€BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-011€BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-011€BBRIDGE	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-011€BBRIDGE	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-011€BBRIDGE	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-011€BBRIDGE	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-011€BBRIDGE	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-011€BBRIDGE	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-011€BBRIDGE	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0117CC01C	Surface Water	Water	DM-Hardness - Calculated	Hardness

A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0117CC01C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0117CC01C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0117CC01C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium

A830-0117CC01C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0117CC01C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0117CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0117CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0117CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0117CC01C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0118CC01C1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0118CC01C1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0118CC01C1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0118CC01C1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium

A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0118CC01C1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0118CC01C1	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0118CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0118CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0118CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0118CC01C1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0119CC01F	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0119CC01F	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0119CC01F	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0119CC01F	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0119CC01F	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0119CC01F	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0119CC01F	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0119CC01F	Surface Water	Water	ICPOE Diss. Metals	Magnesiur

A830-011ŞCC01F	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-011ŞCC01F	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-011ŞCC01F	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-011ŞCC01F	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-011ŞCC01F	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-011ŞCC01F	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-011ŞCC01F	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-011ŞCC01F	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-011ŞCC01F	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-011ŞCC01F	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-011ŞCC01F	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-012ÇCC01H	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-012ÇCC01H	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-012ÇCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver

A830-012CCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-012CCC01H	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-012CCC01H	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-012CCC01H	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-012CCC01H	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-012CCC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-012CCC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-012CCC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-012CCC01H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0121CC01T	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0121CC01T	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium

A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0121CC01T	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0121CC01T	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0121CC01T	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0121CC01T	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0121CC01T	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0121CC01T	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0121CC01T	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0121CC01T	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0122CC01U	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Selenium

A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0122CC01U	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0122CC01U	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0122CC01U	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0122CC01U	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0122CC01U	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0122CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0122CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0122CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0122CC01U	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0123CC02B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Barium

A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0123CC02B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0123CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0123CC02B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0123CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0123CC02B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0123CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride

A830-0123CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0123CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0123CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0124CC02B2	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0124CC02B2	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0124CC02B2	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0124CC02B2	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur

A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0124CC02B2	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0124CC02B2	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0124CC02B2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0124CC02B2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0124CC02B2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0124CC02B2	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0125CC02D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0125CC02D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0125CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Sodium

A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0125CC02D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0125CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0125CC02D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0125CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0125CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0125CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0125CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-012ϵCC02E	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-012ϵCC02E	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-012ϵCC02E	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-012ϵCC02E	Surface Water	Water	ICPOE Diss. Metals	Aluminum

A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-012ЄCC02E	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-012ЄCC02E	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-012ЄCC02E	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-012ЄCC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-012ЄCC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-012ЄCC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-012ЄCC02E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0127CC02H	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0127CC02H	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper

A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0127CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0127CC02H	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0127CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0127CC02H	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0127CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0127CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0127CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0127CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0128CC02K	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0128CC02K	Surface Water	Water	ICPMS Diss. Metals	Vanadium

A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0128CC02K	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0128CC02K	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0128CC02K	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0128CC02K	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0128CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0128CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0128CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0128CC02K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0129CC03	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0129CC03	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0129CC03	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0129CC03	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0129CC03	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0129CC03	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0129CC03	Surface Water	Water	ICPMS Diss. Metals	Cobalt

A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-012ŞCC03	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-012ŞCC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-012ŞCC03	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-012ŞCC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-012ŞCC03	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-012ŞCC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-012ŞCC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-012ŞCC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-012ŞCC03	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S

A830-013CCC03A	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-013CCC03A	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-013CCC03A	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-013CCC03A	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium

A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-013CCC03A	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-013CCC03A	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-013CCC03A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-013CCC03A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-013CCC03A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-013CCC03A	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0131CC03B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0131CC03B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0131CC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0131CC03B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum

A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0131CC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0131CC03B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0131CC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0131CC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0131CC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0131CC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0132CC03C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0132CC03C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0132CC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Iron

A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0132CC03C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0132CC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0132CC03C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0132CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0132CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0132CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0132CC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0133CC03D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0133CC03D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium

A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0133CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0133CC03D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0133CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0133CC03D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0133CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0133CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0133CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0133CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0134CC03E	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0134CC03E	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium

A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0134CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0134CC03E	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0134CC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0134CC03E	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0134CC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0134CC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0134CC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0134CC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0135CC06	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Nickel

A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0135CC06	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0135CC06	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0135CC06	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0135CC06	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0135CC06	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0135CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0135CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0135CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0135CC06	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0136CC06B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0136CC06B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0136CC06B	Surface Water	Water	ICPMS Diss. Metals	Arsenic

A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-013ЄCC06B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-013ЄCC06B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-013ЄCC06B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-013ЄCC06B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-013ЄCC06B	Surface Water	Water	WC - Alkalinity	Total Alkalinity

A830-0136CC06B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0136CC06B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0136CC06B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0136CC06B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0137CC07	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0137CC07	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0137CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0137CC07	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron

A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0137CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0137CC07	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0137CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0137CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0137CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0137CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0138CC14	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0138CC14	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0138CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Potassium

A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0138CC14	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0138CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0138CC14	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0138CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0138CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0138CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0138CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0139CC15	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0139CC15	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0139CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium

A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-013ŞCC15	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-013ŞCC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-013ŞCC15	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-013ŞCC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-013ŞCC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-013ŞCC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-013ŞCC15	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-014CCC16B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-014CCC16B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt

A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-014CCC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-014CCC16B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-014CCC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-014CCC16B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-014CCC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-014CCC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-014CCC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-014CCC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0141CC17	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Thallium

A830-0141CC17	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0141CC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0141CC17	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0141CC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0141CC17	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0141CC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0141CC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0141CC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0141CC17	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0142CC18	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0142CC18	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0142CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0142CC18	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0142CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0142CC18	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0142CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0142CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0142CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a

A830-0142CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0143CC18B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0143CC18B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0143CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0143CC18B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0143CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0143CC18B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0143CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0143CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0143CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0143CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0144CC19	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0144CC19	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0144CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0144CC19	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0144CC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0144CC19	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0144CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0144CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0144CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0144CC19	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0145CC19C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0145CC19C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0145CC19C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Calcium

A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0145CC19C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0145CC19C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0145CC19C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0145CC19C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0145CC19C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0145CC19C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0145CC19C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-014ϵCC20	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-014ϵCC20	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel

A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-014ϵCC20	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-014ϵCC20	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-014ϵCC20	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-014ϵCC20	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-014ϵCC20	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-014ϵCC20	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-014ϵCC20	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-014ϵCC20	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0147CC20B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0147CC20B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic

A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0147CC20B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0147CC20B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0147CC20B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0147CC20B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0147CC20B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0147CC20B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0147CC20B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0147CC20B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0148CC21	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Lead

A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0148CC21	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0148CC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0148CC21	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0148CC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0148CC21	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0148CC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0148CC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0148CC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0148CC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0149CC21	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0149CC21	Surface Water	Water	ICPMS Diss. Metals	Antimony

A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-014SCC21	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-014SCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-014SCC21	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-014SCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc

A830-014ꝹCC21	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-014ꝹCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-014ꝹCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-014ꝹCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-014ꝹCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as ꞩ
A830-015CCC21B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-015CCC21B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-015CCC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-015CCC21B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium

A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-015CCC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-015CCC21B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-015CCC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-015CCC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-015CCC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-015CCC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0151CC21B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0151CC21B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0151CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Manganes

A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0151CC21B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0151CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0151CC21B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0151CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0151CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0151CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0151CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0152CC26	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0152CC26	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium

A830-0152CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0152CC26	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0152CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0152CC26	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0152CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0152CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0152CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0152CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0153CC28C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0153CC28C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium

A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0153CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0153CC28C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0153CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0153CC28C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0153CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0153CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0153CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0153CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0154CC28C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Silver

A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0154CC28C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0154CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0154CC28C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0154CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0154CC28C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0154CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0154CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0154CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0154CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0155CC28C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Cadmium

A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0155CC28C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0155CC28C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0155CC28C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0155CC28C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0155CC28C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0155CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0155CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride

A830-0155CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0155CC28C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0156CC30N	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0156CC30N	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0156CC30N	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0156CC30N	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes

A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0156CC30N	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0156CC30N	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0156CC30N	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0156CC30N	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0156CC30N	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0156CC30N	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0157CC34	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0157CC34	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0157CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Strontium

A830-0157CC34	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0157CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0157CC34	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0157CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0157CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0157CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0157CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0158CC34	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0158CC34	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0158CC34	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Beryllium

A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0158CC34	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0158CC34	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0158CC34	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0158CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0158CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0158CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0158CC34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0159CC38	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0159CC38	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0159CC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead

A830-015ꝰCC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-015ꝰCC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-015ꝰCC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-015ꝰCC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-015ꝰCC38	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-015ꝰCC38	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-015ꝰCC38	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-015ꝰCC38	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-015ꝰCC38	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-015ꝰCC38	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-015ꝰCC38	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-015ꝰCC38	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as ꝰ
A830-016ꝰCC38C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-016ꝰCC38C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-016ꝰCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony

A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-016CCC38C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-016CCC38C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-016CCC38C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-016CCC38C	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-016CCC38C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-016CCC38C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-016CCC38C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-016CCC38C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0161CC-40	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Copper

A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0161CC-40	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0161CC-40	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0161CC-40	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0161CC-40	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0161CC-40	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0161CC-40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0161CC-40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0161CC-40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0161CC-40	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0162CC40B	Surface Water	Water	DM-Hardness - Calculated	Hardness

A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0162CC40B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0162CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0162CC40B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium

A830-0162CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0162CC40B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0162CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0162CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0162CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0162CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0163CC40B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0163CC40B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0163CC40B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0163CC40B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium

A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0163CC40B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0163CC40B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0163CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0163CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0163CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0163CC40B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0164CC41	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0164CC41	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0164CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Magnesiur

A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0164CC41	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0164CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0164CC41	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0164CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0164CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0164CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0164CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0165CC42	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0165CC42	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver

A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0165CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0165CC42	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0165CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0165CC42	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0165CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0165CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0165CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0165CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0166CC44B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0166CC44B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0166CC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0166CC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0166CC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0166CC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium

A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-016ϵCC44B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-016ϵCC44B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-016ϵCC44B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-016ϵCC44B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-016ϵCC44B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-016ϵCC44B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-016ϵCC44B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-016ϵCC44B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0167CC45K	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Selenium

A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0167CC45K	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0167CC45K	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0167CC45K	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0167CC45K	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0167CC45K	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0167CC45K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0167CC45K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0167CC45K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0167CC45K	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0168CC46B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Barium

A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0168CC46B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0168CC46B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0168CC46B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0168CC46B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0168CC46B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0168CC46B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride

A830-0168CC46B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0168CC46B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0168CC46B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0169CC47C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0169CC47C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0169CC47C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0169CC47C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur

A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0169CC47C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0169CC47C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0169CC47C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0169CC47C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0169CC47C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0169CC47C	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-017CCC48	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-017CCC48	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-017CCC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Sodium

A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-017CCC48	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-017CCC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-017CCC48	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-017CCC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-017CCC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-017CCC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-017CCC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0171CC48	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0171CC48	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0171CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Aluminum

A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0171CC48	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0171CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0171CC48	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0171CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0171CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0171CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0171CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0172CC49	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0172CC49	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper

A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0172CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0172CC49	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0172CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0172CC49	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0172CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0172CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0172CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nit
A830-0172CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0173A68	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0173A68	Surface Water	Water	ICPMS Diss. Metals	Vanadium

A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0173A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0173A68	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0173A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0173A68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0173A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0173A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0173A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0173A68	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0174CC02D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Cobalt

A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0174CC02D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0174CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0174CC02D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0174CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0174CC02D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0174CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0174CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0174CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0174CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S

A830-0175CC21B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0175CC21B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0175CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0175CC21B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium

A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0175CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0175CC21B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0175CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0175CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0175CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0175CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0176CC26	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0176CC26	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0176CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0176CC26	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0176CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum

A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-017ϵCC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-017ϵCC26	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-017ϵCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-017ϵCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-017ϵCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-017ϵCC26	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0177CC49	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0177CC49	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0177CC49	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Iron

A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0177CC49	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0177CC49	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0177CC49	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0177CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0177CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0177CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0177CC49	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0178CC48	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0178CC48	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium

A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0178CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0178CC48	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0178CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0178CC48	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0178CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0178CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0178CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0178CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0179CC03E	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0179CC03E	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0179CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0179CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0179CC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium

A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-017ŞCC03E	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-017ŞCC03E	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-017ŞCC03E	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-017ŞCC03E	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-017ŞCC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-017ŞCC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-017ŞCC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-017ŞCC03E	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-018CFB-01	Water	Water	DM-Hardness - Calculated	Hardness
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Antimony
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Arsenic
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Barium
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Cadmium
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Chromium
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Cobalt
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Copper
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Lead
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Nickel

A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Selenium
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Silver
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Thallium
A830-018CFB-01	Water	Water	ICPMS Diss. Metals	Vanadium
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-018CFB-01	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Aluminum
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Beryllium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Calcium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Iron
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Magnesium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Manganese
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Potassium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Sodium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Strontium
A830-018CFB-01	Water	Water	ICPOE Diss. Metals	Zinc
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-018CFB-01	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-018CFB-01	Water	Water	WC - Alkalinity	Total Alkalinity
A830-018CFB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-018CFB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-018CFB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-018CFB-01	Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0181FB-02	Water	Water	DM-Hardness - Calculated	Hardness
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Antimony
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Arsenic

A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Barium
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Chromium
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Copper
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Lead
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Nickel
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Selenium
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Silver
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Thallium
A830-0181FB-02	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0181FB-02	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Calcium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Iron
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Manganese
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Potassium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Sodium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Strontium
A830-0181FB-02	Water	Water	ICPOE Diss. Metals	Zinc
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0181FB-02	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0181FB-02	Water	Water	WC - Alkalinity	Total Alkalinity

A830-0181FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0181FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0181FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0181FB-02	Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0182FB-03	Water	Water	DM-Hardness - Calculated	Hardness
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Antimony
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Barium
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Chromium
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Copper
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Lead
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Nickel
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Selenium
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Silver
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Thallium
A830-0182FB-03	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0182FB-03	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Calcium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Iron
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Manganese
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Potassium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Sodium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Strontium
A830-0182FB-03	Water	Water	ICPOE Diss. Metals	Zinc
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Iron

A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0182FB-03	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0182FB-03	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0182FB-03	Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0182FB-03	Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0182FB-03	Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0182FB-03	Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0183FB-04	Water	Water	DM-Hardness - Calculated	Hardness
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Antimony
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Barium
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Chromium
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Copper
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Lead
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Nickel
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Selenium
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Silver
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Thallium
A830-0183FB-04	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0183FB-04	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Calcium
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Iron
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Manganese
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Potassium

A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Sodium
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Strontium
A830-0183FB-04	Water	Water	ICPOE Diss. Metals	Zinc
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0183FB-04	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0183FB-04	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0183FB-04	Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0183FB-04	Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0183FB-04	Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0183FB-04	Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as SO4
A830-0184FD-1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0184FD-1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0184FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium

A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0184FD-1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0184FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0184FD-1	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0184FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0184FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0184FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0184FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0185M34	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0185M34	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt

A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0185M34	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0185M34	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0185M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0185M34	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0185M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0185M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0185M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0185M34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0186M34	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0186M34	Surface Water	Water	ICPMS Diss. Metals	Thallium

A830-018ϵM34	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-018ϵM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-018ϵM34	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-018ϵM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-018ϵM34	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-018ϵM34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-018ϵM34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-018ϵM34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-018ϵM34	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0187MTD-4	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0187MTD-4	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0187MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0187MTD-4	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0187MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0187MTD-4	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0187MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0187MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0187MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a

A830-0187MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0188SEEPA	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0188SEEPA	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0188SEEPA	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0188SEEPA	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0188SEEPA	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0188SEEPA	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0188SEEPA	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Chloride
A830-0188SEEPA	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Fluoride
A830-0188SEEPA	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Nitrate/Nitrite a
A830-0188SEEPA	Surface Water	Water	WC - Anions by Ion Chromatography 2010	Sulfate as S
A830-0437A56	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0437A56	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0437A56	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver

A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0437A56	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0437A56	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0437A56	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0437A56	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0437A56	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0437A56	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0437A56	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0437A56	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0437A56	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0437A56	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0438A58	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0438A58	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved Organ
A830-0438A58	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0438A58	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0438A58	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0438A58	Surface Water	Water	ICPMS Diss. Metals	Cadmium

A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-043ƐA58	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-043ƐA58	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-043ƐA58	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-043ƐA58	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-043ƐA58	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-043ƐA58	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-043ƐA58	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-043ƐA58	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-043ƐA58	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-043ƐA58	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-043ƐA58	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-043ϚA60	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-043ϚA60	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-043ϚA60	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-043ϚA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-043ϚA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-043ϚA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-043ϚA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-043ϚA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium

A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-043ϙA60	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-043ϙA60	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-043ϙA60	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-043ϙA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-043ϙA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-043ŞA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-043ŞA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-043ŞA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-043ŞA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-043ŞA60	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-043ŞA60	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-043ŞA60	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-043ŞA60	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-043ŞA60	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-043ŞA60	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-043ŞA60	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-044CA61	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-044CA61	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-044CA61	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium

A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-044CA61	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-044CA61	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-044CA61	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-044CA61	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-044CA61	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-044CA61	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-044CA61	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-044CA61	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-044CA61	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-044CA61	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0441A64	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0441A64	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Antimony

A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0441A64	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0441A64	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0441A64	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Potassium

A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0441A64	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0441A64	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0441A64	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0441A64	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0441A64	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0441A64	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0441A64	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0441A64	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0442A65	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0442A65	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0442A65	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony

A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0442A65	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0442A65	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0442A65	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes

A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0442A65	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0442A65	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0442A65	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0442A65	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0442A65	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0442A65	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0442A65	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0443A66	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0443A66	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0443A66	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead

A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0443A66	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0443A66	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0443A66	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0443A66	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0443A66	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0443A66	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0443A66	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0443A66	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0443A66	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0443A66	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S

A830-0444A67	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0444A67	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved (
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0444A67	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0444A67	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0444A67	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0444A67	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0444A67	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0444A67	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0444A67	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0444A67	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0444A67	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0445A68	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0445A68	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0445A68	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver

A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0445A68	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0445A68	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0445A68	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0445A68	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0445A68	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0445A68	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0445A68	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0445A68	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0445A68	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0445A68	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0446A72	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0446A72	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0446A72	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0446A72	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0446A72	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0446A72	Surface Water	Water	ICPMS Diss. Metals	Cadmium

A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-044ϵA72	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-044ϵA72	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-044ϵA72	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-044ϵA72	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-044ϵA72	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-044ϵA72	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-044ϵA72	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-044ϵA72	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-044ϵA72	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-044ϵA72	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-044ϵA72	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0447A73	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0447A73	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0447A73	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium

A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0447A73	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0447A73	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0447A73	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0447A73	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0447A73	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0447A73	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0447A73	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0447A73	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0447A73	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0447A73	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0448A73B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0448A73B	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0448A73B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium

A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0448A73B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0448A73B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0448A73B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0448A73B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0448A73B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0448A73B	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0448A73B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0448A73B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0448A73B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0448A73B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0449A73EC	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0449A73EC	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0449A73EC	Surface Water	Water	ICPMS Diss. Metals	Antimony

A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-044ŞA73EC	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-044ŞA73EC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-044ŞA73EC	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Potassium

A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-044ŞA73EC	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-044ŞA73EC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-044ŞA73EC	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-044ŞA73EC	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-044ŞA73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-044ŞA73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-044ŞA73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-044ŞA73EC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-045CA73MC	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-045CA73MC	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-045CA73MC	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony

A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-045CA73MC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-045CA73MC	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-045CA73MC	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes

A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-045CA73MC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-045CA73MC	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-045CA73MC	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-045CA73MC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-045CA73MC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-045CA73MC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-045CA73MC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0451A75B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0451A75B	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0451A75B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead

A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0451A75B	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0451A75B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0451A75B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0451A75B	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0451A75B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0451A75B	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0451A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0451A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0451A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0451A75B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S

A830-0452A75CC	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0452A75CC	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved (
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0452A75CC	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0452A75CC	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0452A75CC	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Iron

A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0452A75CC	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesium
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganese
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0452A75CC	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0452A75CC	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0452A75CC	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0452A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0452A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0452A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0452A75CC	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0453A75D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0453A75D	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Thallium

A830-0453A75D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0453A75D	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0453A75D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0453A75D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron

A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0453A75D	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0453A75D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0453A75D	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0453A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0453A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0453A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0453A75D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0454Bbridge	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0454Bbridge	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0454Bbridge	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper

A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0454Bbridge	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0454Bbridge	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0454Bbridge	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0454Bbridge	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0454Bbridge	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0454Bbridge	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0454Bbridge	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride

A830-0454Bbridge	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0454Bbridge	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0454Bbridge	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0455CC02B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0455CC02B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0455CC02B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0455CC02B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur

A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0455CC02B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0455CC02B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0455CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0455CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0455CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0455CC02B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0456CC02D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0456CC02D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0456CC02D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Sodium

A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0456CC02D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0456CC02D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0456CC02D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0456CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0456CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0456CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0456CC02D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0457CC02H	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0457CC02H	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0457CC02H	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Aluminum

A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0457CC02H	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0457CC02H	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0457CC02H	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0457CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0457CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0457CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0457CC02H	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0458CC03	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0458CC03	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper

A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0458CC03	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0458CC03	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0458CC03	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0458CC03	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0458CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0458CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0458CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0458CC03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0459CC03B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0459CC03B	Surface Water	Water	ICPMS Diss. Metals	Vanadium

A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-045ŞCC03B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-045ŞCC03B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-045ŞCC03B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-045ŞCC03B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-045ŞCC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-045ŞCC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-045ŞCC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-045ŞCC03B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-046ÇCC03C	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-046ÇCC03C	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-046ÇCC03C	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-046ÇCC03C	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-046ÇCC03C	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-046ÇCC03C	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-046ÇCC03C	Surface Water	Water	ICPMS Diss. Metals	Cobalt

A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-046CCC03C	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-046CCC03C	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-046CCC03C	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-046CCC03C	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-046CCC03C	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-046CCC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-046CCC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-046CCC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-046CCC03C	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S

A830-0461CC03D	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0461CC03D	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0461CC03D	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0461CC03D	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium

A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0461CC03D	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0461CC03D	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0461CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0461CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0461CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0461CC03D	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0462CC07	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0462CC07	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0462CC07	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0462CC07	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum

A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0462CC07	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0462CC07	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0462CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0462CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0462CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0462CC07	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0463CC14	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0463CC14	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0463CC14	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Iron

A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0463CC14	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0463CC14	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0463CC14	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0463CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0463CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0463CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0463CC14	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0464CC15	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0464CC15	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium

A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0464CC15	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0464CC15	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0464CC15	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0464CC15	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0464CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0464CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0464CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0464CC15	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0465CC16B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0465CC16B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium

A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0465CC16B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0465CC16B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0465CC16B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0465CC16B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0465CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0465CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0465CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0465CC16B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0466CC17	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0466CC17	Surface Water	Water	ICPMS Diss. Metals	Nickel

A830-046ϵCC17	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-046ϵCC17	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-046ϵCC17	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-046ϵCC17	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-046ϵCC17	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-046ϵCC17	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-046ϵCC17	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-046ϵCC17	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-046ϵCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-046ϵCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-046ϵCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-046ϵCC17	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0467CC18	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Arsenic

A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0467CC18	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0467CC18	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0467CC18	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0467CC18	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0467CC18	Surface Water	Water	WC - Alkalinity	Total Alkalinity

A830-0467CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0467CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0467CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0467CC18	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0468CC18B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0468CC18B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0468CC18B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0468CC18B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron

A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0468CC18B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0468CC18B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0468CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0468CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0468CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0468CC18B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0469CC19	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0469CC19	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0469CC19	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0469CC19	Surface Water	Water	ICPOE Diss. Metals	Potassium

A830-046ŞCC19	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-046ŞCC19	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-046ŞCC19	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-046ŞCC19	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-046ŞCC19	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-046ŞCC19	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-046ŞCC19	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-046ŞCC19	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-046ŞCC19	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-047CCC21	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-047CCC21	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-047CCC21	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium

A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-047CCC21	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-047CCC21	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-047CCC21	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-047CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-047CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-047CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-047CCC21	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0471CC21B	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0471CC21B	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt

A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0471CC21B	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0471CC21B	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0471CC21B	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0471CC21B	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0471CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0471CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0471CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0471CC21B	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0472CC26	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Thallium

A830-0472CC26	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0472CC26	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0472CC26	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0472CC26	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0472CC26	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0472CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0472CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0472CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0472CC26	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0473CC40	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0473CC40	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0473CC40	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0473CC40	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0473CC40	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0473CC40	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0473CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0473CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0473CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a

A830-0473CC40	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0474CC41	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0474CC41	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0474CC41	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0474CC41	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0474CC41	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0474CC41	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0474CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0474CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0474CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0474CC41	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0475CC42	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0475CC42	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0475CC42	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0475CC42	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0475CC42	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0475CC42	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0475CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0475CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0475CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0475CC42	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0476CC48	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0476CC48	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0476CC48	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Calcium

A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0476CC48	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0476CC48	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0476CC48	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0476CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0476CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0476CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0476CC48	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0477Dup-01	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0477Dup-01	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0477Dup-01	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium

A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0477Dup-01	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0477Dup-01	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0477Dup-01	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium

A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0477Dup-01	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0477Dup-01	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0477Dup-01	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0477Dup-01	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0477Dup-01	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0477Dup-01	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0477Dup-01	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0478Dup-02	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0478Dup-02	Surface Water	Water	DOC_Dissolved Organic Carbon	Dissolved C
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0478Dup-02	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Antimony
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Arsenic
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Barium
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cadmium
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Chromium
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Cobalt
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Copper
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Lead
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Nickel
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Selenium
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Silver
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver

A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Thallium
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0478Dup-02	Surface Water	Soil	ICPMS Tot. Rec. Metals	Vanadium
A830-0478Dup-02	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0478Dup-02	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Aluminum
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Beryllium
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Calcium
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Iron
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Magnesiur
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Manganes
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Potassium
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Sodium
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Strontium
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0478Dup-02	Surface Water	Soil	ICPOE Tot. Rec. Metals	Zinc
A830-0478Dup-02	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0478Dup-02	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0478Dup-02	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0478Dup-02	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0478Dup-02	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0478Dup-02	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0479Dup-03	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0479Dup-03	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0479Dup-03	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0479Dup-03	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0479Dup-03	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0479Dup-03	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-047ŞDup-03	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-047ŞDup-03	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-047ŞDup-03	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-047ŞDup-03	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-047ŞDup-03	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-047ŞDup-03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-047ŞDup-03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-047ŞDup-03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit

A830-047ºDup-03	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as !
A830-048CDup-04	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-048CDup-04	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-048CDup-04	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-048CDup-04	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-048CDup-04	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-048CDup-04	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-048CDup-04	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-048CDup-04	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-048CDup-04	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-048CDup-04	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0481Dup-05	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0481Dup-05	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0481Dup-05	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0481Dup-05	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0481Dup-05	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0481Dup-05	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0481Dup-05	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0481Dup-05	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0481Dup-05	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0481Dup-05	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0482FB-01	Water	Water	DM-Hardness - Calculated	Hardness
A830-0482FB-01	Water	Water	DOC_Dissolved Organic Carbon	Dissolved Organ
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Antimony
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Barium
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Chromium
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Copper
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Lead
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Nickel
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Selenium
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Silver
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Thallium
A830-0482FB-01	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0482FB-01	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Beryllium

A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Calcium
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Iron
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Manganese
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Potassium
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Sodium
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Strontium
A830-0482FB-01	Water	Water	ICPOE Diss. Metals	Zinc
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0482FB-01	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0482FB-01	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0482FB-01	Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0482FB-01	Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0482FB-01	Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0482FB-01	Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0483FB-02	Water	Water	DM-Hardness - Calculated	Hardness
A830-0483FB-02	Water	Water	DOC_Dissolved Organic Carbon	Dissolved Organ
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Antimony
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Barium
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Chromium
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Copper
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Lead
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Nickel
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Selenium
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Silver
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Thallium
A830-0483FB-02	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Copper

A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0483FB-02	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Calcium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Iron
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Manganese
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Potassium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Sodium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Strontium
A830-0483FB-02	Water	Water	ICPOE Diss. Metals	Zinc
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0483FB-02	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0483FB-02	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0483FB-02	Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0483FB-02	Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0483FB-02	Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0483FB-02	Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0484FB-03	Water	Water	DM-Hardness - Calculated	Hardness
A830-0484FB-03	Water	Water	DOC_Dissolved Organic Carbon	Dissolved Organ
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Antimony
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Arsenic
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Barium
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Cadmium
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Chromium
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Cobalt
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Copper
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Lead
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Nickel
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Selenium
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Silver
A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Thallium

A830-0484FB-03	Water	Water	ICPMS Diss. Metals	Vanadium
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0484FB-03	Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Aluminum
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Beryllium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Calcium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Iron
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Magnesium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Manganese
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Potassium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Sodium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Strontium
A830-0484FB-03	Water	Water	ICPOE Diss. Metals	Zinc
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0484FB-03	Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0484FB-03	Water	Water	WC - Alkalinity	Total Alkalinity
A830-0484FB-03	Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0484FB-03	Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0484FB-03	Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nitrite a
A830-0484FB-03	Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0485FD-1	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Chromium

A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0485FD-1	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0485FD-1	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0485FD-1	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0485FD-1	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0485FD-1	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0485FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0485FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0485FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit

A830-0485FD-1	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-048ЄM34	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-048ЄM34	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-048ЄM34	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Magnesium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Manganese
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-048ЄM34	Surface Water	Water	ICPOE Diss. Metals	Zinc
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesium
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganese
A830-048ЄM34	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium

A830-0486M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0486M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0486M34	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0486M34	Surface Water	Water	WC - Alkalinity	Total Alkal
A830-0486M34	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0486M34	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0486M34	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0486M34	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S
A830-0487MTD-4	Surface Water	Water	DM-Hardness - Calculated	Hardness
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Antimony
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Arsenic
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Barium
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Cadmium
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Chromium
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Cobalt
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Copper
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Lead
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Nickel
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Selenium
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Silver
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Thallium
A830-0487MTD-4	Surface Water	Water	ICPMS Diss. Metals	Vanadium
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Antimony
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Arsenic
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Barium
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cadmium
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Chromium
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Cobalt
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Copper
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Lead
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Nickel
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Selenium
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Silver
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Thallium
A830-0487MTD-4	Surface Water	Water	ICPMS Tot. Rec. Metals	Vanadium
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Aluminum
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Beryllium
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Calcium
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Iron
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Magnesiur
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Manganes
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Potassium
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Sodium
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Strontium
A830-0487MTD-4	Surface Water	Water	ICPOE Diss. Metals	Zinc

A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Aluminum
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Beryllium
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Calcium
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Iron
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Magnesiur
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Manganes
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Potassium
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Sodium
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Strontium
A830-0487MTD-4	Surface Water	Water	ICPOE Tot. Rec. Metals	Zinc
A830-0487MTD-4	Surface Water	Water	WC - Alkalinity	Total Alkalinity
A830-0487MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Chloride
A830-0487MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Fluoride
A830-0487MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Nitrate/Nit
A830-0487MTD-4	Surface Water	Water	WC - Anions by Ion Chromatography 2013	Sulfate as S

Result	Units	Qualifier	Lab Batch	Date Analyzed	Event	Comments	Date_Colle	Date_Extra	Lab_Name
72	mg/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
16.5	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
0.866	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
4.33	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
0.614	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205077	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
0.921	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
5.86	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
2.79	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
57.2	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
25700	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
1800	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
699	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
459	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
1250	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
256	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
281	ug/L		1205075	5/23/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
154	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
25600	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
111	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
1810	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
715	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I
520	ug/L		1205072	5/29/2012	2012_MAY_Water and Sediment		5/15/2012	5/22/2012	TechLaw, I

1270	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
260	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
289	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
26	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
0.3	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
46.4	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
87	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
17.2	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.902	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.54	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.36	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.979	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.957	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.57	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.2	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.27	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.68	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
32.4	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
31000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
780	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2340	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
477	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
472	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1550	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
312	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
288	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

701	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30600	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1280	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2350	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
485	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
546	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1510	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
310	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
292	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.4	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
0.2	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
71.1	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
77	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
17.4	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.284	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.5	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.69	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.125	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.631	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.58	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.71	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.16	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
45	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
27100	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

512	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
2330	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
115	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
380	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
1650	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
251	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
68.2	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
824	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
27100	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1170	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2350	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
123	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
408	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1630	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
262	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
80.2	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
18	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
0.1	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
62.7	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
530	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
36.9	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
21.3	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
22.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
179	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
9.36	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
35.5	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
20	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
19.2	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
188	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
10.5	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I

	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2840	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.99	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
193000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
23200	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
11800	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
24500	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1880	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5810	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1660	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
28800	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2960	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
202000	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
29800	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
12300	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
24500	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2020	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5990	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1650	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
28100	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
3.9	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
646	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
59	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
153	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
55.4	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.58	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1240	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
60.8	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
24.8	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.15	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
125	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8.74	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
894	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
19200	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
112	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2570	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1030	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
371	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
656	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
111	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1230	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1060	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
19400	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
334	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2580	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1040	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
390	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
602	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
110	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1170	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
0.4	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
62.6	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
60	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
16.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.66	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.699	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
88.7	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.3	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

2.22	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.82	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.708	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
89.3	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
837	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
20500	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
128	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2080	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
835	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
383	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
914	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
178	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1330	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1050	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
20700	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
661	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2140	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
855	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
455	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
886	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
179	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1290	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
0.4	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
67	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
169	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.3 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.91 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9.66 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
88.2 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.75 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.33 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.43 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9.95 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
91.2 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.9 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.55 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1310 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
60300 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7170 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4550 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3800 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
485 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1730 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
615 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2850 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1470 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
59400 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7480 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4460 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3830 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
496 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1640 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
608 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2800 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
1	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
198	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
175	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
13.6	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.69	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
172	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.98	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.96	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.31	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10.6	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
176	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
14	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.97	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2090	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
62100	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7070	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4920	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3970	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
476	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1810	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
684	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3010	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2290	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
64100	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

7910	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5030	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4040	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
518	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1790	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
682	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2980	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
1.1	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
220	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
201	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
13.8	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.7	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
13.7	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
171	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.21	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.4	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.686	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.31	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
13.2	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
168	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.6	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.65	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2310	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
71300	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9080	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4830	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

496	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2030	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
792	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3320	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2400	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
72500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9720	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5620	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4970	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
518	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1960	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
796	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3280	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
1.2	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
251	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
145	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.1	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.84	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.31	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
92.2	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.42	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.27	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.96	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.53	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
105	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
32.3	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.24	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1190	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
51800	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3410	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3770	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2410	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
457	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1550	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
602	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1710	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2270	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
52300	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7240	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4030	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2600	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
627	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1580	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
609	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1750	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.8	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
171	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
149	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.6	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.23	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.72	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
80.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.75	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.89	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.551	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.06	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

7.5	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
82	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
20.4	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4.03	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1440	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
53000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4120	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
3960	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2250	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
578	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1700	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
618	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1540	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2030	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
52200	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
6590	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4030	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2280	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
625	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
615	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1480	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
0.7	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
176	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
159	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
0.513	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
14.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
3.42	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
8.29	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
77.4	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
12.9	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
5.28	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I

	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.33	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.22	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
78.3	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
19.4	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.87	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2410	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
56800	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5880	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4270	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1750	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
734	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1800	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
641	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1230	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2710	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
56700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7130	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4320	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1790	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
793	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1760	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
645	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1210	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.7	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
196	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
180	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2.91	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.99	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
61.2	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.04	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.87	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2.81	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.04	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
61.5	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.9	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.75	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2470	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
64600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5360	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4510	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1620	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
829	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2150	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
774	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1070	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2690	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
63700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6510	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4480	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1660	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
854	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2080	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
773	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1070	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.7	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I

mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
210 mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
36 mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.56 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14.7 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
17.2 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.54 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
558 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
33.8 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.82 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.867 ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
18.4 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.73 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
571 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
35.1 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.01 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2050 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
10500 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4860 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2360 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1580 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
401 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
625 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
28.2 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4070 ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2050 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
10500 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5030 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2340 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1600 ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

426	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
544	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
28	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4050	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
0.5	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
75.7	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
34	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.905	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15.8	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
12.7	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
285	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
34.3	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.85	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.5	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
11.8	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.02	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
281	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
33.9	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.73	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1470	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
10400	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1790	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1870	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1170	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
416	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
588	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
29.2	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

2930	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1470	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
10200	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1780	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1880	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1170	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
434	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
538	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
29.2	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2810	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
0.4	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
55.5	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
38	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.592	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
17.2	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.03	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
633	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
25.2	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.23	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.731	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
16.6	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.98	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
610	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
26.3	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.14	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2210	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

11300	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2380	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2290	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1510	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
418	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
633	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
44.4	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4020	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2270	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
11200	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2540	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2320	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1580	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
470	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
589	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
45.8	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4020	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
0.5	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
74.7	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
538	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
35.9	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
20.6	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
20.8	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
182	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8.72	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
36.8	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
21.7	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
22.6	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
203	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

10.3	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2890	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
196000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
23900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
11900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
24400	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1930	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5820	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1640	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
28700	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2890	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.31	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
193000	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
25600	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
11900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
24800	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1940	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5810	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1640	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
28200	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
3.7	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
637	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
380	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8.12	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.73	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.92	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

10.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.83	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
368	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
140000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6120	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7180	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2370	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
623	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4670	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1600	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1610	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
420	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
138000	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
9530	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7160	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2370	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
651	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4580	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1560	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1570	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15.6	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
2.7	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
334	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
119	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.95	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
16.5	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.65	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

28.4	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.57	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15.7	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7.08	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15.5	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
30.6	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.11	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2020	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
42200	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3930	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3360	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1760	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
682	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3750	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
572	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2320	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2010	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
42500	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3910	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3330	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1750	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
668	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3660	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
567	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2220	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
3.2	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
145	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
177	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I

ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
10.8 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
25.1 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
5.85 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
388 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
35.6 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
5.93 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
0.886 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
24.6 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.39 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
424 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
35.3 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.94 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3690 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
62200 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
2020 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
5360 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
6000 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
727 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
2210 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
595 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
10000 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
3600 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
61200 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2160 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5270 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6010 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
708 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2110 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
597 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

9750	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
1.6	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
247	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
227	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
10.8	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
10.2	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
0.665	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
113	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
10.2	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
5.58	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
0.76	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
10.1	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.832	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
118	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
9.79	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.05	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2900	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
82700	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
245	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
5070	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
2040	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
659	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
3060	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
966	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
4040	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
2900	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

82500	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
456	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5060	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2060	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
667	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2990	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
980	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3930	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
1.5	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
254	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
1200	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
33.2	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
107	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.05	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
52.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
34.7	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
103	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
88.7	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
51	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2750	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
433000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
87900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
27900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

34200	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8870	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5130	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
16800	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4800	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
463000	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
96800	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
29700	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
36300	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9190	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5290	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
17900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
6.1	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
1460	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
1180	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
33.6	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
105	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
19.8	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
51.3	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
32.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
100	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
79.8	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
48.2	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4370	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
427000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
88700	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
27600	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
33100	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4990	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
16300	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4750	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
455000	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
96100	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
28900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
35900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8960	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5220	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
17900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
1290	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
256	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7.3	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
17.6	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
21.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
925	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.05	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.9	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.35	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
18.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
21.6	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
924	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
24	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.3	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7490	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
89200	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8080	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5780	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
455	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2140	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1180	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4590	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7690	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
90400	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12200	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8130	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5790	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
544	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2040	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1160	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4480	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
1.2	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
338	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/25/2012 TechLaw, I
1210	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2.55	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
148	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.26	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
58.8	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
2.14	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
145	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
3.51	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
57.9	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
4890	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
436000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
134000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
30500	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
47200	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
9240	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
5800	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
20800	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
5350	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
448000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
140000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
31700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
47800	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
9470	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
5770	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
20900	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012	TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012	TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012	TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012	TechLaw, I
1460	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012	TechLaw, I
510	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
2.54	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I

3.09	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
17.1	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
20.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7.02	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.24	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
16.4	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
35.1	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.21	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.1	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1030	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
189000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
21200	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8880	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2490	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3780	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2360	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
912	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1440	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
199000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
23000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
9290	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2630	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3910	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2420	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
967	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I

2.3	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
531	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
48	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8.96	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.254	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.53	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.52	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.78	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.506	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.8	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
13.5	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7.29	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.99	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
144	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
17000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1290	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
74.6	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
321	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
949	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
151	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
53.4	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1710	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
17500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5080	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1430	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

99.9	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
720	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
923	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
157	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
61.7	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
0.3	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
46.6	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
130	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8.67	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.78	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.55	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.92	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.43	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.903	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.97	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14.1	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.66	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.64	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.07	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
198	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
47600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3440	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2670	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
484	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
443	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1530	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

543	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
202	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
827	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
49200	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4130	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
494	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
462	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1460	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
537	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
202	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.22	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.7	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
137	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
131	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.65	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.958	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.31	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.83	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.21	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.63	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.09	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.4	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
22.2	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
19.2	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
93.7	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
47800	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1190	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2910	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
441	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
461	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
632	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
230	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1420	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
49500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3320	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3030	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
478	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
544	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1550	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
631	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
257	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.5	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.5	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
133	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
35	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.25	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
23.4	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2.6	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.97	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
185	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
76.9	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.84	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9.75	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
34.3	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2.39	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.72	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
178	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

185	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.63	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2170	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4180	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
223	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
553	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
516	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
200	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
704	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3180	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10900	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7600	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2190	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
242	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
914	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
503	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
202	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
680	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.1	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
67	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
61	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
20.3	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.529	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.76	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
31.1	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
26.3	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.39	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.579	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
9.08	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
31.6	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
37.1	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.17	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2100	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
18700	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
7260	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3470	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
782	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
823	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1230	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
274	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
187	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2320	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
18500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8520	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3520	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
792	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
935	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1200	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
276	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
183	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.3	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
112	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
534	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2.69	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
203000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
6260	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
622	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
5710	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4540	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
541	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
208000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2680	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
6500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
668	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
5820	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4580	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
115	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
71	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
1	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I
466	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012 5/26/2012 TechLaw, I

38	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
8.52	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1.47	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1.57	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
78.6	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
0.895	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1.24	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
0.52	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1.58	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1.53	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
78.4	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
2.85	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
720	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
12200	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
177	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1760	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
158	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
317	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
982	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
91.8	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
377	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
886	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
12300	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
903	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
1790	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
159	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
382	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I
941	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012 5/22/2012 TechLaw, I

91.2	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
368	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
43.5	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
1020	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
57.1	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
75.2	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3800	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14.9	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
39.7	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
56.4	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
74.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3730	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
15.1	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
37.3	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
21000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
373000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
46800	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
22100	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
26000	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5190	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6220	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
19100	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
21200	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
378000	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
50300	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
22200	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
26900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5080	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6280	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
19700	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
6.7	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
1350	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
44	mg/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
16	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.07	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.412	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
141	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6.63	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1.37	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.5	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205077	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.26	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
148	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
12	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
425	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14900	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
132	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

1700	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
378	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
322	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
614	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
119	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1170	ug/L	1205075	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
759	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14900	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
591	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1730	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
384	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
359	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
551	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
118	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1120	ug/L	1205072	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
0.2	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
44.5	mg/L	1205091	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/25/2012 TechLaw, I
58	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
13.5	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
5.58	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
0.512	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
102	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
6.98	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
2.06	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.75	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
0.668	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
119	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
13.4	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
833	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
19400	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
109	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
2370	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
1080	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
382	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
732	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
134	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
1520	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012	TechLaw, I
1080	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
19000	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
557	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
2370	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
1100	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
415	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
652	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
135	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
1480	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012	TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012	TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012	TechLaw, I
0.4	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012	TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012	TechLaw, I
64.2	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012	TechLaw, I
86	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
15.5	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
0.764	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
1.43	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
3.59	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
0.661	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012	TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012	TechLaw, I

0.968	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.65	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.3	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.7	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
32	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
30700	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
665	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2340	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
483	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
471	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1570	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
313	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
278	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
687	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30400	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1270	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2350	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
490	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
500	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1540	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
316	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
288	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
18.1	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
73.5	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
87	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
15.9	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.806	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.44	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.56	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.686	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.827	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.65	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.8	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.96	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
32.1	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
31200	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
646	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2350	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
487	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
468	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1590	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
319	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
285	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
691	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30900	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1270	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2360	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
491	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
513	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1550	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
317	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
288	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
16.9	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.2	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
74.4	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
87	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

16.2	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
0.872	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
1.5	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
3.53	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
0.791	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1.07	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1.64	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
11.8	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4.44	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
33.3	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
31000	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
659	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
2360	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
486	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
480	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
1590	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
316	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
282	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
709	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
31200	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1330	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2390	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
504	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
509	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1560	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
324	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
293	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
15.9	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I

mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.2 mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
73.8 mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
87 mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
16 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.888 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.48 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.49 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.702 ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.79 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.76 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.3 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.23 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30.6 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
31100 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
662 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2370 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
504 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
482 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1580 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
328 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
290 ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
687 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30900 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1270 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

2370	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
491	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
499	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1550	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
316	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
283	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.7	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.2	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
73.8	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
88	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
16.2	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.86	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.48	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.51	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.66	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.935	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.65	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
10.8	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.81	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
33.4	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
31300	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
667	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2380	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
488	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
481	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

1610	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
318	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
284	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
695	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30700	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1340	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2380	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
503	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
499	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1560	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
323	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
291	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.8	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
74.5	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
88	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
16.1	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.839	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.4	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.5	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.637	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.994	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.64	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12.2	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.42	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

31.3	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
31300	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
730	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2390	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
480	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
466	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1600	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
318	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
290	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
683	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30200	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1260	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2360	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
481	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
497	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1570	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
316	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
290	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.8	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
73.9	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
88	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
16.4	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.796	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.44	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.66	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.757	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.823	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.6	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

11.6	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.33	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
31.5	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
31300	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
712	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2400	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
483	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
489	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1620	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
318	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
287	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
705	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
31100	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1290	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2420	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
493	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
502	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1590	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
323	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
293	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
17.4	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
74.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
87	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
15.3	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.83	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1.42	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.63	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.623	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.878	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.6	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.9	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.92	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30.7	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
30900	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
693	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2380	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
477	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
474	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1610	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
316	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
282	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
699	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30700	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1270	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2370	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
491	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
499	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1560	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
320	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
290	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
16.6	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.2	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
73.6	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
87	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
16	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.837	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

1.42	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
3.89	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
0.712	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.752	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.61	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.2	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.9	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
29.8	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
31000	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
692	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2380	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
477	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
465	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1620	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
315	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
287	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
696	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30500	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1270	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2380	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
493	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
509	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1580	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
322	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
293	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.7	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
0.2	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I

74.2	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
89	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
15.4	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
0.805	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
1.44	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
3.85	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
0.728	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1.07	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1.6	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
12.4	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
4.31	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
30.6	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
31700	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
673	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
2410	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
495	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
494	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
1620	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
321	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
302	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012 5/24/2012 TechLaw, I
666	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
30800	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1220	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2360	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
499	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
497	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I

1550	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
322	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
298	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
17.6	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
0.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
74.3	mg/L	1205091	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/29/2012 TechLaw, I
133	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
9.03	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
0.966	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
3.28	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
5.87	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
0.231	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1.53	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
0.901	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
3.27	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
21	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
18.7	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
105	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
48600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1200	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
2920	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
444	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
452	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
1600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
636	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I
236	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012 5/22/2012 TechLaw, I

1410	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
49200	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3220	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3010	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
485	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
550	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1530	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
635	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
255	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6.22	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.5	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
134	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
83	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.9	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.873	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.42	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.87	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.877	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
0.756	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1.49	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11.7	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
4.32	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
34.8	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
29300	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I

712	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2280	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
464	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
450	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1560	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
313	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
279	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
715	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
30500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1260	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2380	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
490	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
515	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1590	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
319	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
293	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
15.9	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
0.2	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
73.1	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
1080	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.52	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7.45	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
50.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4.02	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
67.5	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3320	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14.3	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
32.3	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.19	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3.02	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
54.1	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
70.5	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
3540	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
14.8	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
33.7	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
21000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5.54	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
395000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
46700	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
22000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
23500	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
1610	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
5270	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
18700	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
20900	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
371000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
49500	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
21800	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
25900	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
4960	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
6100	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
19100	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
1180	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
520	mg/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.54	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
8.73	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
35.9	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
18.9	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
17.3	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
183	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
7.75	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
2.01	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205078	5/23/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
34.4	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
19.5	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
18.3	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
184	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
8.91	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2850	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.11	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
189000	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
23300	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
11700	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
23900	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1920	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5910	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1660	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
27600	ug/L	1205076	5/23/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
2930	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
3.31	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
191000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
25200	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
12000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
25200	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1980	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
6000	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
1700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
28700	ug/L	1205073	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
3.9	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
649	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I

	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
5.75	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
202	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/15/2012	5/22/2012 TechLaw, I
	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/15/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/15/2012	5/26/2012 TechLaw, I
	mg/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
	ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I

ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205088	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205087	5/25/2012	2012_MAY_Water and Sediment	5/16/2012	5/24/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
262 ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I
ug/L	1205074	5/30/2012	2012_MAY_Water and Sediment	5/16/2012	5/22/2012 TechLaw, I

	mg CaCO3 / L	1205093	5/29/2012	2012_MAY_Water and Sediment	5/16/2012	5/29/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
	mg/L	1205091	5/26/2012	2012_MAY_Water and Sediment	5/16/2012	5/26/2012 TechLaw, I
3080	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
25900	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
173000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
13400	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
4970	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
13500	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
374000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
8950	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1290	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
7090	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
18000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
9050	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
3280	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
29100	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1890	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
4560	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
12200	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
797	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
39.4	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
3030	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
0.081	mg/kg dry wt	1205084	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1570	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
40600	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
137000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2800	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
6100	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
15600	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
152000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
6380	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2030	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1990	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1590	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
26000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
12200	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2760	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
57500	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I

581	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
4820	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2710	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
885	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
53	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
748	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
0.072	mg/kg dry wt	1205084	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2670	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
40100	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
137000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
6720	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
5260	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
16800	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
276000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
11800	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1890	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
4960	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
749	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
24200	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
13800	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2750	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
74300	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
948	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
4410	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
6130	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
855	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
48.7	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1670	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
0.108	mg/kg dry wt	1205084	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
2350	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
46200	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
150000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
8010	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
5190	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
22000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
370000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
8590	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2290	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
4520	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
704	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
23100	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
18600	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I

2.16	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
3350	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
87800	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
935	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
3950	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
7070	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
856	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
56.5	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2240	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
0.145	mg/kg dry wt	1205084	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1480	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
35200	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
134000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2790	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
5860	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
16500	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
154000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
6350	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1720	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
1830	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
613	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
25000	ug/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
12600	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2940	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
59300	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
582	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
5080	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
2910	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
851	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
53	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
758	mg/kg dry wt	1205079	5/24/2012	2012_MAY_Water and Sediment	5/15/2012	5/23/2012 TechLaw, I
0.066	mg/kg dry wt	1205084	5/25/2012	2012_MAY_Water and Sediment	5/15/2012	5/24/2012 TechLaw, I
1920	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
31900	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
91100	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
4660	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
7470	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
14200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
7610	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
1640	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
7150	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water & Sed	10/3/2012	11/5/2012 TechLaw, I

19300	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
10300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
4400	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
250	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
35600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
1490	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
6160	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
3140	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
774	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
45	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
1450	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
0.17	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface W	10/19/2012	TechLaw, I
2560	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
13300	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
149000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
9510	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
4180	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
9650	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
3320	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
1000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
12700	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
1200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
9440	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
6080	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
3240	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
943	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
20200	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
3580	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
3440	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
4820	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
518	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
41.5	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
1620	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
0.31	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface W	10/19/2012	TechLaw, I
6070	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
89500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
233000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
24200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
5690	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
18400	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I
16500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface W	11/5/2012	TechLaw, I

2860	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
13300	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
655	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
13400	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
15300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
6.77	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5890	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
745	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
45300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3030	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
4260	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
22300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1120	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
87.3	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
11500	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
0.19	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012	TechLaw, I
1150	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
36300	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
146000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1810	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
4050	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
10600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
4790	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1830	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
2760	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
20600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
21500	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3750	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
179	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
56900	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
542	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5160	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1470	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1190	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
72.2	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
646	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
0.06	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012	TechLaw, I
1400	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
25500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
108000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3640	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I

4020	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
16600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
6840	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
1430	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
2320	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
16900	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
11800	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
2300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
223	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
51600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
729	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
3870	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
4140	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
591	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
35.7	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
1000	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
0.05	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SW	10/3/2012	10/19/2012	TechLaw, I
1330	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
39400	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
131000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
4240	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
5020	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
17700	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
12100	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
2890	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
3090	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
21200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
31900	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
3.24	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
4740	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
292	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
70700	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
468	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
4620	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
2610	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
1140	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
78.9	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
1720	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I
0.09	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SW	10/3/2012	10/19/2012	TechLaw, I
1690	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SW	10/3/2012	11/5/2012	TechLaw, I

37200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
125000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
10500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5160	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
27700	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
16500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3260	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
2180	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
21500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
48600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5.98	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5700	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
413	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
84500	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
435	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3740	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3820	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1250	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
90.1	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5320	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
0.07	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
2170	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
84200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
303	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5860	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5940	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
7740	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
816	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
8210	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
4700	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
7370	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
11.5	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
9290	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
329	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
780	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
314	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
24.4	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I

63.1	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
0.02	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012 TechLaw, I
586	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
13200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
118000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
4870	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
3730	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
17000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
9090	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
1400	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
724	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
11700	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
15600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
2600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
152	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
33700	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
231	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
3060	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
3010	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
547	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
39.1	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
1930	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
0.04	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012 TechLaw, I
1070	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
29700	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
173000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
18600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
5210	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
60500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
31600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
3100	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
1710	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
19800	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
37400	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
4.85	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
6060	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
357	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
68400	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
378	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
3540	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I
10500	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012 TechLaw, I

1040	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
88.2	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
8670	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
0.06	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012	TechLaw, I
1520	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
40600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
93000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
595	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
4620	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3790	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
2850	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
747	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
2000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
27800	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5310	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
1330	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
55.6	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
143000	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
282	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
2520	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
478	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
807	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
42.8	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
195	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
0.06	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/19/2012	TechLaw, I
6440	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
108000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
221000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
23500	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
5790	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
20600	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
17100	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
3220	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
15400	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
542	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
14900	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
16600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
7.32	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
6520	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
791	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I
50600	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	11/5/2012	TechLaw, I

3400	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
4610	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
21900	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
1300	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
91.3	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
12000	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	11/5/2012	TechLaw, I
0.23	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/1 & 10/2	10/19/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
21100	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
118000	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
888	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
3440	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
14300	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
4640	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
1740	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
651	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
18200	ug/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
22400	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
5590	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
53.8	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
46500	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
129	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
6500	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
1430	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
1130	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
71.9	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
270	mg/kg dry wt	1211018	11/8/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	11/5/2012	TechLaw, I
0.02	mg/kg dry wt	1210065	10/19/2012	2012_OCT_Surface Water_SED	10/4 & 10/5	10/19/2012	TechLaw, I
168	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
26.5	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
0.594	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
0.695	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
0.155	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SED	10/3 & 10/4	10/26/2012	TechLaw, I

	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
26.2	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
1.01	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
2.27	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
29.4	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
42.7	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
61400	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
3670	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
184	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
736	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
2540	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
579	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
189	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
58500	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
3550	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
189	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
2480	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
578	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
189	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
41.6	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/18/2012	TechLaw, I
1.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/29/2012	TechLaw, I
0.5	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/29/2012	TechLaw, I
130	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/29/2012	TechLaw, I
117	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4 & 10/3	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4 & 10/3	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4 & 10/3	10/26/2012	TechLaw, I
31.3	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4 & 10/3	10/26/2012	TechLaw, I
1.48	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4 & 10/3	10/26/2012	TechLaw, I
2	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4 & 10/3	10/26/2012	TechLaw, I

	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4.66	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.42	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.06	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
31.5	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.85	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.38	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.33	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.53	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
43300	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2090	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
590	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2690	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
595	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
181	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
41300	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2040	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2600	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
601	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
177	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
52.1	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I

61.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
102	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
10.8	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
0.235	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
2.57	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
2.77	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
0.758	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
0.515	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
3.1	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
0.567	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
22.4	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
38100	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
1760	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
158	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
470	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
2060	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
413	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
52.5	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
36500	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
1720	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
161	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012

10/29/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/26/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				
10/31/2012	TechLaw, I				

2040	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
417	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
54	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
41.2	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.4	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
59.1	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
104	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
11	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.214	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.72	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.913	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.3	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.52	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
38900	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1670	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
409	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2150	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
458	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
29	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
38100	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1650	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2180	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
466	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
43	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.4	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
57.6	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
174	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
25.5	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.19	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.73	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.131	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
26.6	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.29	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.46	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.93	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
62.2	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
63500	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
3730	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
1340	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
731	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
2710	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
625	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
300	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/26/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
63700	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
3740	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
1350	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
2730	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
643	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
306	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/31/2012 TechLaw, I
35.3	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/18/2012 TechLaw, I
1.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/29/2012 TechLaw, I
0.6	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/29/2012 TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/29/2012 TechLaw, I
139	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1 & 10/2	10/29/2012 TechLaw, I
172	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
25.7	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
1.32	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
1.95	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/26/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
25.4	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
1.51	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
3.82	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
3.42	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2 & 10/3	10/31/2012 TechLaw, I

ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
53.1 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
62700 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
3660 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
1320 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
722 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
2610 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
622 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
396 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
61600 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
3670 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
1350 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
2620 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
638 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
402 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
31.2 mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3/2012	10/18/2012	TechLaw, I
1.2 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
0.5 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
1.4 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
137 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
173 mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
25.3 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
1.31 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
1.9 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
0.221 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I

25.3 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.56 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.04 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.15 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
51.7 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
63300 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3680 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1370 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
716 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2690 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
626 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
424 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
61300 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3630 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1380 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2660 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
636 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
426 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
35.7 mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
1.2 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.5 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.4 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
137 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
174 mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
24.8 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.29 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.26 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
25.6 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
1.51 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
5.16 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
3.82 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
2.83 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
49.1 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
63700 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
3700 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
1410 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
724 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
2660 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
630 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
405 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
62200 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
3680 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
1420 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
2670 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
644 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
424 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
32.8 mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/18/2012	TechLaw, I
1.2 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
0.5 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
0.7 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
138 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
297 mg/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I

ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
20.2 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.74 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7.71 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
16.3 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.176 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4.83 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.97 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8.65 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27.8 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.17 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.62 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
603 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
109000 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2180 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6360 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2590 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1180 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3470 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1180 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1160 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2520 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
105000 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5100 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6250 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2640 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1470 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3360 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1200 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1170 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

5.26	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
259	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
295	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
20.4	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.67	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7.64	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
24.8	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3.01	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5.22	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.71	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8.3	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27.1	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.78	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.38	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1690	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
108000	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2270	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6280	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2540	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1170	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3460	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1160	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1160	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2460	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
103000	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

4890	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
6100	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
2550	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1250	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
3290	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1170	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1150	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/2/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
7.7	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
251	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
263	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
23.1	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1.9	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
7.77	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
8.7	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
4.89	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
2.02	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
7.85	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
18.1	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
4.45	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
3.71	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
309	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
94900	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
2480	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
6380	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1660	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I

1020	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3670	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
985	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
743	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2780	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
92400	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4640	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6250	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1670	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3560	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
991	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
731	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
235	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
261	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
23	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.83	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.34	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6.77	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
9.52	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.175	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5.86	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.12	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.51	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
18	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.77	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.62	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
342	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
94300	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
2210	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
6350	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1580	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1060	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
3780	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
969	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
733	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
2620	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
91100	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
4240	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
6200	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1580	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1270	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
3600	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
980	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
726	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/2/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
232	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
266	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
22.9	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
1.85	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
1.83	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
7.24	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
10.5	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
0.255	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
6.18	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/4/2012	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012	10/31/2012	TechLaw, I
2.1	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/4/2012	10/31/2012	TechLaw, I

7.95	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
18.2	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
4.67	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
4.52	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
418	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
95900	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
2150	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
6460	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
1660	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
1080	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
3820	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
995	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
745	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
2710	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
93300	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
4390	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
6330	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
1650	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
3640	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
999	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
727	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
235	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
251	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
25.3	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
1.7	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
6.9	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
4.3	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
4.83	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I

	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.2	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.97	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15.9	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.8	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.76	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
44.8	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
90300	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1020	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6210	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1440	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1020	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3710	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
934	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
682	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2420	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
88900	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3210	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6170	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1470	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3610	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
950	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
685	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
232	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
217	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
27.2	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.4	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
5.36 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
3.08 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
3.26 ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
25.9 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
1.47 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
5.83 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
5.66 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
13.1 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
3.28 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
2.94 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
39.1 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
77600 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
810 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
5660 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
1210 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
953 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
3260 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
793 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
561 ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/26/2012	TechLaw, I
1980 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
75600 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
2790 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
5510 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
1210 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
3140 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
808 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
557 ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
5.54 mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/18/2012	TechLaw, I
1.2 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/29/2012	TechLaw, I
0.3 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/29/2012	TechLaw, I

0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012 TechLaw, I
144	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012 TechLaw, I
27	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
40	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
0.732	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
38.2	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
7090	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
2340	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
514	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
827	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
52.7	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
6870	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
2310	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I

	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
52.1	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9.88	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
16.6	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
193	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
27.1	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.06	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3.63	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.732	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.43	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
25.4	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.12	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.62	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.19	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.45	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
21.3	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
68400	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5290	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
856	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1020	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3030	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
676	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

442	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
830	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
65300	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1060	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5130	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
839	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2850	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
675	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
445	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9.6	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
1.4	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.5	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
183	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
124	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
82.7	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.23	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
75.4	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
34.4	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

36900	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7820	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
884	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3820	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
202	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
35800	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7680	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3690	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
203	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
95.2	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
31	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
191	mg/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
27	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.05	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3.44	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.593	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.34	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210108	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27.1	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.29	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.29	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12.6	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.23	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
67700	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5260	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
847	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1020	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3050	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
678	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
427	ug/L	1210106	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1790	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
66300	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2330	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5210	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
909	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2910	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
688	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
545	ug/L	1210123	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9.52	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
1.4	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.5	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
183	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
1140	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6.49	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
200	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
71.4	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
28	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
67.7	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
6.57	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
8.82	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
183	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
61.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
27.9	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
73.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
4.95	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
27.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
30700	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
399000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
31000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
34400	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
49100	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
9530	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
4750	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
19500	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
31800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
420000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
32800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
36000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
50600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
1700	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
9730	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
4840	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
19800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
1360	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Seep	10/29/2012	TechLaw, I
183	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
32.3	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
0.704	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
1.85	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Seep	10/26/2012	TechLaw, I

	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
0.552	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
34	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
0.832	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
1.93	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
0.642	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
4.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
26.2	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
63300	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
6060	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
546	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
1080	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
3120	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
609	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
241	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
234	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
61200	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
5970	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
561	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
3010	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
616	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
264	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
27.6	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3/2012	10/18/2012 TechLaw, I
1.6	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
0.4	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
159	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
64	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I

ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.743 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7.73 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
46.1 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6.78 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1460 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2.31 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7.19 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.76 ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
46.7 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.8 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.28 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1300 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.72 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.74 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.41 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5460 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
16200 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3800 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5760 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3750 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
673 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1120 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
49.8 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
10400 ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5330 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15800 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3920 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5610 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3750 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
49.3 ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

10000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/2/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
1.1	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
0.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
153	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/29/2012	TechLaw, I
75	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1.56	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
136	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1.02	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
13.8	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
5920	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
0.885	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
8.83	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
2.13	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
13.1	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
153	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
7.61	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
13.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
6280	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
44.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
9.89	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
5.19	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
11700	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
17900	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
10400	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
7430	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
12200	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
664	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
1690	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
69	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
33200	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/2/2012	10/26/2012	TechLaw, I
11500	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I

17800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
12600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
7350	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
12600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
1620	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
68.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
32800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
2.5	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
253	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012	TechLaw, I
158	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
36.4	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
2.08	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
1.04	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
20.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
0.325	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
36.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
1.9	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
5.95	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
38.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
1.37	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
3.31	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012	TechLaw, I
134	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
55700	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I
4600	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012	TechLaw, I

82.1	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
385	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
1430	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
566	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
291	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
280	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
54600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
4540	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
84.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
1400	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
567	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
303	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
22.7	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Grab	10/18/2012 TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012 TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012 TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012 TechLaw, I
134	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012 TechLaw, I
120	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
25.2	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
6.54	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
76.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
0.738	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
0.777	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
25.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
6.15	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
7.19	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
69.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
0.982	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
2.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
3.2	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012 TechLaw, I

	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
341	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
41200	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
4130	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
73.3	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
455	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
1270	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
328	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
1430	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
346	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
39600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
3960	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
73	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
326	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
1310	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Grab	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012	TechLaw, I
0.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012	TechLaw, I
114	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_Grab	10/29/2012	TechLaw, I
174	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
30	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
13.3	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
88.7	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
1.53	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
7.22	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
0.723	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
29.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
12.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I

7.59	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
84	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.77	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.87	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1240	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
57800	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7070	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
627	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
577	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1380	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
326	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2470	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1290	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
55900	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6790	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
628	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1320	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
329	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2350	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.7	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
175	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
175	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
30	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
13.1	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
88.9	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4.8	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7.55	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
29.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
12.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
7.18	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
82.2	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
5.28	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
7.66	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
3.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
1070	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
58500	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
7140	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
594	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
583	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
1380	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
327	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
2500	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
1260	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
57000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
6910	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
602	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
1320	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
331	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
2410	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/3/2012	10/31/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3/2012	10/18/2012 TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
0.8	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
0.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
177	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/29/2012 TechLaw, I
213	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I
28.3	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/3/2012	10/26/2012 TechLaw, I

19.2	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.48	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
185	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.27	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
28.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
17.9	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.62	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.39	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
181	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
17.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.9	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.82	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2360	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
72600	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
321	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
7610	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4020	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
687	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2120	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
524	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6420	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
70800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7430	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4090	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2020	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
529	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6140	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I

1.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
239	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
241	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
26.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
19.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
2.39	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
182	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
15	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
7.36	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
27	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
17.9	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2.29	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
174	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
16.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
7.65	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
4.38	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2700	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
83600	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
303	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
7790	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
4300	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
704	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
2570	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
693	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
6660	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
2760	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
81300	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
7650	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I

4340	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
2420	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
698	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
6460	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Grab	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/30/2012	TechLaw, I
1.5	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/30/2012	TechLaw, I
237	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/30/2012	TechLaw, I
610	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
48.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
23.7	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
16.2	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
228	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
11.8	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
48.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
21.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
15.2	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
240	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
9.12	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
5.47	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Grab	10/31/2012	TechLaw, I
3540	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
3.75	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
221000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
27200	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
14000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
28400	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
2330	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I
6670	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Grab	10/26/2012	TechLaw, I

1840	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
33800	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3430	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
215000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
28300	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13500	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
30400	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2320	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6360	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1880	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
34100	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
4.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
718	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
441	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
9.1	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5.19	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11.1	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.541	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.62	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.18	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.08	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
234	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
163000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6510	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
8330	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2670	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
697	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5580	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1780	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
833	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
224	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
159000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7700	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8160	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2710	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5270	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1810	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
840	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27.1	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
3.3	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
369	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
169	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
29.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
11.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
103	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5.68	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6.98	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
30.2	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
95.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

6.45	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.74	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.97	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1060	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
56200	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6890	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
495	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
545	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1430	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
332	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2400	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1190	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
55600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6750	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
494	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1330	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
332	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2270	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.8	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.2	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
173	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
108	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
8.39	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
20.9	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6.7	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
17.3	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
27.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4.35	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
19.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.91	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.49	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
16.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
31.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.38	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2010	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
37900	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6400	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3140	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1710	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
741	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3640	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
508	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2230	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1930	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
37500	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6290	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3100	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1720	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3480	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
510	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2130	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
2.7	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
130	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
741	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
24.7	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
56.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

84.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
9.91	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
35.1	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
22.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
48.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
74.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
47.8	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
24.9	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2950	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
268000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
41500	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
17200	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
18300	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6030	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2940	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
10300	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4220	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
272000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
43100	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
17300	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
18600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5990	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2960	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10500	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
3.8	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
813	mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I

275	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
23.8	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
16.9	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
2.19	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
159	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
12.6	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
7.58	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
25.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
15.7	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6.49	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1.97	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
152	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
14.1	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
7.1	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
4.29	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2410	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
97900	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
165	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
7280	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
3770	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
668	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
3130	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
961	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
5730	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012 TechLaw, I
2360	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
96000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
7120	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
3890	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
3040	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I

975	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5610	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.6	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
261	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
283	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
23	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
15.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1.92	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
130	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
9.42	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5.76	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
0.522	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
14.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.15	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.98	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
131	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.73	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.08	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2290	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
102000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
128	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
6910	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3260	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
677	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3330	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
1000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5030	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
2240	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
100000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6760	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3330	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3160	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1020	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4990	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
269	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1210	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
34.2	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
110	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
21.5	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
50.7	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
32.4	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
93.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
84.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
45.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.05	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4530	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
439000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
91000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I

27500	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
33900	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
8740	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
5010	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
16300	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
4540	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
443000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
93400	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27600	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
33900	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1640	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8570	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4950	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
16100	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1240	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1210	mg/L	1210107	10/29/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
31.2	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
103	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
3.63	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
48.4	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210109	11/2/2012	2012_OCT_Surface Water_SW	10/26/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
31.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.61	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
99.6	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
84.3	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
48.5	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.93	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
2580	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
439000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
90000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
27400	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
33600	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
8680	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
4970	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
16000	ug/L	1210107	10/29/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/26/2012	TechLaw, I
4410	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
444000	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
92500	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
27700	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
33800	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
1700	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
8650	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
4970	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
16200	ug/L	1210124	11/1/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/30/2012	TechLaw, I
1240	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/2/2012	10/30/2012	TechLaw, I
1220	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
31	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
96.2	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
4.52	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
2.79	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
56.9	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I

30.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
97.6	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13.5	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
76.4	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
49.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.19	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
18.5	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2420	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
445000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
88500	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
27600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
33500	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1420	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8270	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4760	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4840	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
454000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
94400	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
34300	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1670	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8300	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4850	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
16700	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1230	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1040	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
50.5	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5.15	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
69.1	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3420	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4.75	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
44.9	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

4.87	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
49.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
9.85	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
71.5	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
3660	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
4.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
36.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
7.83	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
5.06	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
18200	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
381000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
66400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
21600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
28900	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5160	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5780	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
19500	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
18100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
388000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
68400	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
21700	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
29100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1410	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
5040	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
5830	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
19700	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1130	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1040	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
59.4 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
10.2 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
72.1 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4040 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
0.765 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
55.2 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5.41 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
56.8 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.02 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
71.9 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4260 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.856 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
34.7 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.31 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
20500 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
379000 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
62200 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
22400 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
28500 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5170 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5690 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
21600 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
20100 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
376000 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
61700 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
21900 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
28500 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4930 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5680 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
21400 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I

	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1160	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
889	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
67.3	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8.74	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
78.6	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3000	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
53.6	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5.16	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
67.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.86	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
84.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3370	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.15	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
45.7	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.29	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
28300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
309000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
57100	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
28500	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
23100	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5260	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3610	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
28100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
316000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
58800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

28600	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
23400	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5140	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3640	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
16800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1080	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
598	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.71	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12.3	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
10.9	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.85	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
14.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.95	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.59	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.77	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
717	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
224000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
18200	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9290	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2570	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

4160	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2550	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
726	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
880	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
227000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
19700	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
9320	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2610	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
4100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2590	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
736	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
9.35	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2.3	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
536	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
102	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1.07	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
4.18	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1.07	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6.14	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6.33	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I

	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
37600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2060	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
64.8	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1570	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
350	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
470	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
37900	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2060	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
66.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1510	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
350	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6.82	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
0.5	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
0.2	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
93.4	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
423	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1.49	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
9.85	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2.63	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
8.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1.66	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
5.08	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
9.63	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I

11.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
2.89	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
5.68	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
320	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
158000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
9810	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
6980	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
1760	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
3330	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
1820	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
504	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
1320	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
163000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
11800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
7110	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
1780	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
3320	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
1850	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
522	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_GW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_GW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
1.6	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
387	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
468	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
1.78	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
7.82	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
3.15	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
8.84	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_GW	10/30/2012	TechLaw, I

ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.03 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.03 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.48 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15.1 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.2 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.62 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
295 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
174000 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2550 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8260 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1670 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3550 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2350 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
534 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1690 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
180000 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3970 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8420 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1710 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3500 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2410 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
570 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11.5 mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.3 mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
423 mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
798 mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
24.7 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

56	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
333	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
23.9	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
38.7	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
24.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
58.7	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
351	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
34.2	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
27.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
3.48	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
7010	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
287000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
35400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
19600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
21000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
6120	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
3170	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
7090	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
292000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
37000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
19500	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
21200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1270	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6160	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
3170	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
11600	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
3.7	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

918	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
747	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
26.6	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
48.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
370	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
28	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
36	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
26.1	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
50	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
415	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
46.7	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
22.6	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
5.37	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6840	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
269000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
34700	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
18000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
17900	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5800	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2870	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
10600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
7130	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
273000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
39100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
18200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
18200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I

5850	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2930	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
847	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1290	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.25	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
131	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.15	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
69.6	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4.52	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
139	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.77	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
50.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6.09	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4970	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
463000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
141000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
31900	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
48400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1250	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9410	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5730	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
21100	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

5150	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
469000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
148000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
32200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
49300	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1370	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9550	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5840	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
21200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1440	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1280	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.29	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
135	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3.14	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.14	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
74.7	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.69	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.36	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
137	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.84	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.06	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
64.2	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.33	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5370	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
458000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

137000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
32000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
47300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9360	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5620	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
20600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5610	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
461000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
140000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
31900	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
48400	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1370	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9160	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5690	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
20900	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1420	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
795	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
25.5	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
58.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
339	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
32	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
44.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
26.4	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
62.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
384	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
40.6	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
32.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
7600	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
286000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
38700	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
19700	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
21800	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
6170	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
3100	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
12000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
7750	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
290000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
42700	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
19800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
22300	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
6180	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
3170	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
12300	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
3.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
934	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/3 & 10/4	10/30/2012	TechLaw, I
1020	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
141	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
140	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
1060	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
35.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
62.9	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
9.27	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/4 & 10/5	10/31/2012	TechLaw, I

	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
142	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
151	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1170	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
37.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
61	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8.64	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
37300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
342000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
18300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
40800	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
79400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3270	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
47900	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
37100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
344000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
18900	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
40800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
80200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8260	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3320	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
48500	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
20	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7840	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
625	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12.8	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
31.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
169	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
18.2	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

22.3	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13.1	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
32.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
191	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
24.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15.5	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3950	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
227000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
14900	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13800	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
11400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4870	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2730	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6020	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4560	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
230000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
19700	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13800	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11500	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4820	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2750	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6050	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.6	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
642	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
622	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
30.6 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
171 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
15.1 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
22.8 ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13.5 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
33.8 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
193 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
22.7 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
17.2 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.72 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3900 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
226000 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
17400 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13800 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
11200 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4810 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2680 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5980 ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4660 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
233000 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
22300 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
14000 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11700 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4880 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2790 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6180 ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.5	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
644	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
520	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9.96	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
27.6	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
123	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
26.8	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
19.1	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.68	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
29.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
144	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
40.3	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15.7	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5770	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
188000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13300	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8820	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1410	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4540	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2230	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4690	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
191000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

19400	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12500	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8990	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1570	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4500	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2260	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4760	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.3	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
558	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
522	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9.92	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
27.1	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
126	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16.2	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
17.5	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10.5	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
29.1	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
147	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
20.4	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13.6	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4930	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
189000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
15400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12400	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9140	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4460	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2260	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4840	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4990	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
192000	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
19200	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12300	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9190	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1480	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4440	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2270	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4860	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.3	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
556	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
124	mg/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
35.1	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3.96	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
31.4	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
17.5	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5.44	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
25.7	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3.75	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
20.8	ug/L	1210117	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
39.7	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.55	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
38.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
20.9	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.09	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
30.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

13.8	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
25000	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
34100	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
59800	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
9510	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
878	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
3950	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
1540	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
437	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
1220	ug/L	1210115	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
24500	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
34100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
61100	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
9570	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
899	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
4090	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1510	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
453	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
1270	ug/L	1210125	11/2/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/2/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
1.1	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
325	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
508	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
6.69	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
8.38	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
32.8	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
107	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
17.9	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
19.9	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	10/2/2012	11/1/2012	TechLaw, I
10.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	10/2/2012	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	10/2/2012	11/1/2012	TechLaw, I
8.06	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	10/2/2012	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	10/2/2012	11/1/2012	TechLaw, I

33.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
110	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
20.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
20.9	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
13.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
9240	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
183000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
26000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12500	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1920	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4130	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2010	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3830	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9470	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
186000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
30200	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12600	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7120	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2230	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4060	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2050	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3910	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.1	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
584	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
504	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8.38	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
32.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
107	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
17	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
11.1	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
8.46	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
34	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
111	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
15.6	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
20.6	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
4.64	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
9070	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
181000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
29000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
12400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
7060	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
2130	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
4090	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
2020	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
3870	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
9410	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
184000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
32400	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
12700	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
7220	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
2150	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
4140	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
2080	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
3890	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Grab	10/3 & 12	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
2.1	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
588	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Grab	10/3 & 12	10/30/2012	TechLaw, I
508	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_Grab	10/4 & 12	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Grab	10/4 & 12	10/30/2012	TechLaw, I
7.55	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Grab	10/4 & 12	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Grab	10/4 & 12	10/30/2012	TechLaw, I
8.24	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Grab	10/4 & 12	10/30/2012	TechLaw, I

	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
33.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
106	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13.5	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
10.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8.44	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
34.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
112	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16.1	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
21.2	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
9140	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
183000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
28500	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7090	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1890	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4120	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2040	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3870	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9580	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
185000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
31900	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12700	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7140	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2280	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4190	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2080	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3860	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2.3	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

mg/L	1210061	11/1/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
882 mg/L	1210061	11/1/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
515 mg/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
4.42 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
8.26 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
34.1 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
106 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
15.5 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
20 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
9.03 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
7.68 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
34 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
108 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
17.6 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
20.6 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
9050 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
186000 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
24800 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
12500 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
6740 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
1980 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
4300 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
1980 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
3730 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012	TechLaw, I
9380 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
188000 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
27900 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
12800 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I
6820 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012	TechLaw, I

2350	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4350	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2040	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3670	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.1	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
599	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
520	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7.25	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
31.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
93	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
14.8	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
18	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.92	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7.19	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
31.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
102	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
17.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8560	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
188000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
19100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6420	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1890	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4480	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2080	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

3480	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
8860	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
191000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
22100	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
12300	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
6430	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2050	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4460	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2140	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
3430	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
599	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
529	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
7.36	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
33.6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
98.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
12.5	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
19.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
6.73	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
7.72	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
31.3	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
96.3	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
15	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
17.9	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
8580	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

192000	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
23000	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
12200	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
6490	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
2000	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
4410	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
2100	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
3480	ug/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
8930	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
193000	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
26100	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
12400	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
6500	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
2190	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
4470	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
2150	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
3450	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface W	10/4/2012	10/18/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
2	mg/L	1210061	11/1/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
603	mg/L	1210061	11/1/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
791	mg/L	1210116	10/30/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
1.15	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
30.1	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
7.25	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface W	10/4/2012	10/30/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
2.68	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
1.72	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
31.2	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
9.34	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I
3.64	ug/L	1211004	11/6/2012	2012_OCT_Surface W	10/4/2012	11/1/2012 TechLaw, I

6.72	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
289000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5050	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16700	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
10800	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1910	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4410	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1560	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
406	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
292000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16300	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
17000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2210	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
9640	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4580	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2090	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
25.2	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1.9	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
576	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
877	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2.17	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
34.1	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9.48	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

3.33	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2.18	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
33	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
3.26	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
8.65	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
187	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
319000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
13200	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
19400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
8630	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2220	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
9770	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5020	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2590	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
295	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
318000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
17000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
19500	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
8680	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2460	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
9810	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5100	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2620	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
16.3	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
305	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
26.7	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1.72	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
38.6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
36.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

22.7	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
20.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1.65	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
36.6	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
36.6	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
23.6	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
19.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
9690	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
98300	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16900	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
14400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5920	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2940	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3520	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1150	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
9920	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
98300	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
17000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
14500	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5920	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3260	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3470	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1170	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
984	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.7	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
435	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
517	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7.01 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
31 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
95 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13.2 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
16.5 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.29 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.94 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
30 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
95.4 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15.4 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
18.4 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8290 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
187000 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
15000 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12000 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6300 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1920 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4480 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2080 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3370 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8600 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
189000 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
18100 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12200 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6380 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2080 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4560 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2150 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

3350	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
590	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
525	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7.27	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
31.6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
95.9	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
11.1	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
18.5	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7.16	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7.36	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
31.2	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
94.3	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
13.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
18.8	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
190000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
19700	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6370	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1780	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4500	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3390	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8530	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

187000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
22300	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12100	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6310	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2070	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4500	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2130	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3310	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1.9	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
599	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
518	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7.01	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
33.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
95.9	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12.9	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
19.8	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.11	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7.93	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
31.4	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
95.9	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15.1	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
20.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8160	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
188000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
15700	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

6310	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4500	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2090	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3350	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
8530	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
188000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
18400	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12200	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6350	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2070	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4470	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2130	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3320	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
591	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
612	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
0.58	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5.97	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2.09	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
161	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
234000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
525	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6930	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6170	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4900	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
102	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
496	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
231000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2560	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6970	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1010	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6200	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4960	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
131	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
73.8	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.6	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
518	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
522	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6.37	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
27.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
89.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
11.6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
14	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.1	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.67	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
25.9 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
86.1 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
13.4 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16.4 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7350 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
190000 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12400 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
11400 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5670 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1750 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4690 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2380 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2970 ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7510 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
189000 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16000 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11400 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5600 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1930 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4630 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2400 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2920 ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.9 mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
575 mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
529 mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
6.15 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
26.6 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
86.7 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
12 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
13.4 ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.59	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.76	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
26.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
85.4	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12.8	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7290	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
193000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
10600	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
11400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5610	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1680	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
4690	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2940	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7550	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
194000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
14800	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11600	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5550	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1920	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4740	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2450	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2900	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
593	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
527	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
25.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
78.8	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
13	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5.94	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5.73	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
26.3	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
80	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
12.8	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
15.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
7540	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
192000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5370	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1810	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
4780	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2350	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2770	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
7710	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
192000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
15700	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
11400	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5410	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
1990	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4750	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2390	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2740	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

1.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
588	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
516	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
25.6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
73.3	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11.9	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
3.14	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4.9	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
27.1	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
74.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
10.8	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
18.1	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
7460	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
188000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11800	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11200	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5120	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1910	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
4750	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2280	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2600	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
7800	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
191000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
15900	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
11400	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I

5100	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2110	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4840	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2330	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2550	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
581	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
515	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5.06	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
24.6	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
74.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11.2	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
12.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
3.42	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4.81	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5.74	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
25.4	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
73.7	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
13.5	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
16.4	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
7480	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
188000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11300	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5050	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2010	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
4800	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

2270	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
2590	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
7670	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
189000	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15100	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11300	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5070	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2160	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4840	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2320	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2560	ug/L	1211004	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
581	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
515	mg/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
5.34	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
25.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
73.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
10.5	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
10.4	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
3.93	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1210118	10/31/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4.92	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5.95	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
23.1	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
68.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7520	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I

	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
188000	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11400	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
11100	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
5040	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
1950	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
4780	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2260	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
2590	ug/L	1210116	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
7890	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
192000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
15400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
11500	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5120	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2200	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4950	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2360	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2600	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
1.8	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
579	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
545	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
5.63	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
25.8	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
78.3	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
11.3	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
13.5	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
4.67	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
5.51	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
13.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
22.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
66.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I

13	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
22.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
4.99	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
7660	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
199000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
11500	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
11600	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
5300	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
2240	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
4870	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
2340	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
2710	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
7800	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
190000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
14400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
11400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
5140	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
2130	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
4910	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
2350	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
2590	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012 TechLaw, I
1.8	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012 TechLaw, I
2.7	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012 TechLaw, I
572	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Seep	10/30/2012 TechLaw, I
172	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
25.2	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
1.14	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
9.6	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
4.02	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
5.82	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/31/2012 TechLaw, I

ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
26.7 ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1.34 ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5.98 ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4.24 ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2.84 ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3.6 ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
62900 ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3690 ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1420 ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2740 ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
649 ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
293 ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
60000 ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3650 ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1390 ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2630 ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
648 ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
304 ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
37.4 mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
1.2 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
0.6 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
140 mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/29/2012	TechLaw, I
597 mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
46.6 ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
22.6 ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

22.9	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
210	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
11.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2.53	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
46.4	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
21.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
16.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
230	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
12.2	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2.63	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
3200	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
217000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
26800	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
13300	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
29200	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2350	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
6300	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
1850	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
33400	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
3440	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
209000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
28000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
13500	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
29400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
2320	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
6430	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
1880	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
33100	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
4.3	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I
718	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012 TechLaw, I

123	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
37.6	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
4.23	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
38.2	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
20.8	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
5.04	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
34.9	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
21.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
4.13	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
31.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
16.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
4.92	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
24.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
24500	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
33700	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
60000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
9520	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
889	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
4340	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
1590	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
444	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
1250	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/2/2012
24600	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
32500	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
11900	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
9380	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
870	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
4400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
1510	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012

446	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1180	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
331	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
532	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10.8	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
31.9	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
150	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12.7	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
10.1	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
27.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
131	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
40.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
14.1	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5790	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
192000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
13600	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12600	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8990	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1790	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4670	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2260	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4780	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6300	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
184000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
18700	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
12500	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
8800	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
1640	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
4530	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
2260	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
4580	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Set1	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Set1	10/30/2012	TechLaw, I
2.4	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Set1	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Set1	10/30/2012	TechLaw, I
556	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_Set1	10/30/2012	TechLaw, I
537	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
5.45	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
24.7	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
76.1	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
10.9	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
11.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
4.82	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
5.44	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
23.2	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
68.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
12.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
15	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Set1	11/1/2012	TechLaw, I
7600	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
196000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I
8580	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Set1	10/31/2012	TechLaw, I

11500	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5200	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2310	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4950	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2350	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2670	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7770	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
191000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
14600	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5120	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2150	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4900	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2340	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2550	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.8	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
562	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
537	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.82	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
25.2	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
76.1	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11.3	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
10.3	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.54	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4.3	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5.49	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
23.4	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
68.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
13.3	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7630	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
196000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11700	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11500	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5270	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2260	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4960	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2340	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2690	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7780	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
190000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15100	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5080	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2160	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4920	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2340	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2570	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1.9	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
570	mg/L	1210061	10/30/2012	2012_OCT_Surface Water_SW	10/30/2012	TechLaw, I
1220	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
31	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
102	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5.75	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.82	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
42.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

31.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
91.1	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
10.4	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
72	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
51.3	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2430	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
443000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
88600	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27700	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
33700	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1770	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8670	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4850	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
16300	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4870	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
432000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
88500	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
27400	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
32800	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1610	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8570	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4850	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
15600	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
50.8	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12900	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2.66	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/1/2012	10/31/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	10/1/2012	11/1/2012 TechLaw, I
mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/1/2012	10/18/2012 TechLaw, I
mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1/2012	10/29/2012 TechLaw, I
mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1/2012	10/29/2012 TechLaw, I
mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1/2012	10/29/2012 TechLaw, I
mg/L	1210061	10/29/2012	2012_OCT_Surface Water_SW	10/1/2012	10/29/2012 TechLaw, I
mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012 TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012 TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/2/2012	10/31/2012 TechLaw, I

	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
2.96	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
4.03	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012 TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012 TechLaw, I

mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5 ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.6 ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.599 ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.52 ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/3 & 11/1	10/31/2012	TechLaw, I
	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
3.57	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	11/1/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4 & 11/2	10/31/2012	TechLaw, I

	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg/L	1210061	11/1/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
403	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
17.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1.86	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
148	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
15.3	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9.45	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
17.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1.61	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
131	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
14.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
11.5	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

4440	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
146000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
9040	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6030	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5270	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1690	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8400	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4510	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
142000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
9000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5960	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5190	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1700	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
8010	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
50.9	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
220	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
25.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.905	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.36	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.76	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
25.2	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
0.701	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I

5.57	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2.4	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2.63	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
177	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
77300	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3510	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
6460	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
435	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3880	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
748	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
173	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3390	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
75100	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
4630	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
6420	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
428	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
3780	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
745	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
177	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
192	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
225	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
27.1	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.65	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
7.6	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
4.69	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
0.662	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
25.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
0.75	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
7.02	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
7.95	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
2.57	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
2.92	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
373	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
79200	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
3600	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
6690	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
455	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
3960	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
770	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
182	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
3670	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
76800	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
4740	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
6620	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
444	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
3900	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
771	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
178	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Seep	10/4/2012	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
197	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Seep	10/4/2012	10/31/2012	TechLaw, I
461	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
52.9	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_Seep	10/3/2012	10/31/2012	TechLaw, I

16.1	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
516	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
75.4	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
11.7	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
53.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
14.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
466	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
72.6	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
16.3	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2.94	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
7810	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
164000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
2520	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
12800	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
21200	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1660	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
5240	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
1460	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
26100	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
8030	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
160000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
2610	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
12800	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
20900	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1690	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
5180	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
1460	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
24800	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_SW	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
3.7	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	10/31/2012	TechLaw, I

545	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
304	mg/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
15.8	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
21.1	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
85	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
9.15	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
14.1	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210129	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
14.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
18.9	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
111	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
71.7	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
13.8	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/7/2012	2012_OCT_Surface Water_SW	11/1/2012
1510	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
106000	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
16800	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
9340	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
37200	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
1680	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
3790	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
1100	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
4420	ug/L	1210122	10/31/2012	2012_OCT_Surface Water_SW	11/1/2012
2940	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
103000	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
17900	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
9110	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
36200	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012
1490	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_SW	11/1/2012

3570	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	10/4/2012	11/1/2012	TechLaw, I
1090	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	10/4/2012	11/1/2012	TechLaw, I
4220	ug/L	1211005	11/6/2012	2012_OCT_Surface Water_Set1	10/4/2012	11/1/2012	TechLaw, I
	mg CaCO3 / L	1210057	10/18/2012	2012_OCT_Surface Water_Set1	10/4/2012	10/18/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Set1	10/4/2012	10/31/2012	TechLaw, I
3.3	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Set1	10/4/2012	10/31/2012	TechLaw, I
	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Set1	10/4/2012	10/31/2012	TechLaw, I
341	mg/L	1210061	10/31/2012	2012_OCT_Surface Water_Set1	10/4/2012	10/31/2012	TechLaw, I
65	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
1.8	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
16.8	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
0.742	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
8.42	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
0.563	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	5/30/2013	TechLaw, I
2170	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
20300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
134000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
26.9	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
12800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
1.62	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
4650	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
10100	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
267000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
46	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
1820000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
81.3	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
5990	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
548	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I
7060	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Batch1	5/13/2013	6/5/2013	TechLaw, I

	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
15400	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
48.7	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
23100	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
1720	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
140	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
584	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
1230	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
206	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
224	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
8250	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
817	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
2900	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
21900	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
26100	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
635	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
5200	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
1660	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
9760	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
567	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
590	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
595	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
1100	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
27.8	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
219	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
2330	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/12/2013	TechLaw, I
467	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
25.3	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
39.6	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/5/2013	TechLaw, I
70	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
18.1	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I
1.09	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lab_Set	5/13/2013	5/30/2013	TechLaw, I

1.17	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
6.35	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
1.91	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
0.502	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
1940	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
9370	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
127000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
6230	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
1.21	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
3260	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
6650	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
458000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
15.2	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
1860000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
22.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
2810	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
9550	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
627	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
11500	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
25900	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
1280	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
2.49	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
493	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
1720	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
301	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I
154	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils	5/13/2013	5/30/2013	TechLaw, I

6780	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
57.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
2590	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
24000	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
20300	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
4410	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
1190	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
4060	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
17.6	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
500	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
462	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
1550	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
30.5	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
343	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
1260	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
165	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
36.8	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_13	5/13/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
0.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
0.4	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
31.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
74	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
1.6	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
17.4	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
0.737	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
7.81	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
0.666	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_13	5/13/2013	5/30/2013	TechLaw, I
2610	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
24400	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_13	5/13/2013	6/5/2013	TechLaw, I
159000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_13	5/13/2013	6/12/2013	TechLaw, I

	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
14700	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
1.33	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
4860	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
13000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
286000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
33.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
2100000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
34.7	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
7580	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
4050	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
15000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
49.8	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
26400	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
1900	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
153	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
594	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
1330	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
222	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
242	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	5/30/2013	TechLaw, I
9160	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
370	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
2810	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
24200	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
24400	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
257	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
5370	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
1740	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
12600	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
348	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I
563	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/12/2013	TechLaw, I
568	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lab_2013	5/13/2013	6/5/2013	TechLaw, I

	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
1170	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
36.4	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
256	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
3180	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
384	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
26	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_1	5/13/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
0.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
46.8	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
78	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
1.5	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
18.2	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
0.996	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
9.6	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
0.749	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_1	5/13/2013	5/30/2013	TechLaw, I
4320	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
44000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
130000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
11300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
1.17	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
4710	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
14400	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
466000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
21.7	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
2120000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
23.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
7190	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I

	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
7340	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
15600	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
70.4	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
28000	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
2000	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
328	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
595	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
1430	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
255	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
305	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/30/2013	TechLaw, I
10600	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
322	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
2.53	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
3360	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
27900	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
27500	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
218	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
4950	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
1970	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
11000	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
477	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
701	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
602	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
1350	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
26.2	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
276	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
2840	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/12/2013	TechLaw, I
375	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
29.9	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
0.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
51	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
63	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
1.9	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I

	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
14.9	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
0.891	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
8.46	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.24	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
3660	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
44200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
144000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
11900	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.25	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4420	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
5.22	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
11500	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
336000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
20.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1770000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
24.9	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
7200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
905	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
7140	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
12800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
70.5	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
22600	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1640	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
240	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
632	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I

1130	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
209	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
280	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
10500	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
343	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2.77	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
3840	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
22700	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
30000	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
130	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
1690	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
9670	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
412	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
722	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
644	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
1130	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
39.6	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
219	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
3470	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
358	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
22.8	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
39.7	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
65	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
2	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
15.5	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
0.906	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
8.91	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
1.33	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/30/2013	TechLaw, I
2910	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I

30300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
130000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
10300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
1.3	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
4760	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
5.34	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
11800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
328000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
25.7	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
1840000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
50.5	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
6680	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
5530	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
15000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
81.4	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
23400	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
1690	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
304	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
657	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
1180	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
213	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
296	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/30/2013	TechLaw, I
9250	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
698	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
3100	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
22700	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
28800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
699	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
5020	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
1700	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
12900	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I

578	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
624	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
757	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1130	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
30.1	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
227	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2590	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
395	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
24.3	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
41.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
64	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.8	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
15.2	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
0.868	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
9.12	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.45	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
2110	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
26900	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
140000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8440	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.39	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5680	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
10200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
257000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
24.9	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1750000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
51.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

5920	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5060	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
18600	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
76.7	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
22800	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1650	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
343	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
639	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1140	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
209	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
292	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
8370	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
653	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3450	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
22900	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
29600	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
669	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5120	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1700	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
7830	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
635	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
633	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
750	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1120	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
29.5	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
226	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1950	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
400	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
24.3	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
41.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

44	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
1.4	mg/L	1306029	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
20.4	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
0.547	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
2.65	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
2.57	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
3.18	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
4.99	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
37.3	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
15500	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
1190	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
2.21	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
468	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
1150	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
144	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
90.2	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/30/2013	TechLaw, I
57.6	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
15200	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
1140	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
5.52	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
416	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I

1080	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
154	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
92.1	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
22.6	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.4	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
21.7	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
66	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.8	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
15	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
0.969	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
10.3	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.34	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
2570	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
26300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
163000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
13700	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.45	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5210	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
11100	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
352000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
28.9	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2180000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
43.3	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8760	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
9220	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
14500	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
93.3	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
23800	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1730	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
656	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
651	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1180	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
225	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
347	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
7650	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
534	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3060	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
23900	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
28800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
437	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4290	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1740	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
10300	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
988	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
587	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
701	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1160	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
36.4	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
233	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2830	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
454	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
28.7	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
1.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
44	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
82	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.3	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.01	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I

	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.61	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
7.61	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1.18	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
727	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
26100	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
109000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1150	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.42	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6410	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8470	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.65	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
77800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
26	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
299000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
29.2	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4880	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1040	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
23200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
58.9	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
29100	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
628	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
2290	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
478	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
604	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
1570	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
280	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I
369	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/30/2013	TechLaw, I

11800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
938	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2860	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
28900	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
45800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
2680	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4270	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
2260	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1210	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
734	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
682	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
592	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1520	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
44.2	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
304	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
386	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
453	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
13.3	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
1.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
71.4	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
71	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.5	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.743	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.919	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
5	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.706	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2050	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
31900	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
180000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I

	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4100	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
0.989	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5600	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
13700	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1.66	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
176000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
22.8	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
591000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
33.7	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
6070	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
717	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2780	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
21000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
73.1	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
25100	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
249	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2080	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
341	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
602	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1400	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
232	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
242	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
9220	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1280	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2710	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
24400	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
55700	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
4210	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3780	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
2110	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3320	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
609	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
711	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
735	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1360	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
41.7	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
248	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
998	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
352	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
16.5	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
56	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
37	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.8	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
25.4	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.251	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.449	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2.04	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.272	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.42	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1540	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
30400	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
128000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
28.3	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3560	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4720	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
19200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
0.932	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
140000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
8.49	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
593000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
11.7	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
9780	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I

	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1650	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
19800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
83.1	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
11600	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
120	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2030	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
109	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
561	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
839	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
96.8	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
79	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
10600	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
666	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1760	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
12000	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
67100	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1520	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3750	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
2100	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4340	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
230	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
590	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
626	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
853	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
31.2	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
107	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
964	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
119	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
11.4	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
25.6	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
22	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2.1	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I

	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
29.2	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
0.254	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
0.623	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
1.86	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
503	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
8730	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
62400	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
30.5	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
805	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
8660	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
20700	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
13200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
9620	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
33500	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
529	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
7660	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	6/5/2013	TechLaw, I
91.7	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
5610	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
2020	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
10.2	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I
550	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Lpant	5/15/2013	5/30/2013	TechLaw, I

592	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
37.7	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
7930	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
323	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1880	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
5500	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
19300	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
101	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2860	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1960	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
724	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
17.7	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
697	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
523	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
562	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
8.93	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
41.2	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
126	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
9.39	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
13.6	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
58	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
4.7	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
35.1	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.8	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.5	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

6820	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
75400	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
34.8	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
421	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7250	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4930	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5720	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
13600	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
6220	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
8380	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
81.6	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
16800	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
3760	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
452	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1560	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
47.6	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
4180	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
131	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3690	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
16400	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
12300	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
104	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2880	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
3590	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
593	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I

7.46	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
568	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
406	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1490	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
10.8	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
50.5	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
76.7	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
53	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
2.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
61	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.7	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
15.2	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.531	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.528	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
3.67	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.759	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.502	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
987	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
13300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
77000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
25.9	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2650	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1.04	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5450	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
9570	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1.83	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
82700	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
21.5	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
354000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
34.5	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

5930	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
588	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1510	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
13200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
84.2	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
21200	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
137	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2070	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
233	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
645	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1290	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
182	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
140	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
7220	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1650	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1970	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
21200	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
26000	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
4810	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3460	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
2200	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2340	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
592	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
625	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
857	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1280	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
24.3	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
198	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
672	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
283	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
16.1	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
44.7	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

57	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
3.2	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
43.6	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.29	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.534	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2990	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
71500	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
45.6	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
157	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
6340	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4740	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
6120	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5070	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5980	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7650	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
93	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
18000	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I

2980	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
5.91	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
492	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1520	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
107	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
485	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
18300	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
326	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
3030	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
27.6	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
518	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1500	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
111	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
46.6	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1.7	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
10.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
60	mg/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1.7	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
15.4	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.487	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.556	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
3.65	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.779	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
0.648	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I

	ug/L	1305059	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1500	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
18200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
119000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3880	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
0.953	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4990	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15200	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1.85	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
108000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
20.6	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
367000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
32.6	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7270	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1370	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15600	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
86.7	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
20800	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
144	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
2030	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
232	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
629	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
1270	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
180	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
140	ug/L	1305060	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/30/2013	TechLaw, I
8550	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1630	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2120	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
20900	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
34400	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
4610	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

4110	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
2160	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3730	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
571	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
719	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
806	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1250	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
28.9	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
197	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1030	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
288	ug/L	1306020	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
14.7	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
44.6	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
58	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1.9	mg/L	1306029	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
20.8	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
0.313	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
0.283	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
3.49	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
0.533	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
978	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15900	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
137000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
28.2	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2460	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
0.725	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7380	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
9700	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1.49	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
116000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I

16.3	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
328000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
26	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7360	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1080	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15300	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
84.2	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
19400	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
2340	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
149	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
549	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1180	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
150	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
66.5	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
7360	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1310	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
11500	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
19500	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
28200	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
3560	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
5760	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
2460	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2130	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
468	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1040	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
707	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
1180	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
51.6	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
161	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2080	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/12/2013	TechLaw, I
221	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
25.7	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
0.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
34.2	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
51	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
15.8	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
7.43	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
1.01	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
134	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
6.15	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
1.97	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
33.8	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
7.34	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
1.2	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
142	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
23.1	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
1030	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
16900	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
741	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
2170	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
791	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
427	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
709	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
111	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
2110	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013 TechLaw, I
1930	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
16900	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
2480	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
2350	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I

850	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
706	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
708	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
120	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2040	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.4	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.3	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
65	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
331	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
16.7	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
10.6	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
10.5	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
79.1	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
5.49	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
16.9	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
11.5	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
10.1	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
81.8	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4.84	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1310	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
120000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
14400	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
7400	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
16000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1120	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
3590	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I

938	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
18100	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1320	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
115000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
14800	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7280	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15600	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1150	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3600	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
984	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15100	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2.1	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
404	mg/L	1306023	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
43	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
15.6	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
7.01	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
0.62	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
153	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
6	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
2.16	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
0.601	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
146	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
7.27	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
925	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I

ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
14100 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
487 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
2020 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
592 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
402 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
585 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
84.3 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1740 ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1090 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
15100 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
690 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2200 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
615 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
457 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
632 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
87.8 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1660 ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
1 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.3 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.4 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
57 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
83 mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
15.6 ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
5.57 ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4.87 ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
72.3 ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
5.81 ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2.95 ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
32.3 ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6.08 ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6.07 ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
88 ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

47.3	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3.53	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1150	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
29400	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2880	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2410	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1880	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
504	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1100	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
272	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2190	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2680	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
28200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8180	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2630	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2040	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
785	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1070	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
291	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1980	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.6	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
101	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
39	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
17.7	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4.44	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1.49	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
69.1	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
3.04	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1.47	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I

	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4.45	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
66	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4.64	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
5.23	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
3.54	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
103	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
130	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2.73	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
761	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
13300	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
282	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
1400	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
608	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
435	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
757	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
110	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
1430	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
4740	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
13100	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
10800	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2400	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
890	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1340	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
810	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
136	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1330	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
47.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
1240	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
33.9	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
97	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I

	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
18.9	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
43.3	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
34.5	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
104	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
76.6	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
50.4	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
4310	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
453000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
96800	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
27200	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
36000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
8050	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
4790	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
18100	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/31/2013	TechLaw, I
4800	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
470000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
102000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
29200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
37200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
8540	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
5170	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
17500	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Lab	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/6/2013	TechLaw, I
1610	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lab	5/14/2013	6/6/2013	TechLaw, I

1150	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
33.5	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
88.6	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
51	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
11.2	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
46.9	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
35.5	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
92.4	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
55.4	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
102	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
45.4	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3820	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
419000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
83200	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
25500	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
33200	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
7760	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4410	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
17300	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4940	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
423000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
87000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
26400	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
34200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
7770	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

4760	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
16600	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
1420	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
128	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
11.6	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
13.9	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
523	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
3.84	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
7.88	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
12.5	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
14.8	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
547	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
111	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8.03	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5330	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
41700	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
11700	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
5900	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
3060	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
368	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1130	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
427	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2960	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
6410	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
41700	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
26200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
6190	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
3060	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
729	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1140	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
449	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2670	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
216	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
546	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
2.76	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
13.3	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
29.7	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
5.59	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
3.34	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
12.8	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
43.6	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
4.67	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
5.98	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	6/5/2013	TechLaw, I
815	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
205000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I
17600	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/15/2013	5/31/2013	TechLaw, I

8230	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
2260	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
3780	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
2280	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
800	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1310	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
224000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
20000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
9010	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2510	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
3900	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2610	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
884	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
8.39	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
555	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
43	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
9.92	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
0.316	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
6.12	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
24.1	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
0.197	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
3.53	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
6.83	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
27.3	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2.24	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
4.01	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
1380	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
14600	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
2110	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
1540	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
159	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
433	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
896	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
126	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
68.4	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
2050	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
14800	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
7020	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
1550	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
188	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
510	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
839	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
130	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
75.4	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/6/2013	TechLaw, I
0.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/6/2013	TechLaw, I
62.6	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/6/2013	TechLaw, I
97	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
7.04	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
26.9	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lupine	5/15/2013	6/5/2013	TechLaw, I

	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
8.89	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
33	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
19.2	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1450	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
34900	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
3620	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
2310	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
395	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
481	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
1200	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
366	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
161	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/31/2013	TechLaw, I
3570	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
37000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
14200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2750	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
461	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1470	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1250	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
400	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
167	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.5	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
123	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
136	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1.42	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
6.35	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
37.7	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I

	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
15.8	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
189	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
2.52	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
8.29	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
57.4	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
141	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
22.3	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
1540	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
48900	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
1150	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
3300	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
634	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
553	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
1600	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
603	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
426	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
8850	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
49200	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
44500	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
5350	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
964	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
3920	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
1770	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
699	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
482	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/6/2013	TechLaw, I
0.6	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/6/2013	TechLaw, I
157	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	6/6/2013	TechLaw, I
109	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Lot1	5/14/2013	5/31/2013	TechLaw, I

	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
6.53	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
8.1	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
119	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
6.51	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
7.12	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
9.81	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
130	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
94.9	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
5.72	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1760	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
38100	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
4870	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
3370	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
2670	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
500	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
1350	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
388	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
2380	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
4740	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
39000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
21400	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4260	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2910	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1170	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1340	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
420	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2360	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013	TechLaw, I

	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.6	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
147	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
90	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
6.31	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
7.47	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
158	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
5.43	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5.09	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6.98	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8.3	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
146	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
148	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1770	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
31100	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4090	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2980	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2070	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
477	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
1160	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
309	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2160	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4680	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
31400	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
18400	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

3790	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2270	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1160	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1140	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
338	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2090	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.5	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
125	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
1220	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
2.74	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
129	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
3.56	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
52.9	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3.39	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
139	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5.65	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5.31	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
58.2	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4070	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
439000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
152000	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
29500	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
48400	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I

8300	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
5250	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
21900	ug/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
4870	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
445000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
155000	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
31100	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
49300	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8930	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5580	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
20900	ug/L	1306021	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
1630	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
145	mg/L	1305062	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
7.04	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
9.73	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
122	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
10.8	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
5.23	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1305061	5/31/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/31/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
7.46	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
9.98	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
114	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
40	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5.6	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306021	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

2080	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
51200	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
5090	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
4070	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
3340	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
514	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
1600	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
512	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
2900	ug/L		1305062	5/31/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/31/2013	TechLaw, I
3340	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
48400	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
11900	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4310	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
3410	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
922	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1570	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
549	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
2620	ug/L		1306021	6/7/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L		1306012	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013	TechLaw, I
	mg/L		1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
0.9	mg/L		1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L		1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
179	mg/L		1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
136	mg/L		1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
5.84	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
8.57	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
94.8	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
10.1	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013	TechLaw, I
	ug/L		1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L		1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L		1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4.96	ug/L		1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L		1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
8.6	ug/L		1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I

94.3	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
25.7	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
5	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
2020	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
48100	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
4870	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
3870	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
2480	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
611	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1610	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
525	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1940	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
2620	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
47500	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
10100	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
3970	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
2570	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
769	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1590	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
544	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1960	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013 TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I
0.7	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I
172	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I
26	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
1.32	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
29.5	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
2.86	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
4.39	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
152	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
58.2	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
3.29	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I

ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/4/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
5.06 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
34.8 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
2.98 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
5.53 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
4.7 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
172 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
73.8 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
3.78 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
1910 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
7790 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
3800 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
1610 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
197 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
628 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
506 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
111 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
779 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
2100 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
7520 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
6330 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
1590 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
211 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
683 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
440 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
114 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
752 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_14pers	5/14/2013	5/23/2013	TechLaw, I
mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/6/2013	TechLaw, I
0.1 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/6/2013	TechLaw, I
mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/6/2013	TechLaw, I
51.4 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/6/2013	TechLaw, I
70 mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/5/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_14pers	5/14/2013	6/4/2013	TechLaw, I

10.4	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
41.4	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
22.4	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
5.41	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/4/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
33.7	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
0.783	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
10.1	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
42.8	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
25.8	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
6.67	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
2590	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
21400	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
8840	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
3960	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
831	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
882	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1330	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
305	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
252	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
2880	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
21000	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
10300	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
3960	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
834	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1060	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
1300	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
311	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
250	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013 TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013 TechLaw, I
1	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I
0.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013 TechLaw, I

126 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013 TechLaw, I
124 mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
3.83 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
8.07 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
84.8 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
15.3 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
5.38 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
3.52 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
7.57 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
85 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
19.7 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
5.03 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
2290 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
43900 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
5460 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
3570 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1630 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
698 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1490 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
463 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1350 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
2260 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
41600 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
10500 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
3410 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1650 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
706 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I

1410	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
467	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1320	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.6	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
158	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
581	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2.83	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
270	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
222000	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6470	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
639	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5270	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4640	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
107	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

473	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
232000	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2430	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6820	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
718	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
5770	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4980	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
129	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
1.5	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
571	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
129	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
3.2	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
7.52	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
79.3	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
13.1	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3.31	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
7.28	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
80.1	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
30.3	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2290	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
46000	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

4360	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
3530	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
1440	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
758	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
1570	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
514	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
1160	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
2690	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
46000	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
17200	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
3630	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
1510	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
891	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
1590	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
538	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
1180	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_1	5/14/2013	5/23/2013	TechLaw, I
1	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/14/2013	6/6/2013	TechLaw, I
0.5	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/14/2013	6/6/2013	TechLaw, I
163	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/14/2013	6/6/2013	TechLaw, I
71	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
1.5	mg/L	1306030	6/7/2013	2013_MAY_SW & Soils_1	5/13/2013	6/6/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
0.863	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
7.25	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
0.759	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/4/2013	TechLaw, I
2210	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
7150	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
72900	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
5480	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_1	5/13/2013	6/12/2013	TechLaw, I
1.21	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I

3610	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
6530	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
373000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
24.8	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
1530000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
46.8	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
2440	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
5060	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
9290	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
61.8	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
25300	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
1780	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
160	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
533	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
1220	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
238	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
243	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
5870	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
652	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
2140	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
25100	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
18800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
680	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
3920	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
1880	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
4800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
364	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
494	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
758	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
1220	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
23.7	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I

246	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
1030	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/12/2013	TechLaw, I
360	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/5/2013	TechLaw, I
29.8	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/13/2013	5/23/2013	TechLaw, I
1.1	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/6/2013	TechLaw, I
46.9	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/13/2013	6/6/2013	TechLaw, I
79	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1.2	mg/L	1306030	6/7/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
1.04	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
1.55	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
6.49	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
2130	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
37800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
162000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1330	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.71	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6440	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
10600	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
1.77	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
124000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
29.5	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
385000	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
48.9	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
4950	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
788	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3900	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
22800	ug/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
51	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
28100	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
579	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
2150	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
472	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
528	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
1440	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
275	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
360	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
11800	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
1190	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
3520	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
27200	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
61700	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
3520	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
4210	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
2200	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
1690	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
738	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
716	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
748	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
1440	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
45.3	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
282	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
448	mg/kg dry wt	1306074	6/17/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/12/2013	TechLaw, I
456	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/5/2013	TechLaw, I
12.5	mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	5/23/2013	TechLaw, I
1.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/6/2013	TechLaw, I
0.2	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/6/2013	TechLaw, I
71.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Lappen	5/14/2013	6/6/2013	TechLaw, I
44	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Lappen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Lappen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Lappen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Lappen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Lappen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Lappen	5/15/2013	6/4/2013	TechLaw, I

6.97	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
26.1	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
4.4	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
3.12	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
59.2	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
7.37	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
31	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
30.5	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
4.28	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
1410	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
15100	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
2010	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
1540	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
159	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
445	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
827	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
125	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
72.3	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
3980	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
15000	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
15100	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
2030	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
238	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
1710	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
935	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
146	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
82.1	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/6/2013	TechLaw, I
0.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1p.pen	5/15/2013	6/6/2013	TechLaw, I

62.5 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013 TechLaw, I
100 mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
0.656 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
7.73 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
30.2 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
4.3 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
3.97 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
63.8 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
0.786 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
7.7 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
33.2 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
29.7 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
4.74 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
1480 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
36400 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
3600 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
2310 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
398 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
473 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
1130 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
371 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
163 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
3910 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
36400 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
15800 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
2830 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
458 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I
1760 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013 TechLaw, I

1280	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
398	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
168	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.5	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
124	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
70	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
27	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
0.783	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
9.6	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
40.6	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
19.6	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
5.51	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
34.8	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
0.799	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
9.43	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
42.1	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
29.9	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
6.04	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
2640	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
21600	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
8480	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
3990	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
763	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
873	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
1310	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
275	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
234	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I

2940	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
21200	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
10400	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
4000	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
833	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1050	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
1310	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
313	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
246	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
0.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
127	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Appendix	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	mg/L	1306030	6/7/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/6/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
0.594	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Appendix	5/13/2013	6/5/2013	TechLaw, I

66.5	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/13/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306012	5/23/2013	2013_MAY_SW & Soils_1	5/13/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/6/2013	TechLaw, I
2.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1	5/13/2013	6/6/2013	TechLaw, I
	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	mg/L	1306030	6/7/2013	2013_MAY_SW & Soils_1	5/14/2013	6/6/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1	5/14/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1	5/14/2013	6/5/2013	TechLaw, I

	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
92.3	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
2.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg/L	1306030	6/7/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I

	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
82	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
2.3	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
192	mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
4.38	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
	ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I

ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
20 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
3.4 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
3.57 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
4.45 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
22 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
4.25 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
3.29 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
1930 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
70200 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
4000 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
190 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
664 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
2520 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
802 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
1330 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
1960 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
69500 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
160 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
3970 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
195 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
677 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
2610 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
837 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
1320 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/5/2013	TechLaw, I
mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_1p	5/15/2013	5/23/2013	TechLaw, I
mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/6/2013	TechLaw, I
1.3 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/6/2013	TechLaw, I
0.3 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_1p	5/15/2013	6/6/2013	TechLaw, I

217 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013 TechLaw, I
79 mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
1.41 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/4/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1.59 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
9.16 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
12.2 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
62.6 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
27800 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
554 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
2340 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
128 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
431 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1770 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
261 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
100 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
1270 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
27200 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
2720 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
2330 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
151 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I
520 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013 TechLaw, I

1810 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
272 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
121 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/5/2013	TechLaw, I
13.6 mg CaCO3 / L	1306013	5/23/2013	2013_MAY_SW & Soils_Upper	5/14/2013	5/23/2013	TechLaw, I
1.5 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.2 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
0.2 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
71 mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/14/2013	6/6/2013	TechLaw, I
66 mg/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
6.47 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
106 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
1.32 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
2.79 ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306018	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/4/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
6.56 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
100 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1.24 ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
756 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
22300 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2570 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
354 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
385 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
725 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
151 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1760 ug/L	1306019	6/5/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I

734	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
21700	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
2540	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
354	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
404	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
726	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
154	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
1710	ug/L	1306022	6/10/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/5/2013	TechLaw, I
	mg CaCO3 / L	1306011	5/23/2013	2013_MAY_SW & Soils_Upper	5/15/2013	5/23/2013	TechLaw, I
	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
0.4	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I
74.7	mg/L	1306023	6/6/2013	2013_MAY_SW & Soils_Upper	5/15/2013	6/6/2013	TechLaw, I

Lab_Samp	Analytical_	Extraction	CAS_NO	Result_Tex	Dilution_F	SampleDat	Sub_Location
C120508-02	340B	No Lab Pre	NA	72		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-39-3	16.5		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-43-9	0.866		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-48-4	<0.100		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-50-8	4.33		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7439-92-1	0.614		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-02-0	<0.500		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	A68
C120508-0	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-43-9	0.921		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-48-4	<0.500		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-50-8	5.86		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7439-92-1	2.79		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	A68
C120508-0	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	A68
C120508-0	200.7	No Lab Pre	7429-90-5	57.2		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7440-70-2	25700		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7439-89-6	<100		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7439-95-4	1800		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7439-96-5	699		15/15/2012	A68
C120508-0	200.7	No Lab Pre	9/7/7440	459		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7440-23-5	1250		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7440-24-6	256		15/15/2012	A68
C120508-0	200.7	No Lab Pre	7440-66-6	281		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7429-90-5	154		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7440-70-2	25600		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7439-89-6	111		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7439-95-4	1810		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7439-96-5	715		15/15/2012	A68
C120508-0	200.7	200.2 - TR	9/7/7440	520		15/15/2012	A68

C120508-0	200.7	200.2 - TR	7440-23-5	1270		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7440-24-6	260		15/15/2012	A68
C120508-0	200.7	200.2 - TR	7440-66-6	289		15/15/2012	A68
C120508-0	EPA 310.1	No Prep R	NA	26		15/15/2012	A68
C120508-0	EPA 300.0	No Prep R	16887-00-(	<1.0		15/15/2012	A68
C120508-0	EPA 300.0	No Prep R	16984-48-8	0.3		15/15/2012	A68
C120508-0	EPA 300.0	No Prep R	NA	<0.4		15/15/2012	A68
C120508-0	EPA 300.0	No Prep R	148-08-79	46.4		15/15/2012	A68
C120508-0	2340B	No Lab Pre	NA	87		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-39-3	17.2		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-43-9	0.902		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-48-4	1.54		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-50-8	4.36		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-02-0	0.979		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	A72
C120508-0	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-43-9	0.957		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-48-4	1.57		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-50-8	12.2		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7439-92-1	4.27		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-28-0	4.68		55/15/2012	A72
C120508-0	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	A72
C120508-0	200.7	No Lab Pre	7429-90-5	32.4		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7440-70-2	31000		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7439-89-6	780		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7439-95-4	2340		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7439-96-5	477		15/15/2012	A72
C120508-0	200.7	No Lab Pre	9/7/7440	472		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7440-23-5	1550		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7440-24-6	312		15/15/2012	A72
C120508-0	200.7	No Lab Pre	7440-66-6	288		15/15/2012	A72

C120508-0	200.7	200.2 - TR	7429-90-5		701	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	A72
C120508-0	200.7	200.2 - TR	7440-70-2		30600	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7439-89-6		1280	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7439-95-4		2350	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7439-96-5		485	15/15/2012	A72
C120508-0	200.7	200.2 - TR	9/7/7440		546	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7440-23-5		1510	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7440-24-6		310	15/15/2012	A72
C120508-0	200.7	200.2 - TR	7440-66-6		292	15/15/2012	A72
C120508-0	EPA 310.1	No Prep Re	NA		15.4	15/15/2012	A72
C120508-0	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/15/2012	A72
C120508-0	EPA 300.0	No Prep Re	16984-48-8		0.2	15/15/2012	A72
C120508-0	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	A72
C120508-0	EPA 300.0	No Prep Re	148-08-79		71.1	15/15/2012	A72
C120508-A	2340B	No Lab Pre	NA		77	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-39-3		17.4	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-43-9		0.284	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-48-4		1.5	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-50-8		1.69	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7439-92-1		0.125	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-02-0		0.631	15/15/2012	M34
C120508-A	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	M34
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-43-9	<0.500		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-48-4		1.58	55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-50-8		5.71	55/15/2012	M34
C120508-A	200.8	200.2 - TR	7439-92-1		3.16	55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	M34
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	M34
C120508-A	200.7	No Lab Pre	7429-90-5		45	15/15/2012	M34
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	M34
C120508-A	200.7	No Lab Pre	7440-70-2		27100	15/15/2012	M34

C120508-A	200.7	No Lab Pre	7439-89-6	512		15/15/2012	M34
C120508-A	200.7	No Lab Pre	7439-95-4	2330		15/15/2012	M34
C120508-A	200.7	No Lab Pre	7439-96-5	115		15/15/2012	M34
C120508-A	200.7	No Lab Pre	9/7/7440	380		15/15/2012	M34
C120508-A	200.7	No Lab Pre	7440-23-5	1650		15/15/2012	M34
C120508-A	200.7	No Lab Pre	7440-24-6	251		15/15/2012	M34
C120508-A	200.7	No Lab Pre	7440-66-6	68.2		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7429-90-5	824		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7440-70-2	27100		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7439-89-6	1170		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7439-95-4	2350		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7439-96-5	123		15/15/2012	M34
C120508-A	200.7	200.2 - TR	9/7/7440	408		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7440-23-5	1630		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7440-24-6	262		15/15/2012	M34
C120508-A	200.7	200.2 - TR	7440-66-6	80.2		15/15/2012	M34
C120508-A	EPA 310.1	No Prep Re	NA	18		15/15/2012	M34
C120508-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	M34
C120508-A	EPA 300.0	No Prep Re	16984-48-8	0.1		15/15/2012	M34
C120508-A	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	M34
C120508-A	EPA 300.0	No Prep Re	148-08-79	62.7		15/15/2012	M34
C120508-22340B		No Lab Pre	NA	530		15/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-36-0	<5.00		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-38-2	<5.00		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-39-3	<50.0		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-43-9	36.9		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-47-3	<10.0		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-48-4	21.3		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-50-8	22.1		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7439-92-1	179		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-02-0	9.36		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7782-49-2	<5.00		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-22-4	<5.00		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-28-0	<5.00		105/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-62-2	<20.0		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-36-0	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-38-2	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-39-3	<50.0		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-43-9	35.5		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-47-3	<10.0		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-48-4	20		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-50-8	19.2		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7439-92-1	188		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-02-0	10.5		105/16/2012	CC02D

C120508-2	200.8	200.2 - TR	7782-49-2	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-22-4	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-28-0	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-62-2	<20.0		105/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7429-90-5	2840		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-41-7	2.99		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-70-2	193000		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7439-89-6	23200		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7439-95-4	11800		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7439-96-5	24500		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	9/7/7440	1880		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-23-5	5810		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-24-6	1660		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-66-6	28800		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7429-90-5	2960		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-41-7	3.1		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-70-2	202000		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7439-89-6	29800		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7439-95-4	12300		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7439-96-5	24500		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	9/7/7440	2020		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-23-5	5990		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-24-6	1650		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-66-6	28100		15/16/2012	CC02D
C120508-2	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	16887-00-I	<10.0		105/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	16984-48-8	3.9		105/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	NA	<4.0		105/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	148-08-79	646		105/16/2012	CC02D
C120508-2	2340B	No Lab Pre	NA	59		15/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-36-0	<5.00		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-38-2	<5.00		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-39-3	153		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-43-9	55.4		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-47-3	<10.0		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-48-4	3.58		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-50-8	1240		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7439-92-1	60.8		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-02-0	24.8		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7782-49-2	<5.00		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-22-4	<5.00		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-28-0	<5.00		105/16/2012	CC01U
C120508-2	200.8	No Lab Pre	7440-62-2	<20.0		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-36-0	<5.00		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-38-2	<5.00		105/16/2012	CC01U

C120508-2	200.8	200.2 - TR	7440-39-3	<50.0		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-43-9	5.15		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-47-3	<10.0		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-48-4	<1.00		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-50-8	125		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7439-92-1	8.74		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-02-0	<5.00		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7782-49-2	<5.00		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-22-4	<5.00		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-28-0	<5.00		105/16/2012	CC01U
C120508-2	200.8	200.2 - TR	7440-62-2	<20.0		105/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7429-90-5	894		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7440-70-2	19200		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7439-89-6	112		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7439-95-4	2570		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7439-96-5	1030		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	9/7/7440	371		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7440-23-5	656		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7440-24-6	111		15/16/2012	CC01U
C120508-2	200.7	No Lab Pre	7440-66-6	1230		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7429-90-5	1060		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7440-70-2	19400		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7439-89-6	334		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7439-95-4	2580		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7439-96-5	1040		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	9/7/7440	390		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7440-23-5	602		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7440-24-6	110		15/16/2012	CC01U
C120508-2	200.7	200.2 - TR	7440-66-6	1170		15/16/2012	CC01U
C120508-2	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC01U
C120508-2	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/16/2012	CC01U
C120508-2	EPA 300.0	No Prep Re	16984-48-8	0.4		15/16/2012	CC01U
C120508-2	EPA 300.0	No Prep Re	NA	<0.4		15/16/2012	CC01U
C120508-2	EPA 300.0	No Prep Re	148-08-79	62.6		15/16/2012	CC01U
C120508-4	2340B	No Lab Pre	NA	60		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-39-3	16.1		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-43-9	4.66		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-48-4	0.699		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-50-8	88.7		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7439-92-1	5.3		15/15/2012	CC03B

C120508-4	200.8	No Lab Pre	7440-02-0	2.22		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC03B
C120508-4	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-43-9	4.82		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-48-4	0.708		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-50-8	89.3		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7439-92-1	10.1		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	CC03B
C120508-3	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7429-90-5	837		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7440-70-2	20500		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7439-89-6	128		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7439-95-4	2080		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7439-96-5	835		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	9/7/7440	383		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7440-23-5	914		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7440-24-6	178		15/15/2012	CC03B
C120508-4	200.7	No Lab Pre	7440-66-6	1330		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7429-90-5	1050		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7440-70-2	20700		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7439-89-6	661		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7439-95-4	2140		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7439-96-5	855		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	9/7/7440	455		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7440-23-5	886		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7440-24-6	179		15/15/2012	CC03B
C120508-3	200.7	200.2 - TR	7440-66-6	1290		15/15/2012	CC03B
C120508-4	EPA 310.1	No Prep Re	NA		<5.00	15/15/2012	CC03B
C120508-4	EPA 300.0	No Prep Re	16887-00-6		<1.0	15/15/2012	CC03B
C120508-4	EPA 300.0	No Prep Re	16984-48-8		0.4	15/15/2012	CC03B
C120508-4	EPA 300.0	No Prep Re	NA		<0.4	15/15/2012	CC03B
C120508-4	EPA 300.0	No Prep Re	148-08-79		67	15/15/2012	CC03B
C120508-32	340B	No Lab Pre	NA		169	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC03

C120508-3	200.8	No Lab Pre	7440-38-2	<0.500	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-39-3	15.3	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-43-9	7.91	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-47-3	<1.00	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-48-4	9.66	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-50-8	88.2	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7439-92-1	7.75	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-02-0	6.33	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7782-49-2	<0.500	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-22-4	<0.500	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-28-0	<0.500	15/15/2012	CC03
C120508-3	200.8	No Lab Pre	7440-62-2	<2.00	15/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-36-0	<2.50	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-38-2	<2.50	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-39-3	<25.0	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-43-9	7.43	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-47-3	<5.00	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-48-4	9.95	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-50-8	91.2	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7439-92-1	12.9	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-02-0	6.55	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7782-49-2	<2.50	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-22-4	<2.50	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-28-0	<2.50	55/15/2012	CC03
C120508-3	200.8	200.2 - TR	7440-62-2	<10.0	55/15/2012	CC03
C120508-3	200.7	No Lab Pre	7429-90-5	1310	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7440-41-7	<2.00	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7440-70-2	60300	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7439-89-6	7170	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7439-95-4	4550	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7439-96-5	3800	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	9/7/7440	485	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7440-23-5	1730	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7440-24-6	615	15/15/2012	CC03
C120508-3	200.7	No Lab Pre	7440-66-6	2850	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7429-90-5	1470	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7440-41-7	<2.00	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7440-70-2	59400	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7439-89-6	7480	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7439-95-4	4460	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7439-96-5	3830	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	9/7/7440	496	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7440-23-5	1640	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7440-24-6	608	15/15/2012	CC03
C120508-3	200.7	200.2 - TR	7440-66-6	2800	15/15/2012	CC03

C120508-3	EPA 310.1	No Prep	R	NA	<5.00		15/15/2012	CC03
C120508-3	EPA 300.0	No Prep	R	16887-00-6	<1.0		15/15/2012	CC03
C120508-3	EPA 300.0	No Prep	R	16984-48-8	1		15/15/2012	CC03
C120508-3	EPA 300.0	No Prep	R	NA	<0.4		15/15/2012	CC03
C120508-3	EPA 300.0	No Prep	R	148-08-79	198		15/15/2012	CC03
C120508-7	2340B	No Lab	Pre	NA	175		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-36-0	<0.500		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-38-2	<0.500		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-39-3	13.6		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-43-9	8.69		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-47-3	<1.00		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-48-4	10.5		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-50-8	172		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7439-92-1	7.98		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-02-0	6.96		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7782-49-2	<0.500		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-22-4	<0.500		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-28-0	<0.500		15/15/2012	CC18B
C120508-7	200.8	No Lab	Pre	7440-62-2	<2.00		15/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-36-0	<2.50		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-38-2	<2.50		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-39-3	<25.0		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-43-9	8.31		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-47-3	<5.00		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-48-4	10.6		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-50-8	176		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7439-92-1	14		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-02-0	6.97		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7782-49-2	<2.50		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-22-4	<2.50		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-28-0	<2.50		55/15/2012	CC18B
C120508-7	200.8	200.2 - TR		7440-62-2	<10.0		55/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7429-90-5	2090		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7440-41-7	<2.00		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7440-70-2	62100		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7439-89-6	7070		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7439-95-4	4920		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7439-96-5	3970		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	9/7/7440	476		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7440-23-5	1810		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7440-24-6	684		15/15/2012	CC18B
C120508-7	200.7	No Lab	Pre	7440-66-6	3010		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR		7429-90-5	2290		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR		7440-41-7	<2.00		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR		7440-70-2	64100		15/15/2012	CC18B

C120508-7	200.7	200.2 - TR	7439-89-6	7910		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR	7439-95-4	5030		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR	7439-96-5	4040		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR	9/7/7440	518		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR	7440-23-5	1790		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR	7440-24-6	682		15/15/2012	CC18B
C120508-7	200.7	200.2 - TR	7440-66-6	2980		15/15/2012	CC18B
C120508-7	EPA 310.1	No Prep Re	NA		<5.00	15/15/2012	CC18B
C120508-7	EPA 300.0	No Prep Re	16887-00-(		<1.0	15/15/2012	CC18B
C120508-7	EPA 300.0	No Prep Re	16984-48-{	1.1		15/15/2012	CC18B
C120508-7	EPA 300.0	No Prep Re	NA		<0.4	15/15/2012	CC18B
C120508-7	EPA 300.0	No Prep Re	148-08-79	220		15/15/2012	CC18B
C120508-7	2340B	No Lab Pre	NA	201		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-36-0		<0.500	15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-38-2		<0.500	15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-39-3	13.8		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-43-9	8.7		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-47-3		<1.00	15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-48-4	13.7		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-50-8	171		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7439-92-1	8.21		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-02-0	7.4		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7782-49-2	0.686		15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-22-4		<0.500	15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-28-0		<0.500	15/15/2012	CC18
C120508-7	200.8	No Lab Pre	7440-62-2		<2.00	15/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-36-0		<2.50	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-38-2		<2.50	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-39-3		<25.0	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-43-9	8.31		55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-47-3		<5.00	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-48-4	13.2		55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-50-8	168		55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7439-92-1	12.6		55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-02-0	7.65		55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7782-49-2		<2.50	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-22-4		<2.50	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-28-0		<2.50	55/15/2012	CC18
C120508-6	200.8	200.2 - TR	7440-62-2		<10.0	55/15/2012	CC18
C120508-7	200.7	No Lab Pre	7429-90-5	2310		15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7440-41-7		<2.00	15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7440-70-2	71300		15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7439-89-6	9080		15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7439-95-4	5600		15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7439-96-5	4830		15/15/2012	CC18

C120508-7	200.7	No Lab Pre	9/7/7440		496	15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7440-23-5		2030	15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7440-24-6		792	15/15/2012	CC18
C120508-7	200.7	No Lab Pre	7440-66-6		3320	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7429-90-5		2400	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7440-70-2		72500	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7439-89-6		9720	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7439-95-4		5620	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7439-96-5		4970	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	9/7/7440		518	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7440-23-5		1960	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7440-24-6		796	15/15/2012	CC18
C120508-6	200.7	200.2 - TR	7440-66-6		3280	15/15/2012	CC18
C120508-7	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC18
C120508-7	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	CC18
C120508-7	EPA 300.0	No Prep Re	16984-48-8		1.2	15/15/2012	CC18
C120508-7	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	CC18
C120508-7	EPA 300.0	No Prep Re	148-08-79		251	15/15/2012	CC18
C120508-7	2340B	No Lab Pre	NA		145	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-39-3		12.1	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-43-9		4.84	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-48-4		7.31	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-50-8		92.2	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7439-92-1		7.42	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-02-0		4.27	15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC21
C120508-7	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-43-9		4.96	55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-48-4		7.53	55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-50-8		105	55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7439-92-1		32.3	55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-02-0		4.24	55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	CC21
C120508-7	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	CC21

C120508-7	200.8	200.2 - TR	7440-62-2	<10.0		5	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7429-90-5	1190		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7440-41-7	<2.00		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7440-70-2	51800		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7439-89-6	3410		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7439-95-4	3770		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7439-96-5	2410		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	9/7/7440	457		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7440-23-5	1550		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7440-24-6	602		1	5/15/2012 CC21
C120508-7	200.7	No Lab Pre	7440-66-6	1710		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7429-90-5	2270		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7440-41-7	<2.00		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7440-70-2	52300		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7439-89-6	7240		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7439-95-4	4030		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7439-96-5	2600		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	9/7/7440	627		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7440-23-5	1580		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7440-24-6	609		1	5/15/2012 CC21
C120508-7	200.7	200.2 - TR	7440-66-6	1750		1	5/15/2012 CC21
C120508-8	EPA 310.1	No Prep Re	NA	<5.00		1	5/15/2012 CC21
C120508-8	EPA 300.0	No Prep Re	16887-00-(	<1.0		1	5/15/2012 CC21
C120508-8	EPA 300.0	No Prep Re	16984-48-8	0.8		1	5/15/2012 CC21
C120508-8	EPA 300.0	No Prep Re	NA	<0.4		1	5/15/2012 CC21
C120508-8	EPA 300.0	No Prep Re	148-08-79	171		1	5/15/2012 CC21
C120508-8	2340B	No Lab Pre	NA	149		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-36-0	<0.500		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-38-2	<0.500		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-39-3	12.6		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-43-9	4.23		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-47-3	<1.00		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-48-4	7.72		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-50-8	80.5		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7439-92-1	8.75		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-02-0	4.89		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7782-49-2	0.551		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-22-4	<0.500		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-28-0	<0.500		1	5/15/2012 CC21B
C120508-8	200.8	No Lab Pre	7440-62-2	<2.00		1	5/15/2012 CC21B
C120508-8	200.8	200.2 - TR	7440-36-0	<2.50		5	5/15/2012 CC21B
C120508-8	200.8	200.2 - TR	7440-38-2	<2.50		5	5/15/2012 CC21B
C120508-8	200.8	200.2 - TR	7440-39-3	<25.0		5	5/15/2012 CC21B
C120508-8	200.8	200.2 - TR	7440-43-9	4.06		5	5/15/2012 CC21B
C120508-8	200.8	200.2 - TR	7440-47-3	<5.00		5	5/15/2012 CC21B

C120508-8	200.8	200.2 - TR	7440-48-4		7.5	5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7440-50-8		82	5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7439-92-1		20.4	5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7440-02-0		4.03	5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7782-49-2	<2.50		5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7440-22-4	<2.50		5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7440-28-0	<2.50		5 5/15/2012	CC21B
C120508-8	200.8	200.2 - TR	7440-62-2	<10.0		5 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7429-90-5		1440	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7440-41-7	<2.00		1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7440-70-2		53000	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7439-89-6		4120	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7439-95-4		3960	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7439-96-5		2250	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	9/7/7440		578	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7440-23-5		1700	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7440-24-6		618	1 5/15/2012	CC21B
C120508-8	200.7	No Lab Pre	7440-66-6		1540	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7429-90-5		2030	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7440-41-7	<2.00		1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7440-70-2		52200	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7439-89-6		6590	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7439-95-4		4030	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7439-96-5		2280	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	9/7/7440		625	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7440-23-5		1700	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7440-24-6		615	1 5/15/2012	CC21B
C120508-8	200.7	200.2 - TR	7440-66-6		1480	1 5/15/2012	CC21B
C120508-8	EPA 310.1	No Prep R	NA	<5.00		1 5/15/2012	CC21B
C120508-8	EPA 300.0	No Prep R	16887-00-(	<1.0		1 5/15/2012	CC21B
C120508-8	EPA 300.0	No Prep R	16984-48-{		0.7	1 5/15/2012	CC21B
C120508-8	EPA 300.0	No Prep R	NA	<0.4		1 5/15/2012	CC21B
C120508-8	EPA 300.0	No Prep R	148-08-79		176	1 5/15/2012	CC21B
C120508-9	2340B	No Lab Pre	NA		159	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-36-0	<0.500		1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-38-2		0.513	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-39-3		14.5	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-43-9		3.42	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-47-3	<1.00		1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-48-4		8.29	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-50-8		77.4	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7439-92-1		12.9	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-02-0		5.28	1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7782-49-2	<0.500		1 5/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-22-4	<0.500		1 5/15/2012	CC41

C120508-9	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC41
C120508-9	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-43-9	3.33		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-48-4	8.22		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-50-8	78.3		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7439-92-1	19.4		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-02-0	4.87		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	CC41
C120508-9	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	CC41
C120508-9	200.7	No Lab Pre	7429-90-5	2410		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7440-70-2	56800		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7439-89-6	5880		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7439-95-4	4270		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7439-96-5	1750		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	9/7/7440	734		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7440-23-5	1800		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7440-24-6	641		15/15/2012	CC41
C120508-9	200.7	No Lab Pre	7440-66-6	1230		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7429-90-5	2710		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7440-70-2	56700		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7439-89-6	7130		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7439-95-4	4320		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7439-96-5	1790		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	9/7/7440	793		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7440-23-5	1760		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7440-24-6	645		15/15/2012	CC41
C120508-9	200.7	200.2 - TR	7440-66-6	1210		15/15/2012	CC41
C120508-9	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC41
C120508-9	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	CC41
C120508-9	EPA 300.0	No Prep Re	16984-48-8	0.7		15/15/2012	CC41
C120508-9	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	CC41
C120508-9	EPA 300.0	No Prep Re	148-08-79	196		15/15/2012	CC41
C120508-9	2340B	No Lab Pre	NA	180		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-39-3	15.5		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-43-9	2.91		15/15/2012	CC48

C120508-9	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-48-4	7.99		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-50-8	61.2		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7439-92-1	8.04		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-02-0	4.87		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC48
C120508-9	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-43-9	2.81		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-48-4	8.04		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-50-8	61.5		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7439-92-1	11.9		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-02-0	4.75		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	CC48
C120508-9	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	CC48
C120508-9	200.7	No Lab Pre	7429-90-5	2470		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7440-70-2	64600		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7439-89-6	5360		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7439-95-4	4510		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7439-96-5	1620		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	9/7/7440	829		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7440-23-5	2150		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7440-24-6	774		15/15/2012	CC48
C120508-9	200.7	No Lab Pre	7440-66-6	1070		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7429-90-5	2690		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7440-70-2	63700		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7439-89-6	6510		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7439-95-4	4480		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7439-96-5	1660		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	9/7/7440	854		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7440-23-5	2080		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7440-24-6	773		15/15/2012	CC48
C120508-9	200.7	200.2 - TR	7440-66-6	1070		15/15/2012	CC48
C120508-9	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC48
C120508-9	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	CC48
C120508-9	EPA 300.0	No Prep Re	16984-48-8	0.7		15/15/2012	CC48

C120508-9	EPA 300.0	No Prep R	NA	<0.4		15/15/2012	CC48
C120508-9	EPA 300.0	No Prep R	148-08-79	210		15/15/2012	CC48
C120508-12	340B	No Lab Pre	NA	36		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-38-2	2.56		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-39-3	14.7		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-43-9	17.2		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-48-4	2.54		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-50-8	558		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7439-92-1	33.8		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-02-0	3.82		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7782-49-2	0.867		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC01C1
C120508-1	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-43-9	18.4		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-48-4	2.73		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-50-8	571		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7439-92-1	35.1		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-02-0	4.01		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	CC01C1
C120508-1	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7429-90-5	2050		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7440-70-2	10500		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7439-89-6	4860		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7439-95-4	2360		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7439-96-5	1580		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	9/7/7440	401		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7440-23-5	625		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7440-24-6	28.2		15/16/2012	CC01C1
C120508-1	200.7	No Lab Pre	7440-66-6	4070		15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7429-90-5	2050		15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7440-70-2	10500		15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7439-89-6	5030		15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7439-95-4	2340		15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7439-96-5	1600		15/16/2012	CC01C1

C120508-1	200.7	200.2 - TR	9/7/7440	426	15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7440-23-5	544	15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7440-24-6	28	15/16/2012	CC01C1
C120508-1	200.7	200.2 - TR	7440-66-6	4050	15/16/2012	CC01C1
C120508-1	EPA 310.1	No Prep Re	NA	<5.00	15/16/2012	CC01C1
C120508-1	EPA 300.0	No Prep Re	16887-00-(	<1.0	15/16/2012	CC01C1
C120508-1	EPA 300.0	No Prep Re	16984-48-8	0.5	15/16/2012	CC01C1
C120508-1	EPA 300.0	No Prep Re	NA	<0.4	15/16/2012	CC01C1
C120508-1	EPA 300.0	No Prep Re	148-08-79	75.7	15/16/2012	CC01C1
C120508-1	2340B	No Lab Pre	NA	34	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-36-0	<0.500	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-38-2	0.905	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-39-3	15.8	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-43-9	12.7	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-47-3	<1.00	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-48-4	1.1	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-50-8	285	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7439-92-1	34.3	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-02-0	2.85	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7782-49-2	0.5	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-22-4	<0.500	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-28-0	<0.500	15/16/2012	CC01C
C120508-1	200.8	No Lab Pre	7440-62-2	<2.00	15/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-36-0	<2.50	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-38-2	<2.50	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-39-3	<25.0	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-43-9	11.8	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-47-3	<5.00	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-48-4	1.02	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-50-8	281	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7439-92-1	33.9	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-02-0	2.73	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7782-49-2	<2.50	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-22-4	<2.50	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-28-0	<2.50	55/16/2012	CC01C
C120508-0	200.8	200.2 - TR	7440-62-2	<10.0	55/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7429-90-5	1470	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7440-41-7	<2.00	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7440-70-2	10400	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7439-89-6	1790	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7439-95-4	1870	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7439-96-5	1170	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	9/7/7440	416	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7440-23-5	588	15/16/2012	CC01C
C120508-1	200.7	No Lab Pre	7440-24-6	29.2	15/16/2012	CC01C

C120508-1	200.7	No Lab Pre	7440-66-6	2930		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7429-90-5	1470		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7440-70-2	10200		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7439-89-6	1780		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7439-95-4	1880		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7439-96-5	1170		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	9/7/7440	434		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7440-23-5	538		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7440-24-6	29.2		15/16/2012	CC01C
C120508-0	200.7	200.2 - TR	7440-66-6	2810		15/16/2012	CC01C
C120508-1	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC01C
C120508-1	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/16/2012	CC01C
C120508-1	EPA 300.0	No Prep Re	16984-48-8	0.4		15/16/2012	CC01C
C120508-1	EPA 300.0	No Prep Re	NA	<0.4		15/16/2012	CC01C
C120508-1	EPA 300.0	No Prep Re	148-08-79	55.5		15/16/2012	CC01C
C120508-1	2340B	No Lab Pre	NA	38		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-38-2	0.592		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-39-3	15		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-43-9	17.2		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-48-4	2.03		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-50-8	633		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7439-92-1	25.2		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-02-0	3.23		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7782-49-2	0.731		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC01C2
C120508-1	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-43-9	16.6		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-48-4	1.98		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-50-8	610		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7439-92-1	26.3		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-02-0	3.14		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	CC01C2
C120508-1	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7429-90-5	2210		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC01C2

C120508-1	200.7	No Lab Pre	7440-70-2	11300		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7439-89-6	2380		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7439-95-4	2290		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7439-96-5	1510		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	9/7/7440	418		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7440-23-5	633		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7440-24-6	44.4		15/16/2012	CC01C2
C120508-1	200.7	No Lab Pre	7440-66-6	4020		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7429-90-5	2270		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7440-70-2	11200		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7439-89-6	2540		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7439-95-4	2320		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7439-96-5	1580		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	9/7/7440	470		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7440-23-5	589		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7440-24-6	45.8		15/16/2012	CC01C2
C120508-1	200.7	200.2 - TR	7440-66-6	4020		15/16/2012	CC01C2
C120508-1	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC01C2
C120508-1	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/16/2012	CC01C2
C120508-1	EPA 300.0	No Prep Re	16984-48-8	0.5		15/16/2012	CC01C2
C120508-1	EPA 300.0	No Prep Re	NA	<0.4		15/16/2012	CC01C2
C120508-1	EPA 300.0	No Prep Re	148-08-79	74.7		15/16/2012	CC01C2
C120508-2	2340B	No Lab Pre	NA	538		15/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-36-0	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-38-2	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-39-3	<50.0	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-43-9	35.9	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-47-3	<10.0	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-48-4	20.6	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-50-8	20.8	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7439-92-1	182	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-02-0	8.72	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7782-49-2	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-22-4	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-28-0	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	No Lab Pre	7440-62-2	<20.0	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-36-0	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-38-2	<5.00	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-39-3	<50.0	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-43-9	36.8	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-47-3	<10.0	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-48-4	21.7	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-50-8	22.6	1	05/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7439-92-1	203	1	05/16/2012	CC02D

C120508-2	200.8	200.2 - TR	7440-02-0	10.3		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7782-49-2	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-22-4	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-28-0	<5.00		105/16/2012	CC02D
C120508-2	200.8	200.2 - TR	7440-62-2	<20.0		105/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7429-90-5	2890		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-41-7	3		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-70-2	196000		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7439-89-6	23900		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7439-95-4	11900		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7439-96-5	24400		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	9/7/7440	1930		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-23-5	5820		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-24-6	1640		15/16/2012	CC02D
C120508-2	200.7	No Lab Pre	7440-66-6	28700		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7429-90-5	2890		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-41-7	3.31		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-70-2	193000		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7439-89-6	25600		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7439-95-4	11900		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7439-96-5	24800		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	9/7/7440	1940		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-23-5	5810		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-24-6	1640		15/16/2012	CC02D
C120508-2	200.7	200.2 - TR	7440-66-6	28200		15/16/2012	CC02D
C120508-2	EPA 310.1	No Prep Re	NA		<5.00	15/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	16887-00-6		<10.0	105/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	16984-48-8		3.7	105/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	NA		<4.0	105/16/2012	CC02D
C120508-2	EPA 300.0	No Prep Re	148-08-79		637	105/16/2012	CC02D
C120508-3	2340B	No Lab Pre	NA		380	15/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-36-0	<5.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-38-2	8.12		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-39-3	<50.0		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-43-9	1.73		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-47-3	<10.0		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-48-4	5.92		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-50-8	<5.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7439-92-1	<1.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-02-0	<5.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7782-49-2	<5.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-22-4	<5.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-28-0	<5.00		105/16/2012	CC02E
C120508-3	200.8	No Lab Pre	7440-62-2	<20.0		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-36-0	<5.00		105/16/2012	CC02E

C120508-3	200.8	200.2 - TR	7440-38-2	10.1		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-39-3	<50.0		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-43-9	1.83		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-47-3	<10.0		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-48-4	6		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-50-8	<5.00		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7439-92-1	4		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-02-0	<5.00		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7782-49-2	<5.00		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-22-4	<5.00		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-28-0	<5.00		105/16/2012	CC02E
C120508-3	200.8	200.2 - TR	7440-62-2	<20.0		105/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7429-90-5	368		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7440-70-2	140000		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7439-89-6	6120		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7439-95-4	7180		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7439-96-5	2370		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	9/7/7440	623		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7440-23-5	4670		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7440-24-6	1600		15/16/2012	CC02E
C120508-3	200.7	No Lab Pre	7440-66-6	1610		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7429-90-5	420		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7440-70-2	138000		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7439-89-6	9530		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7439-95-4	7160		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7439-96-5	2370		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	9/7/7440	651		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7440-23-5	4580		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7440-24-6	1560		15/16/2012	CC02E
C120508-3	200.7	200.2 - TR	7440-66-6	1570		15/16/2012	CC02E
C120508-3	EPA 310.1	No Prep Re	NA	15.6		15/16/2012	CC02E
C120508-3	EPA 300.0	No Prep Re	16887-00-6	<10.0		105/16/2012	CC02E
C120508-3	EPA 300.0	No Prep Re	16984-48-8	2.7		105/16/2012	CC02E
C120508-3	EPA 300.0	No Prep Re	NA	<4.0		105/16/2012	CC02E
C120508-3	EPA 300.0	No Prep Re	148-08-79	334		105/16/2012	CC02E
C120508-3	2340B	No Lab Pre	NA	119		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-39-3	6.95		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-43-9	16.5		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-48-4	6.65		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-50-8	15.1		15/16/2012	CC02K

C120508-3	200.8	No Lab Pre	7439-92-1	28.4		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-02-0	3.57		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7782-49-2	<0.500		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC02K
C120508-3	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-43-9	15.7		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-48-4	7.08		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-50-8	15.5		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7439-92-1	30.6		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-02-0	4.11		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	CC02K
C120508-3	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7429-90-5	2020		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7440-70-2	42200		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7439-89-6	3930		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7439-95-4	3360		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7439-96-5	1760		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	9/7/7440	682		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7440-23-5	3750		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7440-24-6	572		15/16/2012	CC02K
C120508-3	200.7	No Lab Pre	7440-66-6	2320		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7429-90-5	2010		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7440-70-2	42500		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7439-89-6	3910		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7439-95-4	3330		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7439-96-5	1750		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	9/7/7440	668		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7440-23-5	3660		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7440-24-6	567		15/16/2012	CC02K
C120508-3	200.7	200.2 - TR	7440-66-6	2220		15/16/2012	CC02K
C120508-3	EPA 310.1	No Prep Re	NA		<5.00	15/16/2012	CC02K
C120508-3	EPA 300.0	No Prep Re	16887-00-(		<1.0	15/16/2012	CC02K
C120508-3	EPA 300.0	No Prep Re	16984-48-8	3.2		15/16/2012	CC02K
C120508-3	EPA 300.0	No Prep Re	NA		<0.4	15/16/2012	CC02K
C120508-3	EPA 300.0	No Prep Re	148-08-79	145		15/16/2012	CC02K
C120508-A	2340B	No Lab Pre	NA	177		15/16/2012	MTD-4

C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-39-3	10.8		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-43-9	25.1		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-48-4	5.85		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-50-8	388		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7439-92-1	35.6		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-02-0	5.93		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7782-49-2	0.886		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	MTD-4
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-43-9	24.6		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-48-4	6.39		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-50-8	424		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7439-92-1	35.3		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-02-0	6.94		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	MTD-4
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7429-90-5	3690		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7440-70-2	62200		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7439-89-6	2020		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7439-95-4	5360		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7439-96-5	6000		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	9/7/7440	727		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7440-23-5	2210		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7440-24-6	595		15/16/2012	MTD-4
C120508-A	200.7	No Lab Pre	7440-66-6	10000		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7429-90-5	3600		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7440-70-2	61200		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7439-89-6	2160		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7439-95-4	5270		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7439-96-5	6010		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	9/7/7440	708		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7440-23-5	2110		15/16/2012	MTD-4
C120508-A	200.7	200.2 - TR	7440-24-6	597		15/16/2012	MTD-4

C120508-A	200.7	200.2 - TR	7440-66-6	9750		15/16/2012	MTD-4
C120508-A	EPA 310.1	No Prep R	NA	<5.00		15/16/2012	MTD-4
C120508-A	EPA 300.0	No Prep R	16887-00-(	<1.0		15/16/2012	MTD-4
C120508-A	EPA 300.0	No Prep R	16984-48-{	1.6		15/16/2012	MTD-4
C120508-A	EPA 300.0	No Prep R	NA	<0.4		15/16/2012	MTD-4
C120508-A	EPA 300.0	No Prep R	148-08-79{	247		15/16/2012	MTD-4
C120508-A	2340B	No Lab Pre	NA	227		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-39-3	10.8		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-43-9	10.2		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-48-4	0.665		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-50-8	113		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7439-92-1	10.2		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-02-0	5.58		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7782-49-2	0.76		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	FD-1
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-43-9	10.1		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-48-4	0.832		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-50-8	118		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7439-92-1	9.79		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-02-0	6.05		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	FD-1
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7429-90-5	2900		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7440-70-2	82700		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7439-89-6	245		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7439-95-4	5070		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7439-96-5	2040		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	9/7/7440	659		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7440-23-5	3060		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7440-24-6	966		15/16/2012	FD-1
C120508-A	200.7	No Lab Pre	7440-66-6	4040		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7429-90-5	2900		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	FD-1

C120508-A	200.7	200.2 - TR	7440-70-2	82500		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7439-89-6	456		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7439-95-4	5060		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7439-96-5	2060		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	9/7/7440	667		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7440-23-5	2990		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7440-24-6	980		15/16/2012	FD-1
C120508-A	200.7	200.2 - TR	7440-66-6	3930		15/16/2012	FD-1
C120508-A	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	FD-1
C120508-A	EPA 300.0	No Prep Re	16887-00-6	<10.0		105/16/2012	FD-1
C120508-A	EPA 300.0	No Prep Re	16984-48-8	1.5		105/16/2012	FD-1
C120508-A	EPA 300.0	No Prep Re	NA	<4.0		105/16/2012	FD-1
C120508-A	EPA 300.0	No Prep Re	148-08-79	254		105/16/2012	FD-1
C120508-42340B		No Lab Pre	NA	1200		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-36-0	<5.00		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-38-2	<5.00		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-39-3	<50.0		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-43-9	33.2		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-47-3	<10.0		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-48-4	107		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-50-8	<5.00		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7439-92-1	5.05		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-02-0	52.1		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7782-49-2	<5.00		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-22-4	<5.00		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-28-0	<5.00		105/15/2012	CC03D
C120508-4	200.8	No Lab Pre	7440-62-2	<20.0		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-36-0	<5.00		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-38-2	<5.00		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-39-3	<50.0		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-43-9	34.7		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-47-3	<10.0		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-48-4	103		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-50-8	<5.00		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7439-92-1	88.7		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-02-0	51		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7782-49-2	<5.00		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-22-4	<5.00		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-28-0	<5.00		105/15/2012	CC03D
C120508-4	200.8	200.2 - TR	7440-62-2	<20.0		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7429-90-5	2750		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7440-41-7	<20.0		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7440-70-2	433000		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7439-89-6	87900		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7439-95-4	27900		105/15/2012	CC03D

C120508-4	200.7	No Lab Pre	7439-96-5	34200		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	9/7/7440	<2500		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7440-23-5	8870		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7440-24-6	5130		105/15/2012	CC03D
C120508-4	200.7	No Lab Pre	7440-66-6	16800		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7429-90-5	4800		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7440-41-7	<20.0		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7440-70-2	463000		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7439-89-6	96800		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7439-95-4	29700		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7439-96-5	36300		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	9/7/7440	<2500		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7440-23-5	9190		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7440-24-6	5290		105/15/2012	CC03D
C120508-4	200.7	200.2 - TR	7440-66-6	17900		105/15/2012	CC03D
C120508-4	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC03D
C120508-4	EPA 300.0	No Prep Re	16887-00-6	<10.0		105/15/2012	CC03D
C120508-4	EPA 300.0	No Prep Re	16984-48-8	6.1		105/15/2012	CC03D
C120508-4	EPA 300.0	No Prep Re	NA	<4.0		105/15/2012	CC03D
C120508-4	EPA 300.0	No Prep Re	148-08-79	1460		105/15/2012	CC03D
C120508-4	2340B	No Lab Pre	NA	1180		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-36-0	<5.00		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-38-2	<5.00		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-39-3	<50.0		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-43-9	33.6		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-47-3	<10.0		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-48-4	105		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-50-8	<5.00		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7439-92-1	19.8		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-02-0	51.3		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7782-49-2	<5.00		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-22-4	<5.00		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-28-0	<5.00		105/15/2012	CC03C
C120508-4	200.8	No Lab Pre	7440-62-2	<20.0		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-36-0	<5.00		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-38-2	<5.00		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-39-3	<50.0		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-43-9	32.1		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-47-3	<10.0		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-48-4	100		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-50-8	<5.00		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7439-92-1	79.8		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-02-0	48.2		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7782-49-2	<5.00		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-22-4	<5.00		105/15/2012	CC03C

C120508-4	200.8	200.2 - TR	7440-28-0	<5.00		105/15/2012	CC03C
C120508-4	200.8	200.2 - TR	7440-62-2	<20.0		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7429-90-5	4370		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7440-41-7	<20.0		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7440-70-2	427000		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7439-89-6	88700		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7439-95-4	27600		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7439-96-5	33100		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	9/7/7440	<2500		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7440-23-5	8900		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7440-24-6	4990		105/15/2012	CC03C
C120508-4	200.7	No Lab Pre	7440-66-6	16300		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7429-90-5	4750		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7440-41-7	<20.0		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7440-70-2	455000		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7439-89-6	96100		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7439-95-4	28900		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7439-96-5	35900		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	9/7/7440	<2500		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7440-23-5	8960		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7440-24-6	5220		105/15/2012	CC03C
C120508-4	200.7	200.2 - TR	7440-66-6	17900		105/15/2012	CC03C
C120508-4	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC03C
C120508-4	EPA 300.0	No Prep Re	16887-00-6	<100		1005/15/2012	CC03C
C120508-4	EPA 300.0	No Prep Re	16984-48-8	<10.0		1005/15/2012	CC03C
C120508-4	EPA 300.0	No Prep Re	NA	<40.0		1005/15/2012	CC03C
C120508-4	EPA 300.0	No Prep Re	148-08-79	1290		1005/15/2012	CC03C
C120508-5	2340B	No Lab Pre	NA	256		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-39-3	7.3		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-43-9	17.6		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-48-4	21.1		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-50-8	925		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7439-92-1	4.05		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-02-0	11.9		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7782-49-2	1.35		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC07
C120508-5	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-43-9	18.1		55/15/2012	CC07

C120508-5	200.8	200.2 - TR	7440-47-3	<5.00		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-48-4	21.6		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-50-8	924		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7439-92-1	24		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-02-0	11.3		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7782-49-2	<2.50		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-22-4	<2.50		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-28-0	<2.50		5/15/2012	CC07
C120508-5	200.8	200.2 - TR	7440-62-2	<10.0		5/15/2012	CC07
C120508-5	200.7	No Lab Pre	7429-90-5	7490		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7440-70-2	89200		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7439-89-6	10900		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7439-95-4	8080		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7439-96-5	5780		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	9/7/7440	455		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7440-23-5	2140		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7440-24-6	1180		15/15/2012	CC07
C120508-5	200.7	No Lab Pre	7440-66-6	4590		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7429-90-5	7690		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7440-70-2	90400		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7439-89-6	12200		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7439-95-4	8130		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7439-96-5	5790		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	9/7/7440	544		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7440-23-5	2040		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7440-24-6	1160		15/15/2012	CC07
C120508-5	200.7	200.2 - TR	7440-66-6	4480		15/15/2012	CC07
C120508-5	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC07
C120508-5	EPA 300.0	No Prep Re	16887-00-6	<10.0		105/15/2012	CC07
C120508-5	EPA 300.0	No Prep Re	16984-48-8	1.2		105/15/2012	CC07
C120508-5	EPA 300.0	No Prep Re	NA	<4.0		105/15/2012	CC07
C120508-5	EPA 300.0	No Prep Re	148-08-79	338		105/15/2012	CC07
C120508-7	2340B	No Lab Pre	NA	1210		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-36-0	<5.00		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-38-2	<5.00		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-39-3	<50.0		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-43-9	2.55		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-47-3	<10.0		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-48-4	148		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-50-8	<5.00		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7439-92-1	1.26		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-02-0	58.8		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7782-49-2	<5.00		105/15/2012	CC19

C120508-7	200.8	No Lab Pre	7440-22-4	<5.00		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-28-0	<5.00		105/15/2012	CC19
C120508-7	200.8	No Lab Pre	7440-62-2	<20.0		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-36-0	<5.00		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-38-2	<5.00		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-39-3	<50.0		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-43-9	2.14		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-47-3	<10.0		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-48-4	145		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-50-8	<5.00		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7439-92-1	3.51		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-02-0	57.9		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7782-49-2	<5.00		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-22-4	<5.00		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-28-0	<5.00		105/15/2012	CC19
C120508-7	200.8	200.2 - TR	7440-62-2	<20.0		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7429-90-5	4890		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7440-41-7	<20.0		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7440-70-2	436000		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7439-89-6	134000		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7439-95-4	30500		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7439-96-5	47200		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	9/7/7440	<2500		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7440-23-5	9240		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7440-24-6	5800		105/15/2012	CC19
C120508-7	200.7	No Lab Pre	7440-66-6	20800		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7429-90-5	5350		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7440-41-7	<20.0		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7440-70-2	448000		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7439-89-6	140000		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7439-95-4	31700		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7439-96-5	47800		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	9/7/7440	<2500		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7440-23-5	9470		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7440-24-6	5770		105/15/2012	CC19
C120508-7	200.7	200.2 - TR	7440-66-6	20900		105/15/2012	CC19
C120508-7	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC19
C120508-7	EPA 300.0	No Prep Re	16887-00-6	<100		1005/15/2012	CC19
C120508-7	EPA 300.0	No Prep Re	16984-48-8	<10.0		1005/15/2012	CC19
C120508-7	EPA 300.0	No Prep Re	NA	<40.0		1005/15/2012	CC19
C120508-7	EPA 300.0	No Prep Re	148-08-79	1460		1005/15/2012	CC19
C120508-52340B		No Lab Pre	NA	510		55/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-36-0	<2.50		55/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-38-2	2.54		55/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-39-3	<25.0		55/16/2012	CC14

C120508-5	200.8	No Lab Pre	7440-43-9	3.09		5	5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-47-3	<5.00			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-48-4	17.1			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-50-8	20.5			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7439-92-1	<0.500			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-02-0	7.02			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7782-49-2	<2.50			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-22-4	<2.50			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-28-0	<2.50			5/16/2012	CC14
C120508-5	200.8	No Lab Pre	7440-62-2	<10.0			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-36-0	<2.50			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-38-2	<2.50			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-39-3	<25.0			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-43-9	3.24			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-47-3	<5.00			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-48-4	16.4			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-50-8	35.1			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7439-92-1	6.21			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-02-0	6.1			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7782-49-2	<2.50			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-22-4	<2.50			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-28-0	<2.50			5/16/2012	CC14
C120508-5	200.8	200.2 - TR	7440-62-2	<10.0			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7429-90-5	1030			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7440-41-7	<10.0			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7440-70-2	189000			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7439-89-6	21200			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7439-95-4	8880			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7439-96-5	2490			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	9/7/7440	<1250			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7440-23-5	3780			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7440-24-6	2360			5/16/2012	CC14
C120508-5	200.7	No Lab Pre	7440-66-6	912			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7429-90-5	1440			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7440-41-7	<10.0			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7440-70-2	199000			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7439-89-6	23000			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7439-95-4	9290			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7439-96-5	2630			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	9/7/7440	<1250			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7440-23-5	3910			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7440-24-6	2420			5/16/2012	CC14
C120508-5	200.7	200.2 - TR	7440-66-6	967			5/16/2012	CC14
C120508-5	EPA 310.1	No Prep R	NA	<5.00			15/16/2012	CC14
C120508-5	EPA 300.0	No Prep R	16887-00-6	<10.0			105/16/2012	CC14

C120508-5	EPA 300.0	No Prep R	16984-48-		2.3		105/16/2012	CC14
C120508-5	EPA 300.0	No Prep R	NA		<4.0		105/16/2012	CC14
C120508-5	EPA 300.0	No Prep R	148-08-79		531		105/16/2012	CC14
C120508-6	2340B	No Lab Pre	NA		48		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-36-0		<0.500		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-38-2		<0.500		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-39-3		8.96		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-43-9		0.254		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-47-3		<1.00		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-48-4		2.53		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-50-8		4.52		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7439-92-1		<0.100		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-02-0		1.78		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7782-49-2		<0.500		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-22-4		0.506		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-28-0		<0.500		15/16/2012	CC15
C120508-6	200.8	No Lab Pre	7440-62-2		<2.00		15/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-36-0		<2.50		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-38-2		<2.50		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-39-3		<25.0		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-43-9		<0.500		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-47-3		<5.00		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-48-4		2.8		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-50-8		13.5		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7439-92-1		7.29		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-02-0		<2.50		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7782-49-2		<2.50		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-22-4		<2.50		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-28-0		4.99		55/16/2012	CC15
C120508-6	200.8	200.2 - TR	7440-62-2		<10.0		55/16/2012	CC15
C120508-6	200.7	No Lab Pre	7429-90-5		144		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7440-41-7		<2.00		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7440-70-2		17000		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7439-89-6		<100		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7439-95-4		1290		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7439-96-5		74.6		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	9/7/7440		321		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7440-23-5		949		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7440-24-6		151		15/16/2012	CC15
C120508-6	200.7	No Lab Pre	7440-66-6		53.4		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7429-90-5		1710		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7440-41-7		<2.00		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7440-70-2		17500		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7439-89-6		5080		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7439-95-4		1430		15/16/2012	CC15

C120508-6	200.7	200.2 - TR	7439-96-5	99.9		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	9/7/7440	720		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7440-23-5	923		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7440-24-6	157		15/16/2012	CC15
C120508-6	200.7	200.2 - TR	7440-66-6	61.7		15/16/2012	CC15
C120508-6	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC15
C120508-6	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/16/2012	CC15
C120508-6	EPA 300.0	No Prep Re	16984-48-8	0.3		15/16/2012	CC15
C120508-6	EPA 300.0	No Prep Re	NA	<0.4		15/16/2012	CC15
C120508-6	EPA 300.0	No Prep Re	148-08-79	46.6		15/16/2012	CC15
C120508-6	2340B	No Lab Pre	NA	130		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-39-3	8.67		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-43-9	0.78		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-48-4	4.55		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-50-8	6.92		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7439-92-1	<0.100		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-02-0	2.43		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7782-49-2	<0.500		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC16B
C120508-6	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-43-9	0.903		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-48-4	4.97		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-50-8	14.1		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7439-92-1	1.66		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-02-0	2.64		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-28-0	3.07		55/16/2012	CC16B
C120508-6	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7429-90-5	198		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7440-70-2	47600		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7439-89-6	3440		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7439-95-4	2670		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7439-96-5	484		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	9/7/7440	443		15/16/2012	CC16B
C120508-6	200.7	No Lab Pre	7440-23-5	1530		15/16/2012	CC16B

C120508-6		200.7	No Lab Pre	7440-24-6	543	15/16/2012	CC16B
C120508-6		200.7	No Lab Pre	7440-66-6	202	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7429-90-5	827	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7440-41-7	<2.00	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7440-70-2	49200	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7439-89-6	4130	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7439-95-4	2700	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7439-96-5	494	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	9/7/7440	462	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7440-23-5	1460	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7440-24-6	537	15/16/2012	CC16B
C120508-6		200.7	200.2 - TR	7440-66-6	202	15/16/2012	CC16B
C120508-6	EPA 310.1		No Prep Re	NA	5.22	15/16/2012	CC16B
C120508-6	EPA 300.0		No Prep Re	16887-00-(	<1.0	15/16/2012	CC16B
C120508-6	EPA 300.0		No Prep Re	16984-48-8	0.7	15/16/2012	CC16B
C120508-6	EPA 300.0		No Prep Re	NA	<0.4	15/16/2012	CC16B
C120508-6	EPA 300.0		No Prep Re	148-08-79	137	15/16/2012	CC16B
C120508-6	2340B		No Lab Pre	NA	131	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-36-0	<0.500	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-38-2	<0.500	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-39-3	8.65	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-43-9	0.958	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-47-3	<1.00	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-48-4	3.31	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-50-8	5.83	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7439-92-1	0.21	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-02-0	1.63	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7782-49-2	<0.500	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-22-4	<0.500	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-28-0	<0.500	15/15/2012	CC17
C120508-6		200.8	No Lab Pre	7440-62-2	<2.00	15/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-36-0	<2.50	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-38-2	<2.50	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-39-3	<25.0	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-43-9	1.09	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-47-3	<5.00	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-48-4	3.4	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-50-8	22.2	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7439-92-1	19.2	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-02-0	<2.50	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7782-49-2	<2.50	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-22-4	<2.50	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-28-0	<2.50	55/15/2012	CC17
C120508-6		200.8	200.2 - TR	7440-62-2	<10.0	55/15/2012	CC17
C120508-6		200.7	No Lab Pre	7429-90-5	93.7	15/15/2012	CC17

C120508-6		200.7	No Lab Pre	7440-41-7	<2.00	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7440-70-2	47800	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7439-89-6	1190	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7439-95-4	2910	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7439-96-5	441	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	9/7/7440	461	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7440-23-5	1600	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7440-24-6	632	15/15/2012	CC17
C120508-6		200.7	No Lab Pre	7440-66-6	230	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7429-90-5	1420	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7440-41-7	<2.00	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7440-70-2	49500	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7439-89-6	3320	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7439-95-4	3030	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7439-96-5	478	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	9/7/7440	544	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7440-23-5	1550	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7440-24-6	631	15/15/2012	CC17
C120508-6		200.7	200.2 - TR	7440-66-6	257	15/15/2012	CC17
C120508-6	EPA 310.1		No Prep Re	NA	6.5	15/15/2012	CC17
C120508-6	EPA 300.0		No Prep Re	16887-00-6	<1.0	15/15/2012	CC17
C120508-6	EPA 300.0		No Prep Re	16984-48-8	0.5	15/15/2012	CC17
C120508-6	EPA 300.0		No Prep Re	NA	<0.4	15/15/2012	CC17
C120508-6	EPA 300.0		No Prep Re	148-08-79	133	15/15/2012	CC17
C120508-8	2340B		No Lab Pre	NA	35	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-36-0	<0.500	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-38-2	1.25	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-39-3	23.4	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-43-9	2.6	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-47-3	<1.00	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-48-4	4.97	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-50-8	185	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7439-92-1	76.9	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-02-0	3.84	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7782-49-2	<0.500	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-22-4	<0.500	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-28-0	<0.500	15/15/2012	CC26
C120508-8		200.8	No Lab Pre	7440-62-2	<2.00	15/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-36-0	<2.50	55/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-38-2	9.75	55/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-39-3	34.3	55/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-43-9	2.39	55/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-47-3	<5.00	55/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-48-4	4.72	55/15/2012	CC26
C120508-8		200.8	200.2 - TR	7440-50-8	178	55/15/2012	CC26

C120508-8	200.8	200.2 - TR	7439-92-1	185		5/15/2012	CC26
C120508-8	200.8	200.2 - TR	7440-02-0	3.63		5/15/2012	CC26
C120508-8	200.8	200.2 - TR	7782-49-2	<2.50		5/15/2012	CC26
C120508-8	200.8	200.2 - TR	7440-22-4	<2.50		5/15/2012	CC26
C120508-8	200.8	200.2 - TR	7440-28-0	<2.50		5/15/2012	CC26
C120508-8	200.8	200.2 - TR	7440-62-2	<10.0		5/15/2012	CC26
C120508-8	200.7	No Lab Pre	7429-90-5	2170		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7440-70-2	10600		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7439-89-6	4180		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7439-95-4	2000		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7439-96-5	223		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	9/7/7440	553		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7440-23-5	516		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7440-24-6	200		15/15/2012	CC26
C120508-8	200.7	No Lab Pre	7440-66-6	704		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7429-90-5	3180		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7440-70-2	10900		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7439-89-6	7600		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7439-95-4	2190		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7439-96-5	242		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	9/7/7440	914		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7440-23-5	503		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7440-24-6	202		15/15/2012	CC26
C120508-8	200.7	200.2 - TR	7440-66-6	680		15/15/2012	CC26
C120508-8	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC26
C120508-8	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	CC26
C120508-8	EPA 300.0	No Prep Re	16984-48-8	0.1		15/15/2012	CC26
C120508-8	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	CC26
C120508-8	EPA 300.0	No Prep Re	148-08-79	67		15/15/2012	CC26
C120508-8	2340B	No Lab Pre	NA	61		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-39-3	20.3		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-43-9	0.529		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-48-4	8.76		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-50-8	31.1		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7439-92-1	26.3		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-02-0	5.39		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7782-49-2	0.579		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC40
C120508-8	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC40

C120508-8	200.8	200.2 - TR	7440-36-0	<2.50		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-38-2	<2.50		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-39-3	<25.0		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-43-9	<0.500		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-47-3	<5.00		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-48-4	9.08		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-50-8	31.6		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7439-92-1	37.1		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-02-0	5.17		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7782-49-2	<2.50		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-22-4	<2.50		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-28-0	<2.50		5/15/2012	CC40
C120508-8	200.8	200.2 - TR	7440-62-2	<10.0		5/15/2012	CC40
C120508-8	200.7	No Lab Pre	7429-90-5	2100		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7440-70-2	18700		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7439-89-6	7260		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7439-95-4	3470		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7439-96-5	782		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	9/7/7440	823		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7440-23-5	1230		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7440-24-6	274		15/15/2012	CC40
C120508-8	200.7	No Lab Pre	7440-66-6	187		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7429-90-5	2320		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7440-70-2	18500		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7439-89-6	8520		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7439-95-4	3520		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7439-96-5	792		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	9/7/7440	935		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7440-23-5	1200		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7440-24-6	276		15/15/2012	CC40
C120508-8	200.7	200.2 - TR	7440-66-6	183		15/15/2012	CC40
C120508-8	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	CC40
C120508-8	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/15/2012	CC40
C120508-8	EPA 300.0	No Prep Re	16984-48-8	0.3		15/15/2012	CC40
C120508-8	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	CC40
C120508-8	EPA 300.0	No Prep Re	148-08-79	112		15/15/2012	CC40
C120508-9	2340B	No Lab Pre	NA	534		105/15/2012	CC42
C120508-9	200.8	No Lab Pre	7440-36-0	<5.00		105/15/2012	CC42
C120508-9	200.8	No Lab Pre	7440-38-2	<5.00		105/15/2012	CC42
C120508-9	200.8	No Lab Pre	7440-39-3	<50.0		105/15/2012	CC42
C120508-9	200.8	No Lab Pre	7440-43-9	<1.00		105/15/2012	CC42
C120508-9	200.8	No Lab Pre	7440-47-3	<10.0		105/15/2012	CC42
C120508-9	200.8	No Lab Pre	7440-48-4	<1.00		105/15/2012	CC42

C120508-9	200.8	No Lab Pre	7440-50-8	<5.00		105/15/2012	CC42	
C120508-9	200.8	No Lab Pre	7439-92-1	<1.00		105/15/2012	CC42	
C120508-9	200.8	No Lab Pre	7440-02-0	<5.00		105/15/2012	CC42	
C120508-9	200.8	No Lab Pre	7782-49-2	<5.00		105/15/2012	CC42	
C120508-9	200.8	No Lab Pre	7440-22-4	<5.00		105/15/2012	CC42	
C120508-9	200.8	No Lab Pre	7440-28-0	<5.00		105/15/2012	CC42	
C120508-9	200.8	No Lab Pre	7440-62-2	<20.0		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-36-0	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-38-2	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-39-3	<50.0		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-43-9	<1.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-47-3	<10.0		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-48-4	<1.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-50-8	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7439-92-1		2.69	105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-02-0	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7782-49-2	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-22-4	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-28-0	<5.00		105/15/2012	CC42	
C120508-9	200.8	200.2 - TR	7440-62-2	<20.0		105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7429-90-5	<200		105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7440-41-7	<20.0		105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7440-70-2		203000	105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7439-89-6	<1000		105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7439-95-4		6260	105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7439-96-5		622	105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	9/7/7440	<2500		105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7440-23-5		5710	105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7440-24-6		4540	105/15/2012	CC42	
C120508-9	200.7	No Lab Pre	7440-66-6	<100		105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7429-90-5		541	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7440-41-7	<20.0		105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7440-70-2		208000	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7439-89-6		2680	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7439-95-4		6500	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7439-96-5		668	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	9/7/7440	<2500		105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7440-23-5		5820	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7440-24-6		4580	105/15/2012	CC42	
C120508-9	200.7	200.2 - TR	7440-66-6		115	105/15/2012	CC42	
C120508-9	EPA 310.1	No Prep Re	NA		71	15/15/2012	CC42	
C120508-9	EPA 300.0	No Prep Re	16887-00-6	<10.0		105/15/2012	CC42	
C120508-9	EPA 300.0	No Prep Re	16984-48-8		1	105/15/2012	CC42	
C120508-9	EPA 300.0	No Prep Re	NA	<4.0		105/15/2012	CC42	
C120508-9	EPA 300.0	No Prep Re	148-08-79		466	105/15/2012	CC42	

C120508-42340B		No Lab Pre	NA		38	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-39-3		8.52	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-43-9		1.47	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-48-4		1.57	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-50-8		78.6	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7439-92-1		0.895	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-02-0		1.24	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7782-49-2		0.52	15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC04
C120508-4	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-43-9		1.58	55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-48-4		1.53	55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-50-8		78.4	55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7439-92-1		2.85	55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-02-0	<2.50		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	CC04
C120508-4	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC04
C120508-4	200.7	No Lab Pre	7429-90-5		720	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7440-70-2		12200	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7439-89-6		177	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7439-95-4		1760	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7439-96-5		158	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	9/7/7440		317	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7440-23-5		982	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7440-24-6		91.8	15/16/2012	CC04
C120508-4	200.7	No Lab Pre	7440-66-6		377	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7429-90-5		886	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7440-70-2		12300	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7439-89-6		903	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7439-95-4		1790	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7439-96-5		159	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	9/7/7440		382	15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7440-23-5		941	15/16/2012	CC04

C120508-4	200.7	200.2 - TR	7440-24-6	91.2		15/16/2012	CC04
C120508-4	200.7	200.2 - TR	7440-66-6	368		15/16/2012	CC04
C120508-5EPA	310.1	No Prep R	NA	<5.00		15/16/2012	CC04
C120508-5EPA	300.0	No Prep R	16887-00-I	<1.0		15/16/2012	CC04
C120508-5EPA	300.0	No Prep R	16984-48-I	<0.1		15/16/2012	CC04
C120508-5EPA	300.0	No Prep R	NA	<0.4		15/16/2012	CC04
C120508-5EPA	300.0	No Prep R	148-08-79	43.5		15/16/2012	CC04
C120508-52340B		No Lab Pre	NA	1020		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-36-0	<5.00		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-38-2	<5.00		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-39-3	<50.0		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-43-9	57.1		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-47-3	<10.0		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-48-4	75.2		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-50-8	3800		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7439-92-1	14.9		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-02-0	39.7		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7782-49-2	<5.00		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-22-4	<5.00		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-28-0	<5.00		105/16/2012	CC06
C120508-5	200.8	No Lab Pre	7440-62-2	<20.0		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-36-0	<5.00		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-38-2	<5.00		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-39-3	<50.0		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-43-9	56.4		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-47-3	<10.0		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-48-4	74.1		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-50-8	3730		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7439-92-1	15.1		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-02-0	37.3		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7782-49-2	<5.00		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-22-4	<5.00		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-28-0	<5.00		105/16/2012	CC06
C120508-5	200.8	200.2 - TR	7440-62-2	<20.0		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7429-90-5	21000		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7440-41-7	<20.0		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7440-70-2	373000		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7439-89-6	46800		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7439-95-4	22100		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7439-96-5	26000		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	9/7/7440	<2500		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7440-23-5	5190		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7440-24-6	6220		105/16/2012	CC06
C120508-5	200.7	No Lab Pre	7440-66-6	19100		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7429-90-5	21200		105/16/2012	CC06

C120508-5	200.7	200.2 - TR	7440-41-7	<20.0		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7440-70-2	378000		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7439-89-6	50300		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7439-95-4	22200		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7439-96-5	26900		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	9/7/7440	<2500		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7440-23-5	5080		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7440-24-6	6280		105/16/2012	CC06
C120508-5	200.7	200.2 - TR	7440-66-6	19700		105/16/2012	CC06
C120508-5EPA	310.1	No Prep Re	NA	<5.00		15/16/2012	CC06
C120508-5EPA	300.0	No Prep Re	16887-00-(	<10.0		105/16/2012	CC06
C120508-5EPA	300.0	No Prep Re	16984-48-8	6.7		105/16/2012	CC06
C120508-5EPA	300.0	No Prep Re	NA	<4.0		105/16/2012	CC06
C120508-5EPA	300.0	No Prep Re	148-08-79	1350		105/16/2012	CC06
C120508-12340B		No Lab Pre	NA	44		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-39-3	16		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-43-9	5.07		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-48-4	0.412		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-50-8	141		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7439-92-1	6.63		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-02-0	1.37		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7782-49-2	0.5		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC01H
C120508-1	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-43-9	5.26		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-48-4	<0.500		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-50-8	148		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7439-92-1	12		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-02-0	<2.50		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	CC01H
C120508-1	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7429-90-5	425		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7440-70-2	14900		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7439-89-6	132		15/16/2012	CC01H

C120508-1	200.7	No Lab Pre	7439-95-4	1700		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7439-96-5	378		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	9/7/7440	322		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7440-23-5	614		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7440-24-6	119		15/16/2012	CC01H
C120508-1	200.7	No Lab Pre	7440-66-6	1170		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7429-90-5	759		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7440-70-2	14900		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7439-89-6	591		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7439-95-4	1730		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7439-96-5	384		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	9/7/7440	359		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7440-23-5	551		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7440-24-6	118		15/16/2012	CC01H
C120508-1	200.7	200.2 - TR	7440-66-6	1120		15/16/2012	CC01H
C120508-2	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC01H
C120508-2	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/16/2012	CC01H
C120508-2	EPA 300.0	No Prep Re	16984-48-8	0.2		15/16/2012	CC01H
C120508-2	EPA 300.0	No Prep Re	NA	<0.4		15/16/2012	CC01H
C120508-2	EPA 300.0	No Prep Re	148-08-79	44.5		15/16/2012	CC01H
C120508-C	2340B	No Lab Pre	NA	58		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-39-3	13.5		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-43-9	5.58		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-48-4	0.512		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-50-8	102		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7439-92-1	6.98		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-02-0	2.06		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7782-49-2	<0.500		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC02B
C120508-C	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-43-9	5.75		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-48-4	0.668		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-50-8	119		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7439-92-1	13.4		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-02-0	<2.50		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	CC02B

C120508-C	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	CC02B
C120508-C	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7429-90-5	833		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7440-70-2	19400		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7439-89-6	109		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7439-95-4	2370		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7439-96-5	1080		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	9/7/7440	382		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7440-23-5	732		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7440-24-6	134		15/16/2012	CC02B
C120508-C	200.7	No Lab Pre	7440-66-6	1520		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7429-90-5	1080		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7440-70-2	19000		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7439-89-6	557		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7439-95-4	2370		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7439-96-5	1100		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	9/7/7440	415		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7440-23-5	652		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7440-24-6	135		15/16/2012	CC02B
C120508-C	200.7	200.2 - TR	7440-66-6	1480		15/16/2012	CC02B
C120508-C	EPA 310.1	No Prep Re	NA	<5.00		15/16/2012	CC02B
C120508-C	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/16/2012	CC02B
C120508-C	EPA 300.0	No Prep Re	16984-48-8	0.4		15/16/2012	CC02B
C120508-C	EPA 300.0	No Prep Re	NA	<0.4		15/16/2012	CC02B
C120508-C	EPA 300.0	No Prep Re	148-08-79	64.2		15/16/2012	CC02B
C120508-B	2340B	No Lab Pre	NA	86		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-39-3	15.5		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-43-9	0.764		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-48-4	1.43		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-50-8	3.59		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-02-0	0.661		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 1
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 1

C120508-B	200.8	200.2 - TR	7440-43-9	0.968		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-48-4	1.65		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-50-8	11.3		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7439-92-1	3.7		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		5/15/2012	Opp sample 1
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		5/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7429-90-5	32		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7440-70-2	30700		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7439-89-6	665		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7439-95-4	2340		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7439-96-5	483		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	9/7/7440	471		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7440-23-5	1570		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7440-24-6	313		15/15/2012	Opp sample 1
C120508-B	200.7	No Lab Pre	7440-66-6	278		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7429-90-5	687		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7440-70-2	30400		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7439-89-6	1270		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7439-95-4	2350		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7439-96-5	490		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	9/7/7440	500		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7440-23-5	1540		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7440-24-6	316		15/15/2012	Opp sample 1
C120508-B	200.7	200.2 - TR	7440-66-6	288		15/15/2012	Opp sample 1
C120508-B	EPA 310.1	No Prep R	NA	18.1		15/15/2012	Opp sample 1
C120508-B	EPA 300.0	No Prep R	16887-00-6	<1.0		15/15/2012	Opp sample 1
C120508-B	EPA 300.0	No Prep R	16984-48-8	0.3		15/15/2012	Opp sample 1
C120508-B	EPA 300.0	No Prep R	NA	<0.4		15/15/2012	Opp sample 1
C120508-B	EPA 300.0	No Prep R	148-08-79	73.5		15/15/2012	Opp sample 1
C120508-B	2340B	No Lab Pre	NA	87		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-39-3	15.9		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-43-9	0.806		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-48-4	1.44		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-50-8	3.56		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-02-0	0.686		15/15/2012	Opp sample 2

C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 2
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-43-9	0.827		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-48-4	1.65		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-50-8	11.8		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7439-92-1	3.96		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 2
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7429-90-5	32.1		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7440-70-2	31200		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7439-89-6	646		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7439-95-4	2350		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7439-96-5	487		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	9/7/7440	468		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7440-23-5	1590		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7440-24-6	319		15/15/2012	Opp sample 2
C120508-B	200.7	No Lab Pre	7440-66-6	285		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7429-90-5	691		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7440-70-2	30900		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7439-89-6	1270		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7439-95-4	2360		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7439-96-5	491		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	9/7/7440	513		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7440-23-5	1550		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7440-24-6	317		15/15/2012	Opp sample 2
C120508-B	200.7	200.2 - TR	7440-66-6	288		15/15/2012	Opp sample 2
C120508-B	EPA 310.1	No Prep Re	NA	16.9		15/15/2012	Opp sample 2
C120508-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	Opp sample 2
C120508-B	EPA 300.0	No Prep Re	16984-48-8	0.2		15/15/2012	Opp sample 2
C120508-B	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	Opp sample 2
C120508-B	EPA 300.0	No Prep Re	148-08-79	74.4		15/15/2012	Opp sample 2
C120508-B	2340B	No Lab Pre	NA	87		15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 3

C120508-B	200.8	No Lab Pre	7440-39-3	16.2	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-43-9	0.872	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-48-4	1.5	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-50-8	3.53	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-02-0	0.791	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500	15/15/2012	Opp sample 3
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00	15/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-43-9	1.07	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-48-4	1.64	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-50-8	11.8	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7439-92-1	4.44	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50	55/15/2012	Opp sample 3
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0	55/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7429-90-5	33.3	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7440-70-2	31000	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7439-89-6	659	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7439-95-4	2360	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7439-96-5	486	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	9/7/7440	480	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7440-23-5	1590	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7440-24-6	316	15/15/2012	Opp sample 3
C120508-B	200.7	No Lab Pre	7440-66-6	282	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7429-90-5	709	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7440-70-2	31200	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7439-89-6	1330	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7439-95-4	2390	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7439-96-5	504	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	9/7/7440	509	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7440-23-5	1560	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7440-24-6	324	15/15/2012	Opp sample 3
C120508-B	200.7	200.2 - TR	7440-66-6	293	15/15/2012	Opp sample 3
C120508-B	EPA 310.1	No Prep R	NA	15.9	15/15/2012	Opp sample 3

C120508-B	EPA 300.0	No Prep R	16887-00-6	<1.0		15/15/2012	Opp sample 3
C120508-B	EPA 300.0	No Prep R	16984-48-8	0.2		15/15/2012	Opp sample 3
C120508-B	EPA 300.0	No Prep R	NA	<0.4		15/15/2012	Opp sample 3
C120508-B	EPA 300.0	No Prep R	148-08-79	73.8		15/15/2012	Opp sample 3
C120508-B	2340B	No Lab Pre	NA	87		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-39-3	16		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-43-9	0.888		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-48-4	1.48		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-50-8	3.49		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-02-0	0.702		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 4
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-43-9	0.79		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-48-4	1.76		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-50-8	12.3		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7439-92-1	4.23		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 4
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7429-90-5	30.6		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7440-70-2	31100		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7439-89-6	662		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7439-95-4	2370		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7439-96-5	504		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	9/7/7440	482		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7440-23-5	1580		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7440-24-6	328		15/15/2012	Opp sample 4
C120508-B	200.7	No Lab Pre	7440-66-6	290		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7429-90-5	687		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7440-70-2	30900		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7439-89-6	1270		15/15/2012	Opp sample 4

C120508-B	200.7	200.2 - TR	7439-95-4	2370		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7439-96-5	491		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	9/7/7440	499		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7440-23-5	1550		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7440-24-6	316		15/15/2012	Opp sample 4
C120508-B	200.7	200.2 - TR	7440-66-6	283		15/15/2012	Opp sample 4
C120508-B	EPA 310.1	No Prep Re	NA	15.7		15/15/2012	Opp sample 4
C120508-B	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/15/2012	Opp sample 4
C120508-B	EPA 300.0	No Prep Re	16984-48-8	0.2		15/15/2012	Opp sample 4
C120508-B	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	Opp sample 4
C120508-B	EPA 300.0	No Prep Re	148-08-79	73.8		15/15/2012	Opp sample 4
C120508-B	2340B	No Lab Pre	NA	88		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-39-3	16.2		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-43-9	0.86		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-48-4	1.48		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-50-8	3.51		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-02-0	0.66		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 5
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-43-9	0.935		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-48-4	1.65		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-50-8	10.8		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7439-92-1	3.81		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 5
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7429-90-5	33.4		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7440-70-2	31300		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7439-89-6	667		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7439-95-4	2380		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7439-96-5	488		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	9/7/7440	481		15/15/2012	Opp sample 5

C120508-B	200.7	No Lab Pre	7440-23-5	1610		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7440-24-6	318		15/15/2012	Opp sample 5
C120508-B	200.7	No Lab Pre	7440-66-6	284		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7429-90-5	695		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7440-70-2	30700		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7439-89-6	1340		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7439-95-4	2380		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7439-96-5	503		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	9/7/7440	499		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7440-23-5	1560		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7440-24-6	323		15/15/2012	Opp sample 5
C120508-B	200.7	200.2 - TR	7440-66-6	291		15/15/2012	Opp sample 5
C120508-B	EPA 310.1	No Prep R	NA	15.8		15/15/2012	Opp sample 5
C120508-B	EPA 300.0	No Prep R	16887-00-(	<1.0		15/15/2012	Opp sample 5
C120508-B	EPA 300.0	No Prep R	16984-48-8	0.3		15/15/2012	Opp sample 5
C120508-B	EPA 300.0	No Prep R	NA	<0.4		15/15/2012	Opp sample 5
C120508-B	EPA 300.0	No Prep R	148-08-79	74.5		15/15/2012	Opp sample 5
C120508-B	2340B	No Lab Pre	NA	88		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-39-3	16.1		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-43-9	0.839		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-48-4	1.4		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-50-8	3.5		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-02-0	0.637		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 6
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-43-9	0.994		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-48-4	1.64		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-50-8	12.2		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7439-92-1	6.42		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 6
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 6

C120508-B	200.7	No Lab Pre	7429-90-5	31.3		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7440-70-2	31300		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7439-89-6	730		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7439-95-4	2390		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7439-96-5	480		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	9/7/7440	466		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7440-23-5	1600		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7440-24-6	318		15/15/2012	Opp sample 6
C120508-B	200.7	No Lab Pre	7440-66-6	290		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7429-90-5	683		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7440-70-2	30200		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7439-89-6	1260		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7439-95-4	2360		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7439-96-5	481		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	9/7/7440	497		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7440-23-5	1570		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7440-24-6	316		15/15/2012	Opp sample 6
C120508-B	200.7	200.2 - TR	7440-66-6	290		15/15/2012	Opp sample 6
C120508-B	EPA 310.1	No Prep Re	NA	15.8		15/15/2012	Opp sample 6
C120508-B	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/15/2012	Opp sample 6
C120508-B	EPA 300.0	No Prep Re	16984-48-8	0.3		15/15/2012	Opp sample 6
C120508-B	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	Opp sample 6
C120508-B	EPA 300.0	No Prep Re	148-08-79	73.9		15/15/2012	Opp sample 6
C120508-B	2340B	No Lab Pre	NA	88		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-39-3	16.4		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-43-9	0.796		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-48-4	1.44		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-50-8	3.66		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-02-0	0.757		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 7
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-43-9	0.823		55/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-48-4	1.6		55/15/2012	Opp sample 7

C120508-B	200.8	200.2 - TR	7440-50-8	11.6		5/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7439-92-1	4.33		5/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		5/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		5/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		5/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		5/15/2012	Opp sample 7
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		5/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7429-90-5	31.5		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7440-70-2	31300		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7439-89-6	712		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7439-95-4	2400		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7439-96-5	483		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	9/7/7440	489		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7440-23-5	1620		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7440-24-6	318		15/15/2012	Opp sample 7
C120508-B	200.7	No Lab Pre	7440-66-6	287		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7429-90-5	705		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7440-70-2	31100		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7439-89-6	1290		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7439-95-4	2420		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7439-96-5	493		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	9/7/7440	502		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7440-23-5	1590		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7440-24-6	323		15/15/2012	Opp sample 7
C120508-B	200.7	200.2 - TR	7440-66-6	293		15/15/2012	Opp sample 7
C120508-B	EPA 310.1	No Prep Re	NA	17.4		15/15/2012	Opp sample 7
C120508-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	Opp sample 7
C120508-B	EPA 300.0	No Prep Re	16984-48-8	0.3		15/15/2012	Opp sample 7
C120508-B	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	Opp sample 7
C120508-B	EPA 300.0	No Prep Re	148-08-79	74.3		15/15/2012	Opp sample 7
C120508-C	2340B	No Lab Pre	NA	87		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-39-3	15.3		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-43-9	0.83		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-48-4	1.42		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-50-8	3.63		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-02-0	0.623		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 8
C120508-C	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 8

C120508-C	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-43-9	0.878		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-48-4	1.6		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-50-8	11.9		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7439-92-1	5.92		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 8
C120508-C	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7429-90-5	30.7		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7440-70-2	30900		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7439-89-6	693		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7439-95-4	2380		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7439-96-5	477		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	9/7/7440	474		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7440-23-5	1610		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7440-24-6	316		15/15/2012	Opp sample 8
C120508-C	200.7	No Lab Pre	7440-66-6	282		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7429-90-5	699		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7440-70-2	30700		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7439-89-6	1270		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7439-95-4	2370		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7439-96-5	491		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	9/7/7440	499		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7440-23-5	1560		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7440-24-6	320		15/15/2012	Opp sample 8
C120508-C	200.7	200.2 - TR	7440-66-6	290		15/15/2012	Opp sample 8
C120508-C	EPA 310.1	No Prep Re	NA	16.6		15/15/2012	Opp sample 8
C120508-C	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	Opp sample 8
C120508-C	EPA 300.0	No Prep Re	16984-48-8	0.2		15/15/2012	Opp sample 8
C120508-C	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	Opp sample 8
C120508-C	EPA 300.0	No Prep Re	148-08-79	73.6		15/15/2012	Opp sample 8
C120508-C	2340B	No Lab Pre	NA	87		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-39-3	16		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-43-9	0.837		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 9

C120508-C	200.8	No Lab Pre	7440-48-4	1.42		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-50-8	3.89		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-02-0	0.712		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 9
C120508-C	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-43-9	0.752		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-48-4	1.61		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-50-8	11.2		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7439-92-1	4.9		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 9
C120508-C	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7429-90-5	29.8		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7440-70-2	31000		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7439-89-6	692		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7439-95-4	2380		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7439-96-5	477		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	9/7/7440	465		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7440-23-5	1620		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7440-24-6	315		15/15/2012	Opp sample 9
C120508-C	200.7	No Lab Pre	7440-66-6	287		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7429-90-5	696		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7440-70-2	30500		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7439-89-6	1270		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7439-95-4	2380		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7439-96-5	493		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	9/7/7440	509		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7440-23-5	1580		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7440-24-6	322		15/15/2012	Opp sample 9
C120508-C	200.7	200.2 - TR	7440-66-6	293		15/15/2012	Opp sample 9
C120508-C	EPA 310.1	No Prep Re	NA	15.7		15/15/2012	Opp sample 9
C120508-C	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	Opp sample 9
C120508-C	EPA 300.0	No Prep Re	16984-48-8	0.2		15/15/2012	Opp sample 9
C120508-C	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	Opp sample 9

C120508-C	EPA 300.0	No Prep R	148-08-79		74.2	15/15/2012	Opp sample 9
C120508-B	2340B	No Lab Pre	NA		89	15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-39-3		15.4	15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-43-9		0.805	15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-48-4		1.44	15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-50-8		3.85	15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-02-0		0.728	15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	Opp sample 10
C120508-B	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-43-9		1.07	55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-48-4		1.6	55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-50-8		12.4	55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7439-92-1		4.31	55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	Opp sample 10
C120508-B	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7429-90-5		30.6	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7440-70-2		31700	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7439-89-6		673	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7439-95-4		2410	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7439-96-5		495	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	9/7/7440		494	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7440-23-5		1620	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7440-24-6		321	15/15/2012	Opp sample 10
C120508-B	200.7	No Lab Pre	7440-66-6		302	15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7429-90-5		666	15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7440-70-2		30800	15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7439-89-6		1220	15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7439-95-4		2360	15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7439-96-5		499	15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	9/7/7440		497	15/15/2012	Opp sample 10

C120508-B	200.7	200.2 - TR	7440-23-5	1550		15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7440-24-6	322		15/15/2012	Opp sample 10
C120508-B	200.7	200.2 - TR	7440-66-6	298		15/15/2012	Opp sample 10
C120508-B	EPA 310.1	No Prep R	NA	17.6		15/15/2012	Opp sample 10
C120508-B	EPA 300.0	No Prep R	16887-00-(	<1.0		15/15/2012	Opp sample 10
C120508-B	EPA 300.0	No Prep R	16984-48-8	0.3		15/15/2012	Opp sample 10
C120508-B	EPA 300.0	No Prep R	NA	<0.4		15/15/2012	Opp sample 10
C120508-B	EPA 300.0	No Prep R	148-08-79	74.3		15/15/2012	Opp sample 10
C120508-A	2340B	No Lab Pre	NA	133		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-39-3	9.03		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-43-9	0.966		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-48-4	3.28		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-50-8	5.87		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7439-92-1	0.231		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-02-0	1.53		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	CC17_DUP
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-43-9	0.901		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-48-4	3.27		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-50-8	21		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7439-92-1	18.7		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2012	CC17_DUP
C120508-9	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7429-90-5	105		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7440-70-2	48600		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7439-89-6	1200		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7439-95-4	2920		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7439-96-5	444		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	9/7/7440	452		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7440-23-5	1600		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7440-24-6	636		15/15/2012	CC17_DUP
C120508-A	200.7	No Lab Pre	7440-66-6	236		15/15/2012	CC17_DUP

C120508-9	200.7	200.2 - TR	7429-90-5	1410	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7440-41-7	<2.00	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7440-70-2	49200	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7439-89-6	3220	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7439-95-4	3010	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7439-96-5	485	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	9/7/7440	550	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7440-23-5	1530	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7440-24-6	635	15/15/2012	CC17_DUP
C120508-9	200.7	200.2 - TR	7440-66-6	255	15/15/2012	CC17_DUP
C120508-A	EPA 310.1	No Prep Re	NA	6.22	15/15/2012	CC17_DUP
C120508-A	EPA 300.0	No Prep Re	16887-00-(	<1.0	15/15/2012	CC17_DUP
C120508-A	EPA 300.0	No Prep Re	16984-48-8	0.5	15/15/2012	CC17_DUP
C120508-A	EPA 300.0	No Prep Re	NA	<0.4	15/15/2012	CC17_DUP
C120508-A	EPA 300.0	No Prep Re	148-08-79	134	15/15/2012	CC17_DUP
C120508-A	2340B	No Lab Pre	NA	83	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-38-2	<0.500	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-39-3	15.9	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-43-9	0.873	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-48-4	1.42	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-50-8	3.87	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7439-92-1	<0.100	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-02-0	0.877	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7782-49-2	<0.500	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500	15/15/2002	A72_DUP
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00	15/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-43-9	0.756	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-48-4	1.49	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-50-8	11.7	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7439-92-1	4.32	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-02-0	<2.50	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50	55/15/2002	A72_DUP
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0	55/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7429-90-5	34.8	15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00	15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7440-70-2	29300	15/15/2002	A72_DUP

C120508-A	200.7	No Lab Pre	7439-89-6	712		15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7439-95-4	2280		15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7439-96-5	464		15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	9/7/7440	450		15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7440-23-5	1560		15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7440-24-6	313		15/15/2002	A72_DUP
C120508-A	200.7	No Lab Pre	7440-66-6	279		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7429-90-5	715		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7440-70-2	30500		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7439-89-6	1260		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7439-95-4	2380		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7439-96-5	490		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	9/7/7440	515		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7440-23-5	1590		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7440-24-6	319		15/15/2002	A72_DUP
C120508-A	200.7	200.2 - TR	7440-66-6	293		15/15/2002	A72_DUP
C120508-A	EPA 310.1	No Prep Re	NA	15.9		15/15/2002	A72_DUP
C120508-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2002	A72_DUP
C120508-A	EPA 300.0	No Prep Re	16984-48-8	0.2		15/15/2002	A72_DUP
C120508-A	EPA 300.0	No Prep Re	NA	<0.4		15/15/2002	A72_DUP
C120508-A	EPA 300.0	No Prep Re	148-08-79	73.1		15/15/2002	A72_DUP
C120508-A	2340B	No Lab Pre	NA	1080		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-38-2	2.52		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-39-3	7.45		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-43-9	50.5		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-47-3	4.02		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-48-4	67.5		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-50-8	3320		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7439-92-1	14.3		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-02-0	32.3		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7782-49-2	3.19		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	CC06_DUP
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-38-2	3.02		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-43-9	54.1		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-48-4	70.5		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-50-8	3540		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7439-92-1	14.8		55/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-02-0	33.7		55/16/2012	CC06_DUP

C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		5	5/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		5	5/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50		5	5/16/2012	CC06_DUP
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		5	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7429-90-5	21000		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7440-41-7	5.54		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7440-70-2	395000		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7439-89-6	46700		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7439-95-4	22000		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7439-96-5	23500		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	9/7/7440	1610		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7440-23-5	5270		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7440-24-6	<2.00		1	5/16/2012	CC06_DUP
C120508-A	200.7	No Lab Pre	7440-66-6	18700		1	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7429-90-5	20900		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7440-41-7	<20.0		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7440-70-2	371000		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7439-89-6	49500		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7439-95-4	21800		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7439-96-5	25900		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	9/7/7440	<2500		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7440-23-5	4960		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7440-24-6	6100		10	5/16/2012	CC06_DUP
C120508-A	200.7	200.2 - TR	7440-66-6	19100		10	5/16/2012	CC06_DUP
C120508-A	EPA 310.1	No Prep Re	NA	<5.00		1	5/16/2012	CC06_DUP
C120508-A	EPA 300.0	No Prep Re	16887-00-6	<100		100	5/16/2012	CC06_DUP
C120508-A	EPA 300.0	No Prep Re	16984-48-8	<10.0		100	5/16/2012	CC06_DUP
C120508-A	EPA 300.0	No Prep Re	NA	<40.0		100	5/16/2012	CC06_DUP
C120508-A	EPA 300.0	No Prep Re	148-08-79	1180		100	5/16/2012	CC06_DUP
C120508-A	2340B	No Lab Pre	NA	520		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-38-2	2.54		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-39-3	8.73		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-43-9	35.9		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-48-4	18.9		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-50-8	17.3		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7439-92-1	183		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-02-0	7.75		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7782-49-2	2.01		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		1	5/16/2012	CC02D_DUP
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		1	5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		5	5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50		5	5/16/2012	CC02D_DUP

C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-43-9	34.4		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-48-4	19.5		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-50-8	18.3		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7439-92-1	184		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-02-0	8.91		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50		5/16/2012	CC02D_DUP
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7429-90-5	2850		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7440-41-7	3.11		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7440-70-2	189000		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7439-89-6	23300		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7439-95-4	11700		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7439-96-5	23900		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	9/7/7440	1920		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7440-23-5	5910		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7440-24-6	1660		5/16/2012	CC02D_DUP
C120508-A	200.7	No Lab Pre	7440-66-6	27600		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7429-90-5	2930		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7440-41-7	3.31		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7440-70-2	191000		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7439-89-6	25200		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7439-95-4	12000		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7439-96-5	25200		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	9/7/7440	1980		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7440-23-5	6000		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7440-24-6	1700		5/16/2012	CC02D_DUP
C120508-A	200.7	200.2 - TR	7440-66-6	28700		5/16/2012	CC02D_DUP
C120508-A	EPA 310.1	No Prep Re	NA	<5.00		5/16/2012	CC02D_DUP
C120508-A	EPA 300.0	No Prep Re	16887-00-6	<10.0		10 5/16/2012	CC02D_DUP
C120508-A	EPA 300.0	No Prep Re	16984-48-8	3.9		10 5/16/2012	CC02D_DUP
C120508-A	EPA 300.0	No Prep Re	NA	<4.0		10 5/16/2012	CC02D_DUP
C120508-A	EPA 300.0	No Prep Re	148-08-79	649		10 5/16/2012	CC02D_DUP
C120508-A	2340B	No Lab Pre	NA	<2		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-38-2	<0.500		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-39-3	<5.00		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-43-9	<0.100		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-48-4	<0.100		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-50-8	<0.500		5/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7439-92-1	<0.100		5/15/2012	FB-01

C120508-A	200.8	No Lab Pre	7440-02-0	<0.500		15/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2012	FB-01
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-43-9	<0.500		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-48-4	<0.500		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-50-8	<2.50		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7439-92-1	<0.500		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-28-0		5.75	55/15/2012	FB-01
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7429-90-5	<20.0		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7440-70-2	<100		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7439-89-6	<100		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7439-95-4	<100		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7439-96-5	<2.00		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	9/7/7440	<250		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7440-23-5	<250		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7440-24-6	<2.00		15/15/2012	FB-01
C120508-A	200.7	No Lab Pre	7440-66-6	<10.0		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7429-90-5	<20.0		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7440-70-2		202	15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7439-89-6	<100		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7439-95-4	<100		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7439-96-5	<2.00		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	9/7/7440	<250		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7440-23-5	<250		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7440-24-6	<2.00		15/15/2012	FB-01
C120508-A	200.7	200.2 - TR	7440-66-6	<10.0		15/15/2012	FB-01
C120508-A	EPA 310.1	No Prep Re	NA	<5.00		15/15/2012	FB-01
C120508-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2012	FB-01
C120508-A	EPA 300.0	No Prep Re	16984-48-8	<0.1		15/15/2012	FB-01
C120508-A	EPA 300.0	No Prep Re	NA	<0.4		15/15/2012	FB-01
C120508-A	EPA 300.0	No Prep Re	148-08-79	<2.0		15/15/2012	FB-01
C120508-A	2340B	No Lab Pre	NA	<2		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-36-0	<0.500		15/16/2012	FB-02

C120508-A	200.8	No Lab Pre	7440-38-2	<0.500		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-39-3	<5.00		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-43-9	<0.100		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-47-3	<1.00		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-48-4	<0.100		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-50-8	<0.500		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7439-92-1	<0.100		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-02-0	<0.500		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7782-49-2	<0.500		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-22-4	<0.500		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-28-0	<0.500		15/16/2012	FB-02
C120508-A	200.8	No Lab Pre	7440-62-2	<2.00		15/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-36-0	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-38-2	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-39-3	<25.0		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-43-9	<0.500		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-47-3	<5.00		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-48-4	<0.500		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-50-8	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7439-92-1	<0.500		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-02-0	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7782-49-2	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-22-4	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-28-0	<2.50		55/16/2012	FB-02
C120508-A	200.8	200.2 - TR	7440-62-2	<10.0		55/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7429-90-5	<20.0		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7440-41-7	<2.00		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7440-70-2	<100		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7439-89-6	<100		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7439-95-4	<100		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7439-96-5	<2.00		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	9/7/7440	<250		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7440-23-5	<250		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7440-24-6	<2.00		15/16/2012	FB-02
C120508-A	200.7	No Lab Pre	7440-66-6	<10.0		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7429-90-5	<20.0		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7440-41-7	<2.00		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7440-70-2		262	15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7439-89-6	<100		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7439-95-4	<100		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7439-96-5	<2.00		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	9/7/7440	<250		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7440-23-5	<250		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7440-24-6	<2.00		15/16/2012	FB-02
C120508-A	200.7	200.2 - TR	7440-66-6	<10.0		15/16/2012	FB-02

C120508-A	EPA 310.1	No Prep R	NA	<5.00		15/16/2012	FB-02
C120508-A	EPA 300.0	No Prep R	16887-00-I	<1.0		15/16/2012	FB-02
C120508-A	EPA 300.0	No Prep R	16984-48-I	<0.1		15/16/2012	FB-02
C120508-A	EPA 300.0	No Prep R	NA	<0.4		15/16/2012	FB-02
C120508-A	EPA 300.0	No Prep R	148-08-79	<2.0		15/16/2012	FB-02
C120508-0	EPA 200.2	200.2 - TR	7440-36-0	3080		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-38-2	25900		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-39-3	173000		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-43-9	13400		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-47-3	4970		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-48-4	13500		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-50-8	374000		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-02-0	8950		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7782-49-2	1290		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-22-4	7090		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-28-0	<504		105/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-62-2	18000		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7429-90-5	9050		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7440-41-7	<2.01		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7440-70-2	3280		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7439-89-6	29100		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7439-92-1	1890		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7439-95-4	4560		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7439-96-5	12200		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	9/7/7440	797		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7440-23-5	<252		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7440-24-6	39.4		105/15/2012	A68
C120508-0	EPA 200.2/	200.2 - TR	7440-66-6	3030		105/15/2012	A68
C120508-0	7473	EPA 245.1/	7439-97-6	0.081		15/15/2012	A68
C120508-0	EPA 200.2	200.2 - TR	7440-36-0	1570		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-38-2	40600		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-39-3	137000		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-43-9	2800		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-47-3	6100		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-48-4	15600		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-50-8	152000		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-02-0	6380		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7782-49-2	2030		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-22-4	1990		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-28-0	1590		105/15/2012	A72
C120508-0	EPA 200.2	200.2 - TR	7440-62-2	26000		105/15/2012	A72
C120508-0	EPA 200.2/	200.2 - TR	7429-90-5	12200		105/15/2012	A72
C120508-0	EPA 200.2/	200.2 - TR	7440-41-7	<1.97		105/15/2012	A72
C120508-0	EPA 200.2/	200.2 - TR	7440-70-2	2760		105/15/2012	A72
C120508-0	EPA 200.2/	200.2 - TR	7439-89-6	57500		105/15/2012	A72

C120508-0	EPA 200.2/200.2 - TR	7439-92-1	581		105/15/2012	A72
C120508-0	EPA 200.2/200.2 - TR	7439-95-4	4820		105/15/2012	A72
C120508-0	EPA 200.2/200.2 - TR	7439-96-5	2710		105/15/2012	A72
C120508-0	EPA 200.2/200.2 - TR	9/7/7440	885		105/15/2012	A72
C120508-0	EPA 200.2/200.2 - TR	7440-23-5	<246		105/15/2012	A72
C120508-0	EPA 200.2/200.2 - TR	7440-24-6	53		105/15/2012	A72
C120508-0	EPA 200.2/200.2 - TR	7440-66-6	748		105/15/2012	A72
C120508-0	7473	EPA 245.1/	7439-97-6	0.072	15/15/2012	A72
C120508-B	EPA 200.2	200.2 - TR	7440-36-0	2670	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-38-2	40100	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-39-3	137000	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-43-9	6720	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-47-3	5260	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-48-4	16800	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-50-8	276000	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-02-0	11800	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7782-49-2	1890	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-22-4	4960	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-28-0	749	105/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-62-2	24200	105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7429-90-5	13800		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7440-41-7	<1.99		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7440-70-2	2750		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7439-89-6	74300		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7439-92-1	948		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7439-95-4	4410		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7439-96-5	6130		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	9/7/7440	855		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7440-23-5	<249		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7440-24-6	48.7		105/15/2012	Opp sample 1
C120508-B	EPA 200.2/200.2 - TR	7440-66-6	1670		105/15/2012	Opp sample 1
C120508-B	7473	EPA 245.1/	7439-97-6	0.108	15/15/2012	Opp sample 1
C120508-B	EPA 200.2	200.2 - TR	7440-36-0	2350	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-38-2	46200	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-39-3	150000	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-43-9	8010	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-47-3	5190	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-48-4	22000	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-50-8	370000	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-02-0	8590	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7782-49-2	2290	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-22-4	4520	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-28-0	704	105/15/2012	Opp sample 6
C120508-B	EPA 200.2	200.2 - TR	7440-62-2	23100	105/15/2012	Opp sample 6
C120508-B	EPA 200.2/200.2 - TR	7429-90-5	18600		105/15/2012	Opp sample 6

C120508-BEPA 200.2/200.2 - TR		7440-41-7	2.16		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7440-70-2	3350		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7439-89-6	87800		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7439-92-1	935		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7439-95-4	3950		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7439-96-5	7070		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		9/7/7440	856		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7440-23-5	<254		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7440-24-6	56.5		105/15/2012	Opp sample 6
C120508-BEPA 200.2/200.2 - TR		7440-66-6	2240		105/15/2012	Opp sample 6
C120508-B	7473	EPA 245.1/	7439-97-6	0.145	15/15/2012	Opp sample 6
C120508-CEPA 200.2 200.2 - TR		7440-36-0	1480		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-38-2	35200		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-39-3	134000		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-43-9	2790		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-47-3	5860		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-48-4	16500		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-50-8	154000		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-02-0	6350		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7782-49-2	1720		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-22-4	1830		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-28-0	613		105/15/2012	A72_DUP
C120508-CEPA 200.2 200.2 - TR		7440-62-2	25000		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7429-90-5	12600		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7440-41-7	<2.01		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7440-70-2	2940		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7439-89-6	59300		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7439-92-1	582		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7439-95-4	5080		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7439-96-5	2910		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		9/7/7440	851		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7440-23-5	<251		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7440-24-6	53		105/15/2012	A72_DUP
C120508-CEPA 200.2/200.2 - TR		7440-66-6	758		105/15/2012	A72_DUP
C120508-C	7473	EPA 245.1/	7439-97-6	0.066	15/15/2012	A72_DUP
C121012-0EPA 200.2 200.2 - TR		7440-36-0	1920		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-38-2	31900		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-39-3	91100		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-43-9	4660		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-47-3	7470		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-48-4	14200		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-02-0	7610		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7782-49-2	1640		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-22-4	7150		1010/3/2012	A56
C121012-0EPA 200.2 200.2 - TR		7440-28-0	<502		1010/3/2012	A56

C121012-0	EPA 200.2	200.2 - TR	7440-62-2	19300		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7429-90-5	10300		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7440-41-7	<2.01		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7440-70-2	4400		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7440-50-8	250		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7439-89-6	35600		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7439-92-1	1490		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7439-95-4	6160		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7439-96-5	3140		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	9/7/7440	774		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7440-23-5	<251		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7440-24-6	45		10	10/3/2012	A56	
C121012-0	EPA 200.2/	200.2 - TR	7440-66-6	1450		10	10/3/2012	A56	
C121012-0	7473	No Lab Pre	7439-97-6	0.17		1	10/3/2012	A56	
C121012-0	EPA 200.2	200.2 - TR	7440-36-0	2560		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-38-2	13300		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-39-3	149000		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-43-9	9510		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-47-3	4180		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-48-4	9650		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-02-0	3320		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7782-49-2	1000		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-22-4	12700		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-28-0	1200		10	10/4/2012	A58	
C121012-0	EPA 200.2	200.2 - TR	7440-62-2	9440		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7429-90-5	6080		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7440-41-7	<2.00		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7440-70-2	3240		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7440-50-8	943		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7439-89-6	20200		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7439-92-1	3580		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7439-95-4	3440		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7439-96-5	4820		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	9/7/7440	518		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7440-23-5	<250		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7440-24-6	41.5		10	10/4/2012	A58	
C121012-0	EPA 200.2/	200.2 - TR	7440-66-6	1620		10	10/4/2012	A58	
C121012-0	7473	No Lab Pre	7439-97-6	0.31		1	10/4/2012	A58	
C121012-1	EPA 200.2	200.2 - TR	7440-36-0	6070		10	10/1/2012	A68	
C121012-1	EPA 200.2	200.2 - TR	7440-38-2	89500		10	10/1/2012	A68	
C121012-1	EPA 200.2	200.2 - TR	7440-39-3	233000		10	10/1/2012	A68	
C121012-1	EPA 200.2	200.2 - TR	7440-43-9	24200		10	10/1/2012	A68	
C121012-1	EPA 200.2	200.2 - TR	7440-47-3	5690		10	10/1/2012	A68	
C121012-1	EPA 200.2	200.2 - TR	7440-48-4	18400		10	10/1/2012	A68	
C121012-1	EPA 200.2	200.2 - TR	7440-02-0	16500		10	10/1/2012	A68	

C121012-1	EPA 200.2	200.2 - TR	7782-49-2	2860		10	10/1/2012	A68
C121012-1	EPA 200.2	200.2 - TR	7440-22-4	13300		10	10/1/2012	A68
C121012-1	EPA 200.2	200.2 - TR	7440-28-0	655		10	10/1/2012	A68
C121012-1	EPA 200.2	200.2 - TR	7440-62-2	13400		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7429-90-5	15300		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7440-41-7	6.77		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7440-70-2	5890		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7440-50-8	745		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7439-89-6	45300		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7439-92-1	3030		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7439-95-4	4260		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7439-96-5	22300		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	9/7/7440	1120		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7440-23-5	<248		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7440-24-6	87.3		10	10/1/2012	A68
C121012-1	EPA 200.2/	200.2 - TR	7440-66-6	11500		10	10/1/2012	A68
C121012-1	7473	No Lab Pre	7439-97-6	0.19		1	10/1/2012	A68
C121012-3	EPA 200.2	200.2 - TR	7440-36-0	1150		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-38-2	36300		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-39-3	146000		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-43-9	1810		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-47-3	4050		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-48-4	10600		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-02-0	4790		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7782-49-2	1830		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-22-4	2760		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-28-0	<500		10	10/4/2012	A72
C121012-3	EPA 200.2	200.2 - TR	7440-62-2	20600		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7429-90-5	21500		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7440-41-7	<2.00		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7440-70-2	3750		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7440-50-8	179		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7439-89-6	56900		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7439-92-1	542		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7439-95-4	5160		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7439-96-5	1470		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	9/7/7440	1190		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7440-23-5	<250		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7440-24-6	72.2		10	10/4/2012	A72
C121012-3	EPA 200.2/	200.2 - TR	7440-66-6	646		10	10/4/2012	A72
C121012-3	7473	No Lab Pre	7439-97-6	0.06		1	10/4/2012	A72
C121012-4	EPA 200.2	200.2 - TR	7440-36-0	1400		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-38-2	25500		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-39-3	108000		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-43-9	3640		10	10/3/2012	A73

C121012-4	EPA 200.2	200.2 - TR	7440-47-3	4020		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-48-4	16600		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-02-0	6840		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7782-49-2	1430		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-22-4	2320		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-28-0	<492		10	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-62-2	16900		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7429-90-5	11800		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7440-41-7	<1.97		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7440-70-2	2300		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7440-50-8	223		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7439-89-6	51600		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7439-92-1	729		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7439-95-4	3870		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7439-96-5	4140		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	9/7/7440	591		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7440-23-5	<246		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7440-24-6	35.7		10	10/3/2012	A73
C121012-4	EPA 200.2/	200.2 - TR	7440-66-6	1000		10	10/3/2012	A73
C121012-4	7473	No Lab Pre	7439-97-6	0.05		1	10/3/2012	A73
C121012-4	EPA 200.2	200.2 - TR	7440-36-0	1330		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-38-2	39400		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-39-3	131000		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-43-9	4240		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-47-3	5020		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-48-4	17700		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-02-0	12100		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7782-49-2	2890		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-22-4	3090		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-28-0	<498		10	10/3/2012	A73B
C121012-4	EPA 200.2	200.2 - TR	7440-62-2	21200		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7429-90-5	31900		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7440-41-7	3.24		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7440-70-2	4740		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7440-50-8	292		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7439-89-6	70700		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7439-92-1	468		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7439-95-4	4620		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7439-96-5	2610		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	9/7/7440	1140		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7440-23-5	<249		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7440-24-6	78.9		10	10/3/2012	A73B
C121012-4	EPA 200.2/	200.2 - TR	7440-66-6	1720		10	10/3/2012	A73B
C121012-4	7473	No Lab Pre	7439-97-6	0.09		1	10/3/2012	A73B
C121012-5	EPA 200.2	200.2 - TR	7440-36-0	1690		10	10/3/2012	A75B

C121012-5	EPA 200.2	200.2 - TR	7440-38-2	37200		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-39-3	125000		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-43-9	10500		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-47-3	5160		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-48-4	27700		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-02-0	16500		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7782-49-2	3260		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-22-4	2180		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-28-0	<500		10	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-62-2	21500		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7429-90-5	48600		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7440-41-7	5.98		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7440-70-2	5700		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7440-50-8	413		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7439-89-6	84500		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7439-92-1	435		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7439-95-4	3740		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7439-96-5	3820		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	9/7/7440	1250		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7440-23-5	<250		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7440-24-6	90.1		10	10/3/2012	A75B
C121012-5	EPA 200.2/	200.2 - TR	7440-66-6	5320		10	10/3/2012	A75B
C121012-5	7473	No Lab Pre	7439-97-6	0.07		1	10/3/2012	A75B
C121012-5	EPA 200.2	200.2 - TR	7440-36-0	<493		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-38-2	2170		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-39-3	84200		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-43-9	303		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-47-3	5860		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-48-4	5940		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-02-0	7740		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7782-49-2	816		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-22-4	<493		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-28-0	<493		10	10/3/2012	A75CC
C121012-5	EPA 200.2	200.2 - TR	7440-62-2	8210		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7429-90-5	4700		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7440-41-7	<1.97		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7440-70-2	7370		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7440-50-8	11.5		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7439-89-6	9290		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7439-92-1	<9.85		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7439-95-4	3300		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7439-96-5	329		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	9/7/7440	780		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7440-23-5	314		10	10/3/2012	A75CC
C121012-5	EPA 200.2/	200.2 - TR	7440-24-6	24.4		10	10/3/2012	A75CC

C121012-5	EPA 200.2/200.2 - TR		7440-66-6		63.1	1	0	3/6/2012 A75CC
C121012-5	7473	No Lab Pre	7439-97-6		0.02	1	1	0/3/2012 A75CC
C121012-6	EPA 200.2	200.2 - TR	7440-36-0		586	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-38-2		13200	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-39-3		118000	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-43-9		4870	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-47-3		3730	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-48-4		17000	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-02-0		9090	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7782-49-2		1400	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-22-4		724	1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-28-0	<493		1	0	3/6/2012 A75D
C121012-6	EPA 200.2	200.2 - TR	7440-62-2		11700	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7429-90-5		15600	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7440-41-7	<1.97		1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7440-70-2		2600	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7440-50-8		152	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7439-89-6		33700	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7439-92-1		231	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7439-95-4		3060	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7439-96-5		3010	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		9/7/7440		547	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7440-23-5	<246		1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7440-24-6		39.1	1	0	3/6/2012 A75D
C121012-6	EPA 200.2/200.2 - TR		7440-66-6		1930	1	0	3/6/2012 A75D
C121012-6	7473	No Lab Pre	7439-97-6		0.04	1	1	0/3/2012 A75D
C121012-7	EPA 200.2	200.2 - TR	7440-36-0		1070	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-38-2		29700	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-39-3		173000	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-43-9		18600	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-47-3		5210	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-48-4		60500	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-02-0		31600	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7782-49-2		3100	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-22-4		1710	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-28-0	<499		1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2	200.2 - TR	7440-62-2		19800	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7429-90-5		37400	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7440-41-7		4.85	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7440-70-2		6060	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7440-50-8		357	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7439-89-6		68400	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7439-92-1		378	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7439-95-4		3540	1	0	3/6/2012 BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7439-96-5		10500	1	0	3/6/2012 BBRIDGE

C121012-7	EPA 200.2/200.2 - TR		9/7/7440	1040		10	10/3/2012	BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7440-23-5	<249		10	10/3/2012	BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7440-24-6	88.2		10	10/3/2012	BBRIDGE
C121012-7	EPA 200.2/200.2 - TR		7440-66-6	8670		10	10/3/2012	BBRIDGE
C121012-7	7473	No Lab Pre	7439-97-6	0.06		1	10/3/2012	BBRIDGE
C121012-F	EPA 200.2	200.2 - TR	7440-36-0	1520		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-38-2	40600		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-39-3	93000		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-43-9	595		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-47-3	4620		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-48-4	3790		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-02-0	2850		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7782-49-2	747		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-22-4	2000		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-28-0	<497		10	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-62-2	27800		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7429-90-5	5310		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7440-41-7	<1.99		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7440-70-2	1330		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7440-50-8	55.6		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7439-89-6	143000		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7439-92-1	282		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7439-95-4	2520		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7439-96-5	478		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		9/7/7440	807		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7440-23-5	<249		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7440-24-6	42.8		10	10/4/2012	CC49
C121012-F	EPA 200.2/200.2 - TR		7440-66-6	195		10	10/4/2012	CC49
C121012-F	7473	No Lab Pre	7439-97-6	0.06		1	10/4/2012	CC49
C121012-F	EPA 200.2	200.2 - TR	7440-36-0	6440		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-38-2	108000		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-39-3	221000		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-43-9	23500		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-47-3	5790		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-48-4	20600		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-02-0	17100		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7782-49-2	3220		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-22-4	15400		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-28-0	542		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-62-2	14900		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2/200.2 - TR		7429-90-5	16600		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2/200.2 - TR		7440-41-7	7.32		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2/200.2 - TR		7440-70-2	6520		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2/200.2 - TR		7440-50-8	791		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2/200.2 - TR		7439-89-6	50600		10	10/1/2012	A68_DUP

C121012-F	EPA 200.2	200.2 - TR	7439-92-1	3400		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7439-95-4	4610		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7439-96-5	21900		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	9/7/7440	1300		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-23-5	<252		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-24-6	91.3		10	10/1/2012	A68_DUP
C121012-F	EPA 200.2	200.2 - TR	7440-66-6	12000		10	10/1/2012	A68_DUP
C121012-F	7473	No Lab Pre	7439-97-6	0.23		1	10/1/2012	A68_DUP
C121012-C	EPA 200.2	200.2 - TR	7440-36-0	<495		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-38-2	21100		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-39-3	118000		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-43-9	888		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-47-3	3440		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-48-4	14300		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-02-0	4640		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7782-49-2	1740		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-22-4	651		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-28-0	<495		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-62-2	18200		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7429-90-5	22400		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-41-7	<1.98		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-70-2	5590		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-50-8	53.8		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7439-89-6	46500		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7439-92-1	129		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7439-95-4	6500		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7439-96-5	1430		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	9/7/7440	1130		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-23-5	<247		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-24-6	71.9		10	10/4/2012	M34
C121012-C	EPA 200.2	200.2 - TR	7440-66-6	270		10	10/4/2012	M34
C121012-C	7473	No Lab Pre	7439-97-6	0.02		1	10/4/2012	M34
C121012-0	2340B	No Lab Pre	NA	168		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-39-3	26.5		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-43-9	0.594		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-48-4	<0.100		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-50-8	0.695		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7439-92-1	0.155		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-02-0	<0.500		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	A56
C121012-0	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	A56

C121012-0	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-39-3	26.2		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-43-9	1.01		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-48-4	<0.500		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-50-8	<2.50		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7439-92-1	2.27		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-28-0	29.4		5	10/3/2012	A56
C121012-0	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7429-90-5	42.7		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7440-70-2	61400		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7439-95-4	3670		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7439-96-5	184		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	9/7/7440	736		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7440-23-5	2540		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7440-24-6	579		1	10/3/2012	A56
C121012-0	200.7	No Lab Pre	7440-66-6	189		1	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7429-90-5	<100		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7440-70-2	58500		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7439-95-4	3550		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7439-96-5	189		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7440-23-5	2480		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7440-24-6	578		5	10/3/2012	A56
C121012-0	200.7	200.2 - TR	7440-66-6	189		5	10/3/2012	A56
C121012-0	EPA 310.1	No Prep Re	NA	41.6		1	10/3/2012	A56
C121012-0	EPA 300.0	No Prep Re	16887-00-	1.2		1	10/3/2012	A56
C121012-0	EPA 300.0	No Prep Re	16984-48-	0.5		1	10/3/2012	A56
C121012-0	EPA 300.0	No Prep Re	NA	<0.2		1	10/3/2012	A56
C121012-0	EPA 300.0	No Prep Re	148-08-79	130		1	10/3/2012	A56
C121012-0	2340B	No Lab Pre	NA	117		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-36-0	<0.500		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-38-2	<0.500		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-39-3	31.3		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-43-9	1.48		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-47-3	2		1	10/4/2012	A58

C121012-0	200.8	No Lab Pre	7440-48-4	<0.100		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-50-8	4.66		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7439-92-1	2.42		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-02-0	<0.500		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7782-49-2	1.06		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-22-4	<0.500		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-28-0	<0.500		1	10/4/2012	A58
C121012-0	200.8	No Lab Pre	7440-62-2	<2.00		1	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-39-3	31.5		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-43-9	1.85		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-48-4	<0.500		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-50-8	6.38		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7439-92-1	3.33		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-02-0	<2.50		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-28-0	6.53		5	10/4/2012	A58
C121012-0	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7429-90-5	<20.0		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7440-70-2	43300		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7439-89-6	<100		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7439-95-4	2090		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7439-96-5	<2.00		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	9/7/7440	590		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7440-23-5	2690		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7440-24-6	595		1	10/4/2012	A58
C121012-0	200.7	No Lab Pre	7440-66-6	181		1	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7429-90-5	<100		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7440-70-2	41300		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7439-89-6	<500		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7439-95-4	2040		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7439-96-5	<10.0		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	9/7/7440	<1250		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7440-23-5	2600		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7440-24-6	601		5	10/4/2012	A58
C121012-0	200.7	200.2 - TR	7440-66-6	177		5	10/4/2012	A58
C121012-0	EPA 310.1	No Prep Re	NA	52.1		1	10/4/2012	A58
C121012-0	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	10/4/2012	A58
C121012-0	EPA 300.0	No Prep Re	16984-48-8	0.2		1	10/4/2012	A58
C121012-0	EPA 300.0	No Prep Re	NA	0.2		1	10/4/2012	A58

C121012-0	EPA 300.0	No Prep Re	148-08-79		61.3		1 10/4/2012	A58
C121012-02	340B	No Lab Pre	NA		102		1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-36-0	<0.500			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-38-2	<0.500			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-39-3		10.8		1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-43-9		0.235		1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-47-3		2.57		1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-48-4	<0.100			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-50-8		2.77		1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7439-92-1	<0.100			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-02-0		0.758		1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7782-49-2	<0.500			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-22-4	<0.500			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-28-0	<0.500			1 10/4/2012	A62
C121012-0	200.8	No Lab Pre	7440-62-2	<2.00			1 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-36-0	<2.50			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-38-2	<2.50			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-39-3	<25.0			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-43-9		0.515		5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-47-3	<5.00			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-48-4	<0.500			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-50-8		3.1		5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7439-92-1		0.567		5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-02-0	<2.50			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7782-49-2	<2.50			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-22-4	<2.50			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-28-0	<2.50			5 10/4/2012	A62
C121012-1	200.8	200.2 - TR	7440-62-2	<10.0			5 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7429-90-5		22.4		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00			1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7440-70-2		38100		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7439-89-6	<100			1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7439-95-4		1760		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7439-96-5		158		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	9/7/7440		470		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7440-23-5		2060		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7440-24-6		413		1 10/4/2012	A62
C121012-0	200.7	No Lab Pre	7440-66-6		52.5		1 10/4/2012	A62
C121012-1	200.7	200.2 - TR	7429-90-5	<100			5 10/4/2012	A62
C121012-1	200.7	200.2 - TR	7440-41-7	<10.0			5 10/4/2012	A62
C121012-1	200.7	200.2 - TR	7440-70-2		36500		5 10/4/2012	A62
C121012-1	200.7	200.2 - TR	7439-89-6	<500			5 10/4/2012	A62
C121012-1	200.7	200.2 - TR	7439-95-4		1720		5 10/4/2012	A62
C121012-1	200.7	200.2 - TR	7439-96-5		161		5 10/4/2012	A62
C121012-1	200.7	200.2 - TR	9/7/7440	<1250			5 10/4/2012	A62

C121012-1	200.7	200.2 - TR	7440-23-5	2040		5	10/4/2012 A62
C121012-1	200.7	200.2 - TR	7440-24-6	417		5	10/4/2012 A62
C121012-1	200.7	200.2 - TR	7440-66-6	54		5	10/4/2012 A62
C121012-1	EPA 310.1	No Prep Re	NA	41.2		1	10/4/2012 A62
C121012-1	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	10/4/2012 A62
C121012-1	EPA 300.0	No Prep Re	16984-48-8	0.4		1	10/4/2012 A62
C121012-1	EPA 300.0	No Prep Re	NA	<0.2		1	10/4/2012 A62
C121012-1	EPA 300.0	No Prep Re	148-08-79	59.1		1	10/4/2012 A62
C121012-1	2340B	No Lab Pre	NA	104		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-36-0	<0.500		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-38-2	<0.500		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-39-3	11		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-43-9	0.214		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-47-3	1.72		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-48-4	<0.100		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-50-8	0.913		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7439-92-1	<0.100		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-02-0	<0.500		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7782-49-2	<0.500		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-22-4	<0.500		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-28-0	<0.500		1	10/4/2012 A62B
C121012-1	200.8	No Lab Pre	7440-62-2	<2.00		1	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-43-9	<0.500		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-48-4	<0.500		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-50-8	3.3		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7439-92-1	0.52		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-02-0	<2.50		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012 A62B
C121012-1	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7429-90-5	<20.0		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7440-41-7	<2.00		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7440-70-2	38900		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7439-89-6	<100		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7439-95-4	1670		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7439-96-5	<2.00		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	9/7/7440	409		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7440-23-5	2150		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7440-24-6	458		1	10/4/2012 A62B
C121012-1	200.7	No Lab Pre	7440-66-6	29		1	10/4/2012 A62B

C121012-1	200.7	200.2 - TR	7429-90-5	<100		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7440-70-2	38100		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7439-89-6	<500		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7439-95-4	1650		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7439-96-5	<10.0		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	9/7/7440	<1250		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7440-23-5	2180		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7440-24-6	466		5	10/4/2012 A62B
C121012-1	200.7	200.2 - TR	7440-66-6	<50.0		5	10/4/2012 A62B
C121012-1	EPA 310.1	No Prep Re	NA	43		1	10/4/2012 A62B
C121012-1	EPA 300.0	No Prep Re	16887-00-(	<1.0		1	10/4/2012 A62B
C121012-1	EPA 300.0	No Prep Re	16984-48-8	0.4		1	10/4/2012 A62B
C121012-1	EPA 300.0	No Prep Re	NA	0.2		1	10/4/2012 A62B
C121012-1	EPA 300.0	No Prep Re	148-08-79	57.6		1	10/4/2012 A62B
C121012-1	2340B	No Lab Pre	NA	174		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-36-0	<0.500		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-38-2	<0.500		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-39-3	25.5		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-43-9	1.19		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-47-3	<1.00		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-48-4	<0.100		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-50-8	2.73		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7439-92-1	0.131		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-02-0	<0.500		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7782-49-2	<0.500		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-22-4	<0.500		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-28-0	<0.500		1	10/1/2012 A68
C121012-1	200.8	No Lab Pre	7440-62-2	<2.00		1	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-36-0	<2.50		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-38-2	<2.50		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-39-3	26.6		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-43-9	1.29		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-47-3	<5.00		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-48-4	<0.500		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-50-8	4.46		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7439-92-1	2.93		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-02-0	<2.50		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7782-49-2	<2.50		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-22-4	<2.50		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-28-0	<2.50		5	10/1/2012 A68
C121012-1	200.8	200.2 - TR	7440-62-2	<10.0		5	10/1/2012 A68
C121012-1	200.7	No Lab Pre	7429-90-5	62.2		1	10/1/2012 A68
C121012-1	200.7	No Lab Pre	7440-41-7	<2.00		1	10/1/2012 A68
C121012-1	200.7	No Lab Pre	7440-70-2	63500		1	10/1/2012 A68

C121012-1	200.7	No Lab Pre	7439-89-6	<100		1	10/1/2012	A68
C121012-1	200.7	No Lab Pre	7439-95-4	3730		1	10/1/2012	A68
C121012-1	200.7	No Lab Pre	7439-96-5	1340		1	10/1/2012	A68
C121012-1	200.7	No Lab Pre	9/7/7440	731		1	10/1/2012	A68
C121012-1	200.7	No Lab Pre	7440-23-5	2710		1	10/1/2012	A68
C121012-1	200.7	No Lab Pre	7440-24-6	625		1	10/1/2012	A68
C121012-1	200.7	No Lab Pre	7440-66-6	300		1	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7429-90-5	<100		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7440-41-7	<10.0		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7440-70-2	63700		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7439-89-6	<500		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7439-95-4	3740		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7439-96-5	1350		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	9/7/7440	<1250		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7440-23-5	2730		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7440-24-6	643		5	10/1/2012	A68
C121012-1	200.7	200.2 - TR	7440-66-6	306		5	10/1/2012	A68
C121012-1	EPA 310.1	No Prep Re	NA	35.3		1	10/1/2012	A68
C121012-1	EPA 300.0	No Prep Re	16887-00-(	1.2		1	10/1/2012	A68
C121012-1	EPA 300.0	No Prep Re	16984-48-8	0.6		1	10/1/2012	A68
C121012-1	EPA 300.0	No Prep Re	NA	<0.2		1	10/1/2012	A68
C121012-1	EPA 300.0	No Prep Re	148-08-79	139		1	10/1/2012	A68
C121012-1	2340B	No Lab Pre	NA	172		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-36-0	<0.500		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-38-2	<0.500		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-39-3	25.7		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-43-9	1.32		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-47-3	<1.00		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-48-4	<0.100		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-50-8	1.95		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7439-92-1	<0.100		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-02-0	<0.500		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7782-49-2	<0.500		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-22-4	<0.500		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-28-0	<0.500		1	10/2/2012	A68
C121012-1	200.8	No Lab Pre	7440-62-2	<2.00		1	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-39-3	25.4		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-43-9	1.51		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-48-4	<0.500		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-50-8	3.82		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7439-92-1	3.42		5	10/2/2012	A68
C121012-2	200.8	200.2 - TR	7440-02-0	<2.50		5	10/2/2012	A68

C121012-2	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012 A68
C121012-2	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012 A68
C121012-2	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012 A68
C121012-2	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7429-90-5		53.1	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7440-70-2		62700	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7439-89-6	<100		1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7439-95-4		3660	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7439-96-5		1320	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	9/7/7440		722	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7440-23-5		2610	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7440-24-6		622	1	10/2/2012 A68
C121012-1	200.7	No Lab Pre	7440-66-6		396	1	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7429-90-5	<100		5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7440-70-2		61600	5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7439-89-6	<500		5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7439-95-4		3670	5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7439-96-5		1350	5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7440-23-5		2620	5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7440-24-6		638	5	10/2/2012 A68
C121012-2	200.7	200.2 - TR	7440-66-6		402	5	10/2/2012 A68
C121012-2EPA	310.1	No Prep R	NA		31.2	1	10/2/2012 A68
C121012-2EPA	300.0	No Prep R	16887-00-		1.2	1	10/2/2012 A68
C121012-2EPA	300.0	No Prep R	16984-48-		0.5	1	10/2/2012 A68
C121012-2EPA	300.0	No Prep R	NA		1.4	1	10/2/2012 A68
C121012-2EPA	300.0	No Prep R	148-08-79		137	1	10/2/2012 A68
C121012-22340B		No Lab Pre	NA		173	1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-39-3		25.3	1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-43-9		1.31	1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-48-4	<0.100		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-50-8		1.9	1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7439-92-1		0.221	1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-02-0	<0.500		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012 A68
C121012-2	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012 A68
C121012-2	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012 A68
C121012-2	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012 A68

C121012-2	200.8	200.2 - TR	7440-39-3	25.3	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-43-9	1.56	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-47-3	<5.00	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-48-4	<0.500	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-50-8	4.04	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7439-92-1	3.15	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-02-0	<2.50	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7782-49-2	<2.50	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-22-4	<2.50	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-28-0	<2.50	5	10/3/2012	A68
C121012-2	200.8	200.2 - TR	7440-62-2	<10.0	5	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7429-90-5	51.7	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7440-41-7	<2.00	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7440-70-2	63300	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7439-89-6	<100	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7439-95-4	3680	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7439-96-5	1370	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	9/7/7440	716	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7440-23-5	2690	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7440-24-6	626	1	10/3/2012	A68
C121012-2	200.7	No Lab Pre	7440-66-6	424	1	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7429-90-5	<100	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7440-41-7	<10.0	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7440-70-2	61300	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7439-89-6	<500	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7439-95-4	3630	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7439-96-5	1380	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	9/7/7440	<1250	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7440-23-5	2660	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7440-24-6	636	5	10/3/2012	A68
C121012-2	200.7	200.2 - TR	7440-66-6	426	5	10/3/2012	A68
C121012-2	EPA 310.1	No Prep Re	NA	35.7	1	10/3/2012	A68
C121012-2	EPA 300.0	No Prep Re	16887-00-	1.2	1	10/3/2012	A68
C121012-2	EPA 300.0	No Prep Re	16984-48-	0.5	1	10/3/2012	A68
C121012-2	EPA 300.0	No Prep Re	NA	0.4	1	10/3/2012	A68
C121012-2	EPA 300.0	No Prep Re	148-08-79	137	1	10/3/2012	A68
C121012-2	2340B	No Lab Pre	NA	174	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-36-0	<0.500	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-38-2	<0.500	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-39-3	24.8	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-43-9	1.29	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-47-3	<1.00	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-48-4	<0.100	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-50-8	1.26	1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7439-92-1	<0.100	1	10/4/2012	A68

C121012-2	200.8	No Lab Pre	7440-02-0	<0.500		1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7782-49-2	<0.500		1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-22-4	<0.500		1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-28-0	<0.500		1	10/4/2012	A68
C121012-2	200.8	No Lab Pre	7440-62-2	<2.00		1	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-39-3	25.6		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-43-9	1.51		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-47-3	5.16		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-48-4	<0.500		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-50-8	3.82		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7439-92-1	2.83		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-02-0	<2.50		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	A68
C121012-2	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7429-90-5	49.1		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7440-41-7	<2.00		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7440-70-2	63700		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7439-89-6	<100		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7439-95-4	3700		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7439-96-5	1410		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	9/7/7440	724		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7440-23-5	2660		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7440-24-6	630		1	10/4/2012	A68
C121012-2	200.7	No Lab Pre	7440-66-6	405		1	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7429-90-5	<100		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7440-70-2	62200		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7439-89-6	<500		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7439-95-4	3680		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7439-96-5	1420		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	9/7/7440	<1250		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7440-23-5	2670		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7440-24-6	644		5	10/4/2012	A68
C121012-2	200.7	200.2 - TR	7440-66-6	424		5	10/4/2012	A68
C121012-2	EPA 310.1	No Prep Re	NA	32.8		1	10/4/2012	A68
C121012-2	EPA 300.0	No Prep Re	16887-00-(	1.2		1	10/4/2012	A68
C121012-2	EPA 300.0	No Prep Re	16984-48-8	0.5		1	10/4/2012	A68
C121012-2	EPA 300.0	No Prep Re	NA	0.7		1	10/4/2012	A68
C121012-2	EPA 300.0	No Prep Re	148-08-79	138		1	10/4/2012	A68
C121012-2	2340B	No Lab Pre	NA	297		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-36-0	<0.500		1	10/2/2012	A69A

C121012-2	200.8	No Lab Pre	7440-38-2	<0.500		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-39-3	20.2		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-43-9	2.74		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-47-3	<1.00		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-48-4	7.71		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-50-8	16.3		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7439-92-1	0.176		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-02-0	4.83		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7782-49-2	<0.500		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-22-4	<0.500		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-28-0	<0.500		1	10/2/2012	A69A
C121012-2	200.8	No Lab Pre	7440-62-2	<2.00		1	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-43-9	2.97		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-48-4	8.65		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-50-8	27.8		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7439-92-1	6.17		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-02-0	4.62		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	A69A
C121012-2	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7429-90-5	603		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7440-70-2	109000		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7439-89-6	2180		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7439-95-4	6360		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7439-96-5	2590		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	9/7/7440	1180		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7440-23-5	3470		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7440-24-6	1180		1	10/2/2012	A69A
C121012-2	200.7	No Lab Pre	7440-66-6	1160		1	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7429-90-5	2520		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7440-70-2	105000		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7439-89-6	5100		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7439-95-4	6250		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7439-96-5	2640		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	9/7/7440	1470		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7440-23-5	3360		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7440-24-6	1200		5	10/2/2012	A69A
C121012-2	200.7	200.2 - TR	7440-66-6	1170		5	10/2/2012	A69A

C121012-3	EPA 310.1	No Prep R	NA		5.26		1	10/2/2012	A69A
C121012-3	EPA 300.0	No Prep R	16887-00-6	<10.0			10	10/2/2012	A69A
C121012-3	EPA 300.0	No Prep R	16984-48-8	<1.0			10	10/2/2012	A69A
C121012-3	EPA 300.0	No Prep R	NA	<2.0			10	10/2/2012	A69A
C121012-3	EPA 300.0	No Prep R	148-08-79		259		10	10/2/2012	A69A
C121012-3	2340B	No Lab Pre	NA		295		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-36-0	<0.500			1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-38-2	<0.500			1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-39-3		20.4		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-43-9		2.67		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-47-3	<1.00			1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-48-4		7.64		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-50-8		24.8		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7439-92-1		3.01		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-02-0		5.22		1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7782-49-2	<0.500			1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-22-4	<0.500			1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-28-0	<0.500			1	10/2/2012	A70B
C121012-3	200.8	No Lab Pre	7440-62-2	<2.00			1	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-36-0	<2.50			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-38-2	<2.50			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-39-3	<25.0			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-43-9		2.71		5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-47-3	<5.00			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-48-4		8.3		5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-50-8		27.1		5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7439-92-1		5.78		5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-02-0		4.38		5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7782-49-2	<2.50			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-22-4	<2.50			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-28-0	<2.50			5	10/2/2012	A70B
C121012-3	200.8	200.2 - TR	7440-62-2	<10.0			5	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7429-90-5		1690		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7440-41-7	<2.00			1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7440-70-2		108000		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7439-89-6		2270		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7439-95-4		6280		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7439-96-5		2540		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	9/7/7440		1170		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7440-23-5		3460		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7440-24-6		1160		1	10/2/2012	A70B
C121012-3	200.7	No Lab Pre	7440-66-6		1160		1	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7429-90-5		2460		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7440-41-7	<10.0			5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7440-70-2		103000		5	10/2/2012	A70B

C121012-3	200.7	200.2 - TR	7439-89-6	4890		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7439-95-4	6100		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7439-96-5	2550		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	9/7/7440	1250		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7440-23-5	3290		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7440-24-6	1170		5	10/2/2012	A70B
C121012-3	200.7	200.2 - TR	7440-66-6	1150		5	10/2/2012	A70B
C121012-3	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	A70B
C121012-3	EPA 300.0	No Prep R	16887-00-(	<10.0		10	10/2/2012	A70B
C121012-3	EPA 300.0	No Prep R	16984-48-(	<1.0		10	10/2/2012	A70B
C121012-3	EPA 300.0	No Prep R	NA	7.7		10	10/2/2012	A70B
C121012-3	EPA 300.0	No Prep R	148-08-79	251		10	10/2/2012	A70B
C121012-3	2340B	No Lab Pre	NA	263		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-36-0	<0.500		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-38-2	<0.500		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-39-3	23.1		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-43-9	1.9		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-47-3	<1.00		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-48-4	7.77		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-50-8	8.7		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7439-92-1	<0.100		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-02-0	4.89		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7782-49-2	<0.500		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-22-4	<0.500		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-28-0	<0.500		1	10/2/2012	A71B
C121012-3	200.8	No Lab Pre	7440-62-2	<2.00		1	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-43-9	2.02		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-48-4	7.85		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-50-8	18.1		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7439-92-1	4.45		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-02-0	3.71		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	A71B
C121012-3	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7429-90-5	309		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7440-70-2	94900		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7439-89-6	2480		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7439-95-4	6380		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7439-96-5	1660		1	10/2/2012	A71B

C121012-3	200.7	No Lab Pre	9/7/7440	1020		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7440-23-5	3670		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7440-24-6	985		1	10/2/2012	A71B
C121012-3	200.7	No Lab Pre	7440-66-6	743		1	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7429-90-5	2780		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7440-70-2	92400		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7439-89-6	4640		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7439-95-4	6250		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7439-96-5	1670		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7440-23-5	3560		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7440-24-6	991		5	10/2/2012	A71B
C121012-3	200.7	200.2 - TR	7440-66-6	731		5	10/2/2012	A71B
C121012-3	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	A71B
C121012-3	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	A71B
C121012-3	EPA 300.0	No Prep Re	16984-48-8	<1.0		10	10/2/2012	A71B
C121012-3	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	A71B
C121012-3	EPA 300.0	No Prep Re	148-08-79	235		10	10/2/2012	A71B
C121012-3	2340B	No Lab Pre	NA	261		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-36-0	<0.500		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-38-2	<0.500		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-39-3	23		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-43-9	1.83		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-47-3	2.34		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-48-4	6.77		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-50-8	9.52		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7439-92-1	0.175		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-02-0	5.86		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7782-49-2	<0.500		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-22-4	<0.500		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-28-0	<0.500		1	10/2/2012	A72
C121012-3	200.8	No Lab Pre	7440-62-2	<2.00		1	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-43-9	2.12		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-48-4	7.51		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-50-8	18		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7439-92-1	4.77		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-02-0	4.62		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	A72
C121012-3	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	A72

C121012-3	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7429-90-5	342		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7440-70-2	94300		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7439-89-6	2210		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7439-95-4	6350		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7439-96-5	1580		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	9/7/7440	1060		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7440-23-5	3780		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7440-24-6	969		1	10/2/2012	A72
C121012-3	200.7	No Lab Pre	7440-66-6	733		1	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7429-90-5	2620		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7440-70-2	91100		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7439-89-6	4240		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7439-95-4	6200		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7439-96-5	1580		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	9/7/7440	1270		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7440-23-5	3600		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7440-24-6	980		5	10/2/2012	A72
C121012-3	200.7	200.2 - TR	7440-66-6	726		5	10/2/2012	A72
C121012-4	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	A72
C121012-4	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	A72
C121012-4	EPA 300.0	No Prep Re	16984-48-8	<1.0		10	10/2/2012	A72
C121012-4	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	A72
C121012-4	EPA 300.0	No Prep Re	148-08-79	232		10	10/2/2012	A72
C121012-4	2340B	No Lab Pre	NA	266		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-36-0	<0.500		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-38-2	<0.500		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-39-3	22.9		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-43-9	1.85		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-47-3	1.83		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-48-4	7.24		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-50-8	10.5		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7439-92-1	0.255		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-02-0	6.18		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7782-49-2	<0.500		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-22-4	<0.500		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-28-0	<0.500		1	10/4/2012	A72
C121012-4	200.8	No Lab Pre	7440-62-2	<2.00		1	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-43-9	2.1		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	A72

C121012-4	200.8	200.2 - TR	7440-48-4	7.95		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-50-8	18.2		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7439-92-1	4.67		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-02-0	4.52		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	A72
C121012-4	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7429-90-5	418		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7440-41-7	<2.00		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7440-70-2	95900		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7439-89-6	2150		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7439-95-4	6460		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7439-96-5	1660		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	9/7/7440	1080		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7440-23-5	3820		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7440-24-6	995		1	10/4/2012	A72
C121012-4	200.7	No Lab Pre	7440-66-6	745		1	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7429-90-5	2710		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7440-70-2	93300		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7439-89-6	4390		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7439-95-4	6330		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7439-96-5	1650		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	9/7/7440	<1250		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7440-23-5	3640		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7440-24-6	999		5	10/4/2012	A72
C121012-4	200.7	200.2 - TR	7440-66-6	727		5	10/4/2012	A72
C121012-4	EPA 310.1	No Prep Re	NA	<5.00		1	10/4/2012	A72
C121012-4	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/4/2012	A72
C121012-4	EPA 300.0	No Prep Re	16984-48-8	<1.0		10	10/4/2012	A72
C121012-4	EPA 300.0	No Prep Re	NA	<2.0		10	10/4/2012	A72
C121012-4	EPA 300.0	No Prep Re	148-08-79	235		10	10/4/2012	A72
C121012-4	2340B	No Lab Pre	NA	251		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-39-3	25.3		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-43-9	1.7		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-48-4	6.9		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-50-8	4.3		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7439-92-1	<0.100		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-02-0	4.83		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	A73
C121012-4	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	A73

C121012-4	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	A73	
C121012-4	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-43-9	2.2		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-48-4	6.97		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-50-8	15.9		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7439-92-1	3.8		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-02-0	3.76		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	A73	
C121012-4	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7429-90-5	44.8		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7440-70-2	90300		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7439-89-6	1020		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7439-95-4	6210		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7439-96-5	1440		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	9/7/7440	1020		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7440-23-5	3710		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7440-24-6	934		1	10/3/2012	A73	
C121012-4	200.7	No Lab Pre	7440-66-6	682		1	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7429-90-5	2420		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7440-70-2	88900		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7439-89-6	3210		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7439-95-4	6170		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7439-96-5	1470		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7440-23-5	3610		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7440-24-6	950		5	10/3/2012	A73	
C121012-4	200.7	200.2 - TR	7440-66-6	685		5	10/3/2012	A73	
C121012-4	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	A73	
C121012-4	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	A73	
C121012-4	EPA 300.0	No Prep Re	16984-48-8	<1.0		10	10/3/2012	A73	
C121012-4	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	A73	
C121012-4	EPA 300.0	No Prep Re	148-08-79	232		10	10/3/2012	A73	
C121012-4	2340B	No Lab Pre	NA	217		1	10/3/2012	A73B	
C121012-4	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	A73B	
C121012-4	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	A73B	
C121012-4	200.8	No Lab Pre	7440-39-3	27.2		1	10/3/2012	A73B	
C121012-4	200.8	No Lab Pre	7440-43-9	1.4		1	10/3/2012	A73B	

C121012-4	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7440-48-4	5.36		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7440-50-8	3.08		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7439-92-1	<0.100		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7440-02-0	3.26		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	A73B
C121012-4	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-39-3	25.9		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-43-9	1.47		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-47-3	5.83		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-48-4	5.66		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-50-8	13.1		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7439-92-1	3.28		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-02-0	2.94		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	A73B
C121012-5	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7429-90-5	39.1		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7440-70-2	77600		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7439-89-6	810		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7439-95-4	5660		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7439-96-5	1210		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	9/7/7440	953		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7440-23-5	3260		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7440-24-6	793		1	10/3/2012	A73B
C121012-4	200.7	No Lab Pre	7440-66-6	561		1	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7429-90-5	1980		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7440-70-2	75600		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7439-89-6	2790		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7439-95-4	5510		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7439-96-5	1210		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7440-23-5	3140		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7440-24-6	808		5	10/3/2012	A73B
C121012-5	200.7	200.2 - TR	7440-66-6	557		5	10/3/2012	A73B
C121012-5	EPA 310.1	No Prep R	NA	5.54		1	10/3/2012	A73B
C121012-5	EPA 300.0	No Prep R	16887-00-	1.2		1	10/3/2012	A73B
C121012-5	EPA 300.0	No Prep R	16984-48-	0.3		1	10/3/2012	A73B

C121012-5	EPA 300.0	No Prep R	NA		0.2	1	10/3/2012 A73B
C121012-5	EPA 300.0	No Prep R	148-08-79		144	1	10/3/2012 A73B
C121012-5	2340B	No Lab Pre	NA		27	1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-39-3		40	1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-43-9	<0.100		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-48-4	<0.100		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-50-8		0.732	1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7439-92-1	<0.100		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-02-0	<0.500		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012 A73EC
C121012-5	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-39-3		38.2	5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-43-9	<0.500		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-48-4	<0.500		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-50-8	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7439-92-1	<0.500		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012 A73EC
C121012-5	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7429-90-5	<20.0		1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7440-70-2		7090	1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7439-95-4		2340	1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7439-96-5	<2.00		1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	9/7/7440		514	1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7440-23-5		827	1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7440-24-6		52.7	1	10/3/2012 A73EC
C121012-5	200.7	No Lab Pre	7440-66-6	<10.0		1	10/3/2012 A73EC
C121012-5	200.7	200.2 - TR	7429-90-5	<100		5	10/3/2012 A73EC
C121012-5	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012 A73EC
C121012-5	200.7	200.2 - TR	7440-70-2		6870	5	10/3/2012 A73EC
C121012-5	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012 A73EC
C121012-5	200.7	200.2 - TR	7439-95-4		2310	5	10/3/2012 A73EC
C121012-5	200.7	200.2 - TR	7439-96-5	<10.0		5	10/3/2012 A73EC

C121012-5	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	A73EC
C121012-5	200.7	200.2 - TR	7440-23-5	<1250		5	10/3/2012	A73EC
C121012-5	200.7	200.2 - TR	7440-24-6	52.1		5	10/3/2012	A73EC
C121012-5	200.7	200.2 - TR	7440-66-6	<50.0		5	10/3/2012	A73EC
C121012-5	EPA 310.1	No Prep R	NA	9.88		1	10/3/2012	A73EC
C121012-5	EPA 300.0	No Prep R	16887-00-6	<1.0		1	10/3/2012	A73EC
C121012-5	EPA 300.0	No Prep R	16984-48-8	<0.1		1	10/3/2012	A73EC
C121012-5	EPA 300.0	No Prep R	NA	0.2		1	10/3/2012	A73EC
C121012-5	EPA 300.0	No Prep R	148-08-79	16.6		1	10/3/2012	A73EC
C121012-5	2340B	No Lab Pre	NA	193		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-39-3	27.1		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-43-9	1.06		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-48-4	3.63		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-50-8	0.732		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7439-92-1	<0.100		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-02-0	2.43		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	A75B
C121012-5	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-39-3	25.4		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-43-9	1.12		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-48-4	3.62		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-50-8	5.19		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7439-92-1	1.45		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	A75B
C121012-5	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7429-90-5	21.3		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7440-70-2	68400		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7439-95-4	5290		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7439-96-5	856		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	9/7/7440	1020		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7440-23-5	3030		1	10/3/2012	A75B
C121012-5	200.7	No Lab Pre	7440-24-6	676		1	10/3/2012	A75B

C121012-5	200.7	No Lab Pre	7440-66-6	442	1	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7429-90-5	830	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7440-41-7	<10.0	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7440-70-2	65300	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7439-89-6	1060	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7439-95-4	5130	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7439-96-5	839	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	9/7/7440	<1250	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7440-23-5	2850	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7440-24-6	675	5	10/3/2012	A75B
C121012-5	200.7	200.2 - TR	7440-66-6	445	5	10/3/2012	A75B
C121012-5	EPA 310.1	No Prep R	NA	9.6	1	10/3/2012	A75B
C121012-5	EPA 300.0	No Prep R	16887-00-	1.4	1	10/3/2012	A75B
C121012-5	EPA 300.0	No Prep R	16984-48-	0.5	1	10/3/2012	A75B
C121012-5	EPA 300.0	No Prep R	NA	0.2	1	10/3/2012	A75B
C121012-5	EPA 300.0	No Prep R	148-08-79	183	1	10/3/2012	A75B
C121012-6	2340B	No Lab Pre	NA	124	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-36-0	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-38-2	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-39-3	82.7	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-43-9	<0.100	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-47-3	1.23	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-48-4	<0.100	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-50-8	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7439-92-1	<0.100	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-02-0	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7782-49-2	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-22-4	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-28-0	<0.500	1	10/3/2012	A75CC
C121012-6	200.8	No Lab Pre	7440-62-2	<2.00	1	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-36-0	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-38-2	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-39-3	75.4	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-43-9	<0.500	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-47-3	<5.00	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-48-4	<0.500	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-50-8	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7439-92-1	<0.500	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-02-0	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7782-49-2	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-22-4	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-28-0	<2.50	5	10/3/2012	A75CC
C121012-6	200.8	200.2 - TR	7440-62-2	<10.0	5	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7429-90-5	34.4	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7440-41-7	<2.00	1	10/3/2012	A75CC

C121012-6	200.7	No Lab Pre	7440-70-2	36900	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7439-89-6	<100	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7439-95-4	7820	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7439-96-5	<2.00	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	9/7/7440	884	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7440-23-5	3820	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7440-24-6	202	1	10/3/2012	A75CC
C121012-6	200.7	No Lab Pre	7440-66-6	<10.0	1	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7429-90-5	<100	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7440-41-7	<10.0	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7440-70-2	35800	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7439-89-6	<500	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7439-95-4	7680	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7439-96-5	<10.0	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	9/7/7440	<1250	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7440-23-5	3690	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7440-24-6	203	5	10/3/2012	A75CC
C121012-6	200.7	200.2 - TR	7440-66-6	<50.0	5	10/3/2012	A75CC
C121012-6	EPA 310.1	No Prep Re	NA	95.2	1	10/3/2012	A75CC
C121012-6	EPA 300.0	No Prep Re	16887-00-	3	1	10/3/2012	A75CC
C121012-6	EPA 300.0	No Prep Re	16984-48-	0.2	1	10/3/2012	A75CC
C121012-6	EPA 300.0	No Prep Re	NA	<0.2	1	10/3/2012	A75CC
C121012-6	EPA 300.0	No Prep Re	148-08-79	31	1	10/3/2012	A75CC
C121012-6	2340B	No Lab Pre	NA	191	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-36-0	<0.500	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-38-2	<0.500	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-39-3	27	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-43-9	1.05	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-47-3	<1.00	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-48-4	3.44	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-50-8	0.593	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7439-92-1	<0.100	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-02-0	2.34	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7782-49-2	<0.500	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-22-4	<0.500	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-28-0	<0.500	1	10/3/2012	A75D
C121012-6	200.8	No Lab Pre	7440-62-2	<2.00	1	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-36-0	<2.50	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-38-2	<2.50	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-39-3	27.1	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-43-9	1.29	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-47-3	<5.00	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-48-4	4.29	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-50-8	12.6	5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7439-92-1	5.23	5	10/3/2012	A75D

C121012-6	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	A75D
C121012-6	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7429-90-5	<20.0		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7440-70-2	67700		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7439-95-4	5260		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7439-96-5	847		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	9/7/7440	1020		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7440-23-5	3050		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7440-24-6	678		1	10/3/2012	A75D
C121012-6	200.7	No Lab Pre	7440-66-6	427		1	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7429-90-5	1790		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7440-70-2	66300		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7439-89-6	2330		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7439-95-4	5210		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7439-96-5	909		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7440-23-5	2910		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7440-24-6	688		5	10/3/2012	A75D
C121012-6	200.7	200.2 - TR	7440-66-6	545		5	10/3/2012	A75D
C121012-6	EPA 310.1	No Prep Re	NA	9.52		1	10/3/2012	A75D
C121012-6	EPA 300.0	No Prep Re	16887-00-	1.4		1	10/3/2012	A75D
C121012-6	EPA 300.0	No Prep Re	16984-48-	0.5		1	10/3/2012	A75D
C121012-6	EPA 300.0	No Prep Re	NA	<0.2		1	10/3/2012	A75D
C121012-6	EPA 300.0	No Prep Re	148-08-79	183		1	10/3/2012	A75D
C121012-6	2340B	No Lab Pre	NA	1140		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-36-0	<5.00		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-38-2	<5.00		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-39-3	<50.0		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-43-9	6.49		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-47-3	<10.0		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-48-4	200		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-50-8	71.4		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7439-92-1	28		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-02-0	67.7		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7782-49-2	<5.00		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-22-4	<5.00		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-28-0	<5.00		10	10/3/2012	ATS-1
C121012-6	200.8	No Lab Pre	7440-62-2	<20.0		10	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	ATS-1

C121012-6	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-43-9	6.57		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-47-3	8.82		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-48-4	183		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-50-8	61.8		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7439-92-1	27.9		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-02-0	73.5		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7782-49-2	4.95		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-28-0	27.8		5	10/3/2012	ATS-1
C121012-6	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7429-90-5	30700		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7440-41-7	<20.0		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7440-70-2	399000		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7439-89-6	31000		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7439-95-4	34400		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7439-96-5	49100		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	9/7/7440	<2500		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7440-23-5	9530		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7440-24-6	4750		10	10/3/2012	ATS-1
C121012-6	200.7	No Lab Pre	7440-66-6	19500		10	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7429-90-5	31800		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7440-70-2	420000		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7439-89-6	32800		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7439-95-4	36000		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7439-96-5	50600		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	9/7/7440	1700		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7440-23-5	9730		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7440-24-6	4840		5	10/3/2012	ATS-1
C121012-6	200.7	200.2 - TR	7440-66-6	19800		5	10/3/2012	ATS-1
C121012-6	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	ATS-1
C121012-6	EPA 300.0	No Prep Re	16887-00-6	<100.0		100	10/3/2012	ATS-1
C121012-6	EPA 300.0	No Prep Re	16984-48-8	<10.0		100	10/3/2012	ATS-1
C121012-6	EPA 300.0	No Prep Re	NA	<20.0		100	10/3/2012	ATS-1
C121012-6	EPA 300.0	No Prep Re	148-08-79	1360		100	10/3/2012	ATS-1
C121012-7	2340B	No Lab Pre	NA	183		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-39-3	32.3		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-43-9	0.704		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-48-4	1.85		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-50-8	<0.500		1	10/3/2012	BBRIDGE

C121012-7	200.8	No Lab Pre	7439-92-1	<0.100		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-02-0	0.552		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	BBRIDGE
C121012-7	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-39-3	34		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-43-9	0.832		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-48-4	1.93		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-50-8	<2.50		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7439-92-1	0.642		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-28-0	4.7		5	10/3/2012	BBRIDGE
C121012-7	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7429-90-5	26.2		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7440-70-2	63300		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7439-95-4	6060		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7439-96-5	546		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	9/7/7440	1080		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7440-23-5	3120		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7440-24-6	609		1	10/3/2012	BBRIDGE
C121012-7	200.7	No Lab Pre	7440-66-6	241		1	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7429-90-5	234		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7440-70-2	61200		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7439-95-4	5970		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7439-96-5	561		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7440-23-5	3010		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7440-24-6	616		5	10/3/2012	BBRIDGE
C121012-7	200.7	200.2 - TR	7440-66-6	264		5	10/3/2012	BBRIDGE
C121012-7	EPA 310.1	No Prep Re	NA	27.6		1	10/3/2012	BBRIDGE
C121012-7	EPA 300.0	No Prep Re	16887-00-	1.6		1	10/3/2012	BBRIDGE
C121012-7	EPA 300.0	No Prep Re	16984-48-	0.4		1	10/3/2012	BBRIDGE
C121012-7	EPA 300.0	No Prep Re	NA	<0.2		1	10/3/2012	BBRIDGE
C121012-7	EPA 300.0	No Prep Re	148-08-79	159		1	10/3/2012	BBRIDGE
C121012-7	2340B	No Lab Pre	NA	64		1	10/2/2012	CC01C

C121012-7	200.8	No Lab Pre	7440-36-0	<0.500		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-38-2	0.743		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-39-3	7.73		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-43-9	46.1		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-47-3	<1.00		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-48-4	6.78		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-50-8	1460		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7439-92-1	2.31		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-02-0	7.19		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7782-49-2	0.76		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-22-4	<0.500		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-28-0	<0.500		1	10/2/2012	CC01C
C121012-7	200.8	No Lab Pre	7440-62-2	<2.00		1	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-43-9	46.7		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-47-3	5.8		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-48-4	6.28		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-50-8	1300		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7439-92-1	2.72		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-02-0	7.74		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7782-49-2	3.41		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC01C
C121012-7	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7429-90-5	5460		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7440-70-2	16200		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7439-89-6	3800		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7439-95-4	5760		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7439-96-5	3750		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	9/7/7440	673		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7440-23-5	1120		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7440-24-6	49.8		1	10/2/2012	CC01C
C121012-7	200.7	No Lab Pre	7440-66-6	10400		1	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7429-90-5	5330		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7440-70-2	15800		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7439-89-6	3920		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7439-95-4	5610		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7439-96-5	3750		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7440-23-5	<1250		5	10/2/2012	CC01C
C121012-7	200.7	200.2 - TR	7440-24-6	49.3		5	10/2/2012	CC01C

C121012-7	200.7	200.2 - TR	7440-66-6	10000		5	10/2/2012	CC01C
C121012-7	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC01C
C121012-7	EPA 300.0	No Prep Re	16887-00-(	<1.0		1	10/2/2012	CC01C
C121012-7	EPA 300.0	No Prep Re	16984-48-8	1.1		1	10/2/2012	CC01C
C121012-7	EPA 300.0	No Prep Re	NA	0.3		1	10/2/2012	CC01C
C121012-7	EPA 300.0	No Prep Re	148-08-79	153		1	10/2/2012	CC01C
C121012-7	2340B	No Lab Pre	NA	75		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-36-0	<0.500		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-38-2	1.56		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-39-3	<5.00		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-43-9	136		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-47-3	1.02		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-48-4	13.8		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-50-8	5920		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7439-92-1	0.885		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-02-0	8.83		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7782-49-2	2.13		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-22-4	<0.500		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-28-0	<0.500		1	10/2/2012	CC01C1
C121012-7	200.8	No Lab Pre	7440-62-2	<2.00		1	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-38-2	13.1		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-43-9	153		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-47-3	7.61		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-48-4	13.6		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-50-8	6280		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7439-92-1	44.4		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-02-0	9.89		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7782-49-2	5.19		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC01C1
C121012-7	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7429-90-5	11700		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7440-70-2	17900		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7439-89-6	10400		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7439-95-4	7430		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7439-96-5	12200		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	9/7/7440	664		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7440-23-5	1690		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7440-24-6	69		1	10/2/2012	CC01C1
C121012-7	200.7	No Lab Pre	7440-66-6	33200		1	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7429-90-5	11500		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC01C1

C121012-7	200.7	200.2 - TR	7440-70-2	17800		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7439-89-6	12600		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7439-95-4	7350		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7439-96-5	12600		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7440-23-5	1620		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7440-24-6	68.7		5	10/2/2012	CC01C1
C121012-7	200.7	200.2 - TR	7440-66-6	32800		5	10/2/2012	CC01C1
C121012-7	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC01C1
C121012-7	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC01C1
C121012-7	EPA 300.0	No Prep Re	16984-48-{	2.5		10	10/2/2012	CC01C1
C121012-7	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC01C1
C121012-7	EPA 300.0	No Prep Re	148-08-79{	253		10	10/2/2012	CC01C1
C121012-8	2340B	No Lab Pre	NA	158		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-39-3	36.4		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-43-9	2.08		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-47-3	1.04		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-48-4	<0.100		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-50-8	20.5		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7439-92-1	0.325		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-02-0	<0.500		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	CC01F
C121012-8	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-39-3	36.4		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-43-9	1.9		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-47-3	5.95		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-48-4	<0.500		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-50-8	38.8		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7439-92-1	1.37		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7782-49-2	3.31		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC01F
C121012-8	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7429-90-5	134		1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7440-70-2	55700		1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7439-95-4	4600		1	10/3/2012	CC01F

C121012-8	200.7	No Lab Pre	7439-96-5	82.1	1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	9/7/7440	385	1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7440-23-5	1430	1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7440-24-6	566	1	10/3/2012	CC01F
C121012-8	200.7	No Lab Pre	7440-66-6	291	1	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7429-90-5	280	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7440-41-7	<10.0	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7440-70-2	54600	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7439-89-6	<500	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7439-95-4	4540	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7439-96-5	84.5	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	9/7/7440	<1250	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7440-23-5	1400	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7440-24-6	567	5	10/3/2012	CC01F
C121012-8	200.7	200.2 - TR	7440-66-6	303	5	10/3/2012	CC01F
C121012-8	EPA 310.1	No Prep Re	NA	22.7	1	10/3/2012	CC01F
C121012-8	EPA 300.0	No Prep Re	16887-00-6	<1.0	1	10/3/2012	CC01F
C121012-8	EPA 300.0	No Prep Re	16984-48-8	0.2	1	10/3/2012	CC01F
C121012-8	EPA 300.0	No Prep Re	NA	0.2	1	10/3/2012	CC01F
C121012-8	EPA 300.0	No Prep Re	148-08-79	134	1	10/3/2012	CC01F
C121012-8	2340B	No Lab Pre	NA	120	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-36-0	<0.500	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-38-2	<0.500	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-39-3	25.2	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-43-9	6.54	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-47-3	<1.00	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-48-4	<0.100	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-50-8	76.5	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7439-92-1	0.738	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-02-0	0.777	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7782-49-2	<0.500	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-22-4	<0.500	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-28-0	<0.500	1	10/3/2012	CC01H
C121012-8	200.8	No Lab Pre	7440-62-2	<2.00	1	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-36-0	<2.50	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-38-2	<2.50	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-39-3	25.7	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-43-9	6.15	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-47-3	7.19	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-48-4	<0.500	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-50-8	69.7	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7439-92-1	0.982	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-02-0	2.6	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7782-49-2	3.2	5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-22-4	<2.50	5	10/3/2012	CC01H

C121012-8	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC01H
C121012-8	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7429-90-5	341		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7440-70-2	41200		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7439-95-4	4130		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7439-96-5	73.3		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	9/7/7440	455		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7440-23-5	1270		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7440-24-6	328		1	10/3/2012	CC01H
C121012-8	200.7	No Lab Pre	7440-66-6	1430		1	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7429-90-5	346		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7440-70-2	39600		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7439-95-4	3960		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7439-96-5	73		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7440-23-5	<1250		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7440-24-6	326		5	10/3/2012	CC01H
C121012-8	200.7	200.2 - TR	7440-66-6	1310		5	10/3/2012	CC01H
C121012-8	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC01H
C121012-8	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	10/3/2012	CC01H
C121012-8	EPA 300.0	No Prep Re	16984-48-8	0.2		1	10/3/2012	CC01H
C121012-8	EPA 300.0	No Prep Re	NA	0.3		1	10/3/2012	CC01H
C121012-8	EPA 300.0	No Prep Re	148-08-79	114		1	10/3/2012	CC01H
C121012-8	2340B	No Lab Pre	NA	174		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-39-3	30		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-43-9	13.3		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-48-4	<0.100		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-50-8	88.7		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7439-92-1	1.53		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-02-0	7.22		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7782-49-2	0.723		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	CC01T
C121012-8	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-39-3	29.3		5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-43-9	12.3		5	10/3/2012	CC01T

C121012-8	200.8	200.2 - TR	7440-47-3	7.59	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-48-4	<0.500	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-50-8	84	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7439-92-1	1.77	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-02-0	7.6	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7782-49-2	3.87	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-22-4	<2.50	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-28-0	<2.50	5	10/3/2012	CC01T
C121012-8	200.8	200.2 - TR	7440-62-2	<10.0	5	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7429-90-5	1240	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7440-41-7	<2.00	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7440-70-2	57800	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7439-89-6	<100	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7439-95-4	7070	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7439-96-5	627	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	9/7/7440	577	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7440-23-5	1380	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7440-24-6	326	1	10/3/2012	CC01T
C121012-8	200.7	No Lab Pre	7440-66-6	2470	1	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7429-90-5	1290	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7440-41-7	<10.0	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7440-70-2	55900	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7439-89-6	<500	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7439-95-4	6790	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7439-96-5	628	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	9/7/7440	<1250	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7440-23-5	1320	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7440-24-6	329	5	10/3/2012	CC01T
C121012-8	200.7	200.2 - TR	7440-66-6	2350	5	10/3/2012	CC01T
C121012-8	EPA 310.1	No Prep Re	NA	<5.00	1	10/3/2012	CC01T
C121012-8	EPA 300.0	No Prep Re	16887-00-(	<1.0	1	10/3/2012	CC01T
C121012-8	EPA 300.0	No Prep Re	16984-48-{	0.7	1	10/3/2012	CC01T
C121012-8	EPA 300.0	No Prep Re	NA	0.3	1	10/3/2012	CC01T
C121012-8	EPA 300.0	No Prep Re	148-08-79{	175	1	10/3/2012	CC01T
C121012-8	2340B	No Lab Pre	NA	175	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-36-0	<0.500	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-38-2	<0.500	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-39-3	30	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-43-9	13.1	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-47-3	<1.00	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-48-4	<0.100	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-50-8	88.9	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7439-92-1	4.8	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-02-0	7.55	1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7782-49-2	<0.500	1	10/3/2012	CC01U

C121012-8	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	CC01U
C121012-8	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-39-3	29.6		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-43-9	12.3		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-47-3	7.18		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-48-4	<0.500		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-50-8	82.2		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7439-92-1	5.28		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-02-0	7.66		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7782-49-2	3.5		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC01U
C121012-9	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7429-90-5	1070		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7440-70-2	58500		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7439-95-4	7140		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7439-96-5	594		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	9/7/7440	583		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7440-23-5	1380		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7440-24-6	327		1	10/3/2012	CC01U
C121012-8	200.7	No Lab Pre	7440-66-6	2500		1	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7429-90-5	1260		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7440-70-2	57000		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7439-95-4	6910		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7439-96-5	602		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7440-23-5	1320		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7440-24-6	331		5	10/3/2012	CC01U
C121012-9	200.7	200.2 - TR	7440-66-6	2410		5	10/3/2012	CC01U
C121012-9	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC01U
C121012-9	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	10/3/2012	CC01U
C121012-9	EPA 300.0	No Prep Re	16984-48-8	0.8		1	10/3/2012	CC01U
C121012-9	EPA 300.0	No Prep Re	NA	0.3		1	10/3/2012	CC01U
C121012-9	EPA 300.0	No Prep Re	148-08-79	177		1	10/3/2012	CC01U
C121012-9	2340B	No Lab Pre	NA	213		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-39-3	28.3		1	10/3/2012	CC02B

C121012-9	200.8	No Lab Pre	7440-43-9	19.2		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-48-4	2.48		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-50-8	185		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7439-92-1	15.6		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-02-0	7.27		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	CC02B
C121012-9	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-39-3	28.3		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-43-9	17.9		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-47-3	6.62		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-48-4	2.39		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-50-8	181		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7439-92-1	17.5		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-02-0	7.9		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7782-49-2	3.82		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC02B
C121012-9	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7429-90-5	2360		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7440-70-2	72600		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7439-89-6	321		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7439-95-4	7610		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7439-96-5	4020		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	9/7/7440	687		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7440-23-5	2120		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7440-24-6	524		1	10/3/2012	CC02B
C121012-9	200.7	No Lab Pre	7440-66-6	6420		1	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7429-90-5	2600		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7440-70-2	70800		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7439-95-4	7430		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7439-96-5	4090		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7440-23-5	2020		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7440-24-6	529		5	10/3/2012	CC02B
C121012-9	200.7	200.2 - TR	7440-66-6	6140		5	10/3/2012	CC02B
C121012-9	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC02B
C121012-9	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	10/3/2012	CC02B

C121012-9	EPA 300.0	No Prep R	16984-48-8		1.3		1	10/3/2012 CC02B
C121012-9	EPA 300.0	No Prep R	NA		0.2		1	10/3/2012 CC02B
C121012-9	EPA 300.0	No Prep R	148-08-79		239		1	10/3/2012 CC02B
C121012-9	2340B	No Lab Pre	NA		241		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-36-0	<0.500			1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-38-2	<0.500			1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-39-3		26.5		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-43-9		19.5		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-47-3	<1.00			1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-48-4		2.39		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-50-8		182		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7439-92-1		15		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-02-0		7.36		1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7782-49-2	<0.500			1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-22-4	<0.500			1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-28-0	<0.500			1	10/3/2012 CC02B2
C121012-9	200.8	No Lab Pre	7440-62-2	<2.00			1	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-36-0	<2.50			5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-38-2	<2.50			5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-39-3		27		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-43-9		17.9		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-47-3		6		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-48-4		2.29		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-50-8		174		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7439-92-1		16.7		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-02-0		7.65		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7782-49-2		4.38		5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-22-4	<2.50			5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-28-0	<2.50			5	10/3/2012 CC02B2
C121012-9	200.8	200.2 - TR	7440-62-2	<10.0			5	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7429-90-5		2700		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7440-41-7	<2.00			1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7440-70-2		83600		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7439-89-6		303		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7439-95-4		7790		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7439-96-5		4300		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	9/7/7440		704		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7440-23-5		2570		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7440-24-6		693		1	10/3/2012 CC02B2
C121012-9	200.7	No Lab Pre	7440-66-6		6660		1	10/3/2012 CC02B2
C121012-9	200.7	200.2 - TR	7429-90-5		2760		5	10/3/2012 CC02B2
C121012-9	200.7	200.2 - TR	7440-41-7	<10.0			5	10/3/2012 CC02B2
C121012-9	200.7	200.2 - TR	7440-70-2		81300		5	10/3/2012 CC02B2
C121012-9	200.7	200.2 - TR	7439-89-6	<500			5	10/3/2012 CC02B2
C121012-9	200.7	200.2 - TR	7439-95-4		7650		5	10/3/2012 CC02B2

C121012-9	200.7	200.2 - TR	7439-96-5	4340		5	10/3/2012	CC02B2
C121012-9	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC02B2
C121012-9	200.7	200.2 - TR	7440-23-5	2420		5	10/3/2012	CC02B2
C121012-9	200.7	200.2 - TR	7440-24-6	698		5	10/3/2012	CC02B2
C121012-9	200.7	200.2 - TR	7440-66-6	6460		5	10/3/2012	CC02B2
C121012-9	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC02B2
C121012-9	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/3/2012	CC02B2
C121012-9	EPA 300.0	No Prep Re	16984-48-{	1.5		10	10/3/2012	CC02B2
C121012-9	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC02B2
C121012-9	EPA 300.0	No Prep Re	148-08-79{	237		10	10/3/2012	CC02B2
C121012-9	2340B	No Lab Pre	NA	610		1	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-36-0	<5.00		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-38-2	<5.00		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-39-3	<50.0		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-43-9	48.6		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-47-3	<10.0		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-48-4	23.7		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-50-8	16.2		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7439-92-1	228		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-02-0	11.8		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7782-49-2	<5.00		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-22-4	<5.00		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-28-0	<5.00		10	10/2/2012	CC02D
C121012-9	200.8	No Lab Pre	7440-62-2	<20.0		10	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-43-9	48.4		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-48-4	21.6		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-50-8	15.2		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7439-92-1	240		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-02-0	9.12		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7782-49-2	5.47		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC02D
C121012-9	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7429-90-5	3540		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7440-41-7	3.75		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7440-70-2	221000		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7439-89-6	27200		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7439-95-4	14000		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7439-96-5	28400		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	9/7/7440	2330		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7440-23-5	6670		1	10/2/2012	CC02D

C121012-9	200.7	No Lab Pre	7440-24-6	1840		1	10/2/2012	CC02D
C121012-9	200.7	No Lab Pre	7440-66-6	33800		1	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7429-90-5	3430		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7440-70-2	215000		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7439-89-6	28300		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7439-95-4	13500		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7439-96-5	30400		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	9/7/7440	2320		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7440-23-5	6360		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7440-24-6	1880		5	10/2/2012	CC02D
C121012-9	200.7	200.2 - TR	7440-66-6	34100		5	10/2/2012	CC02D
C121012-A	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC02D
C121012-A	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC02D
C121012-A	EPA 300.0	No Prep Re	16984-48-8	4.3		10	10/2/2012	CC02D
C121012-A	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC02D
C121012-A	EPA 300.0	No Prep Re	148-08-79	718		10	10/2/2012	CC02D
C121012-A	2340B	No Lab Pre	NA	441		1	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-36-0	<5.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-38-2	9.1		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-39-3	<50.0		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-43-9	<1.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-47-3	<10.0		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-48-4	5.19		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-50-8	<5.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7439-92-1	<1.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-02-0	<5.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7782-49-2	<5.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-22-4	<5.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-28-0	<5.00		10	10/2/2012	CC02E
C121012-A	200.8	No Lab Pre	7440-62-2	<20.0		10	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-38-2	11.1		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-43-9	0.541		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-48-4	4.62		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-50-8	<2.50		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7439-92-1	2.18		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-02-0	<2.50		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7782-49-2	3.08		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC02E
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7429-90-5	234		1	10/2/2012	CC02E

C121012-A	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7440-70-2	163000		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7439-89-6	6510		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7439-95-4	8330		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7439-96-5	2670		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	9/7/7440	697		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7440-23-5	5580		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7440-24-6	1780		1	10/2/2012	CC02E
C121012-A	200.7	No Lab Pre	7440-66-6	833		1	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7429-90-5	224		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7440-70-2	159000		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7439-89-6	7700		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7439-95-4	8160		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7439-96-5	2710		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7440-23-5	5270		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7440-24-6	1810		5	10/2/2012	CC02E
C121012-A	200.7	200.2 - TR	7440-66-6	840		5	10/2/2012	CC02E
C121012-A	EPA 310.1	No Prep Re	NA	27.1		1	10/2/2012	CC02E
C121012-A	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC02E
C121012-A	EPA 300.0	No Prep Re	16984-48-{	3.3		10	10/2/2012	CC02E
C121012-A	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC02E
C121012-A	EPA 300.0	No Prep Re	148-08-79{	369		10	10/2/2012	CC02E
C121012-A	2340B	No Lab Pre	NA	169		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-39-3	29.5		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-43-9	11.6		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-48-4	<0.100		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-50-8	103		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7439-92-1	5.68		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-02-0	6.98		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	CC02H
C121012-A	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-39-3	30.2		5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-43-9	10.4		5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-47-3	5.6		5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-48-4	<0.500		5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-50-8	95.8		5	10/3/2012	CC02H

C121012-A	200.8	200.2 - TR	7439-92-1	6.45	5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-02-0	6.74	5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7782-49-2	4.97	5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50	5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50	5	10/3/2012	CC02H
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0	5	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7429-90-5	1060	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7440-41-7	<2.00	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7440-70-2	56200	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7439-89-6	<100	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7439-95-4	6890	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7439-96-5	495	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	9/7/7440	545	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7440-23-5	1430	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7440-24-6	332	1	10/3/2012	CC02H
C121012-A	200.7	No Lab Pre	7440-66-6	2400	1	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7429-90-5	1190	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7440-70-2	55600	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7439-89-6	<500	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7439-95-4	6750	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7439-96-5	494	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	9/7/7440	<1250	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7440-23-5	1330	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7440-24-6	332	5	10/3/2012	CC02H
C121012-A	200.7	200.2 - TR	7440-66-6	2270	5	10/3/2012	CC02H
C121012-A	EPA 310.1	No Prep Re	NA	<5.00	1	10/3/2012	CC02H
C121012-A	EPA 300.0	No Prep Re	16887-00-6	<1.0	1	10/3/2012	CC02H
C121012-A	EPA 300.0	No Prep Re	16984-48-8	0.8	1	10/3/2012	CC02H
C121012-A	EPA 300.0	No Prep Re	NA	0.2	1	10/3/2012	CC02H
C121012-A	EPA 300.0	No Prep Re	148-08-79	173	1	10/3/2012	CC02H
C121012-A	2340B	No Lab Pre	NA	108	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-36-0	<0.500	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-38-2	<0.500	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-39-3	8.39	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-43-9	20.9	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-47-3	<1.00	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-48-4	6.7	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-50-8	17.3	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7439-92-1	27.6	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-02-0	4.35	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7782-49-2	<0.500	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-22-4	<0.500	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-28-0	<0.500	1	10/2/2012	CC02K
C121012-A	200.8	No Lab Pre	7440-62-2	<2.00	1	10/2/2012	CC02K

C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-43-9	19.3		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-47-3	5.91		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-48-4	6.49		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-50-8	16.8		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7439-92-1	31.4		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-02-0	4.38		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC02K
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7429-90-5	2010		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7440-70-2	37900		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7439-89-6	6400		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7439-95-4	3140		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7439-96-5	1710		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	9/7/7440	741		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7440-23-5	3640		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7440-24-6	508		1	10/2/2012	CC02K
C121012-A	200.7	No Lab Pre	7440-66-6	2230		1	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7429-90-5	1930		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7440-70-2	37500		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7439-89-6	6290		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7439-95-4	3100		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7439-96-5	1720		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7440-23-5	3480		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7440-24-6	510		5	10/2/2012	CC02K
C121012-A	200.7	200.2 - TR	7440-66-6	2130		5	10/2/2012	CC02K
C121012-A	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC02K
C121012-A	EPA 300.0	No Prep Re	16887-00-(	<1.0		1	10/2/2012	CC02K
C121012-A	EPA 300.0	No Prep Re	16984-48-8	2.7		1	10/2/2012	CC02K
C121012-A	EPA 300.0	No Prep Re	NA	<0.2		1	10/2/2012	CC02K
C121012-A	EPA 300.0	No Prep Re	148-08-79	130		1	10/2/2012	CC02K
C121012-A	2340B	No Lab Pre	NA	741		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-36-0	<5.00		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-38-2	<5.00		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-39-3	<50.0		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-43-9	24.7		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-47-3	<10.0		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-48-4	56.6		10	10/3/2012	CC03

C121012-A	200.8	No Lab Pre	7440-50-8	84.6		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7439-92-1	9.91		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-02-0	35.1		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7782-49-2	<5.00		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-22-4	<5.00		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-28-0	<5.00		10	10/3/2012	CC03
C121012-A	200.8	No Lab Pre	7440-62-2	<20.0		10	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-43-9	22.7		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-48-4	48.7		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-50-8	74.8		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7439-92-1	47.8		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-02-0	24.9		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7782-49-2	3.4		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC03
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7429-90-5	2950		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7440-41-7	<20.0		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7440-70-2	268000		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7439-89-6	41500		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7439-95-4	17200		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7439-96-5	18300		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	9/7/7440	<2500		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7440-23-5	6030		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7440-24-6	2940		10	10/3/2012	CC03
C121012-A	200.7	No Lab Pre	7440-66-6	10300		10	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7429-90-5	4220		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7440-70-2	272000		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7439-89-6	43100		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7439-95-4	17300		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7439-96-5	18600		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7440-23-5	5990		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7440-24-6	2960		5	10/3/2012	CC03
C121012-A	200.7	200.2 - TR	7440-66-6	10500		5	10/3/2012	CC03
C121012-A	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC03
C121012-A	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	CC03
C121012-A	EPA 300.0	No Prep Re	16984-48-8	3.8		10	10/3/2012	CC03
C121012-A	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC03
C121012-A	EPA 300.0	No Prep Re	148-08-79	813		10	10/3/2012	CC03

C121012-A	2340B	No Lab Pre	NA		275	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-36-0	<0.500		1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-38-2	<0.500		1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-39-3		23.8	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-43-9		16.9	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-47-3	<1.00		1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-48-4		2.19	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-50-8		159	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7439-92-1		12.6	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-02-0		7.58	1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7782-49-2	<0.500		1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-22-4	<0.500		1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-28-0	<0.500		1	10/3/2012	CC03A
C121012-A	200.8	No Lab Pre	7440-62-2	<2.00		1	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-39-3		25.5	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-43-9		15.7	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-47-3		6.49	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-48-4		1.97	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-50-8		152	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7439-92-1		14.1	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-02-0		7.1	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7782-49-2		4.29	5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC03A
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7429-90-5		2410	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7440-70-2		97900	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7439-89-6		165	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7439-95-4		7280	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7439-96-5		3770	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	9/7/7440		668	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7440-23-5		3130	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7440-24-6		961	1	10/3/2012	CC03A
C121012-A	200.7	No Lab Pre	7440-66-6		5730	1	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7429-90-5		2360	5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7440-70-2		96000	5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7439-95-4		7120	5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7439-96-5		3890	5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7440-23-5		3040	5	10/3/2012	CC03A

C121012-A	200.7	200.2 - TR	7440-24-6	975	5	10/3/2012	CC03A
C121012-A	200.7	200.2 - TR	7440-66-6	5610	5	10/3/2012	CC03A
C121012-A	EPA 310.1	No Prep R	NA	<5.00	1	10/3/2012	CC03A
C121012-A	EPA 300.0	No Prep R	16887-00-I	<10.0	10	10/3/2012	CC03A
C121012-A	EPA 300.0	No Prep R	16984-48-8	1.6	10	10/3/2012	CC03A
C121012-A	EPA 300.0	No Prep R	NA	<2.0	10	10/3/2012	CC03A
C121012-A	EPA 300.0	No Prep R	148-08-79	261	10	10/3/2012	CC03A
C121012-A	2340B	No Lab Pre	NA	283	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-36-0	<0.500	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-38-2	<0.500	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-39-3	23	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-43-9	15.5	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-47-3	<1.00	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-48-4	1.92	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-50-8	130	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7439-92-1	9.42	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-02-0	5.76	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7782-49-2	0.522	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-22-4	<0.500	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-28-0	<0.500	1	10/3/2012	CC03B
C121012-A	200.8	No Lab Pre	7440-62-2	<2.00	1	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-39-3	<25.0	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-43-9	14.3	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-47-3	7.15	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-48-4	1.98	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-50-8	131	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7439-92-1	10.6	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-02-0	7.73	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7782-49-2	4.08	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50	5	10/3/2012	CC03B
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0	5	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7429-90-5	2290	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7440-41-7	<2.00	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7440-70-2	102000	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7439-89-6	128	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7439-95-4	6910	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7439-96-5	3260	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	9/7/7440	677	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7440-23-5	3330	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7440-24-6	1000	1	10/3/2012	CC03B
C121012-A	200.7	No Lab Pre	7440-66-6	5030	1	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7429-90-5	2240	5	10/3/2012	CC03B

C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7440-70-2	100000		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7439-95-4	6760		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7439-96-5	3330		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7440-23-5	3160		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7440-24-6	1020		5	10/3/2012	CC03B
C121012-A	200.7	200.2 - TR	7440-66-6	4990		5	10/3/2012	CC03B
C121012-A	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC03B
C121012-A	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/3/2012	CC03B
C121012-A	EPA 300.0	No Prep Re	16984-48-8	1.9		10	10/3/2012	CC03B
C121012-A	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC03B
C121012-A	EPA 300.0	No Prep Re	148-08-79	269		10	10/3/2012	CC03B
C121012-A	2340B	No Lab Pre	NA	1210		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-36-0	<5.00		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-38-2	<5.00		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-39-3	<50.0		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-43-9	34.2		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-47-3	<10.0		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-48-4	110		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-50-8	<5.00		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7439-92-1	21.5		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-02-0	50.7		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7782-49-2	<5.00		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-22-4	<5.00		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-28-0	<5.00		10	10/2/2012	CC03C
C121012-A	200.8	No Lab Pre	7440-62-2	<20.0		10	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-43-9	32.4		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-48-4	93.6		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-50-8	<2.50		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7439-92-1	84.5		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-02-0	45.6		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7782-49-2	3.05		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC03C
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7429-90-5	4530		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7440-41-7	<20.0		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7440-70-2	439000		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7439-89-6	91000		10	10/2/2012	CC03C

C121012-A	200.7	No Lab Pre	7439-95-4	27500		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7439-96-5	33900		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	9/7/7440	<2500		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7440-23-5	8740		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7440-24-6	5010		10	10/2/2012	CC03C
C121012-A	200.7	No Lab Pre	7440-66-6	16300		10	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7429-90-5	4540		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7440-70-2	443000		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7439-89-6	93400		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7439-95-4	27600		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7439-96-5	33900		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	9/7/7440	1640		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7440-23-5	8570		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7440-24-6	4950		5	10/2/2012	CC03C
C121012-A	200.7	200.2 - TR	7440-66-6	16100		5	10/2/2012	CC03C
C121012-A	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC03C
C121012-A	EPA 300.0	No Prep Re	16887-00-I	<100		100	10/2/2012	CC03C
C121012-A	EPA 300.0	No Prep Re	16984-48-I	<10.0		100	10/2/2012	CC03C
C121012-A	EPA 300.0	No Prep Re	NA	<20.0		100	10/2/2012	CC03C
C121012-A	EPA 300.0	No Prep Re	148-08-79	1240		100	10/2/2012	CC03C
C121012-A	2340B	No Lab Pre	NA	1210		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-36-0	<5.00		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-38-2	<5.00		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-39-3	<50.0		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-43-9	31.2		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-47-3	<10.0		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-48-4	103		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-50-8	<5.00		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7439-92-1	3.63		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-02-0	48.4		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7782-49-2	<5.00		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-22-4	<5.00		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-28-0	<5.00		10	10/2/2012	CC03D
C121012-A	200.8	No Lab Pre	7440-62-2	<20.0		10	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-43-9	31.5		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-47-3	5.61		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-48-4	99.6		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-50-8	<2.50		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7439-92-1	84.3		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-02-0	48.5		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7782-49-2	3.93		5	10/2/2012	CC03D

C121012-A	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC03D
C121012-A	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7429-90-5	2580		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7440-41-7	<20.0		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7440-70-2	439000		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7439-89-6	90000		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7439-95-4	27400		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7439-96-5	33600		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	9/7/7440	<2500		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7440-23-5	8680		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7440-24-6	4970		10	10/2/2012	CC03D
C121012-A	200.7	No Lab Pre	7440-66-6	16000		10	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7429-90-5	4410		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7440-70-2	444000		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7439-89-6	92500		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7439-95-4	27700		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7439-96-5	33800		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	9/7/7440	1700		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7440-23-5	8650		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7440-24-6	4970		5	10/2/2012	CC03D
C121012-A	200.7	200.2 - TR	7440-66-6	16200		5	10/2/2012	CC03D
C121012-A	EPA 310.1	No Prep Re	NA		<5.00	1	10/2/2012	CC03D
C121012-A	EPA 300.0	No Prep Re	16887-00-6	<100		100	10/2/2012	CC03D
C121012-A	EPA 300.0	No Prep Re	16984-48-8	<10.0		100	10/2/2012	CC03D
C121012-A	EPA 300.0	No Prep Re	NA	<20.0		100	10/2/2012	CC03D
C121012-A	EPA 300.0	No Prep Re	148-08-79	1240		100	10/2/2012	CC03D
C121012-A	2340B	No Lab Pre	NA	1220		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-43-9	31		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-48-4	96.2		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-50-8	4.52		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7439-92-1	2.79		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-02-0	56.9		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC03E
C121012-A	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC03E

C121012-B	200.8	200.2 - TR	7440-43-9	30.8		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-48-4	97.6		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-50-8	13.5		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7439-92-1	76.4		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-02-0	49.3		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7782-49-2	3.19		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-28-0	18.5		5	10/3/2012	CC03E
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7429-90-5	2420		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7440-70-2	445000		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7439-89-6	88500		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7439-95-4	27600		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7439-96-5	33500		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	9/7/7440	1420		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7440-23-5	8270		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7440-24-6	4760		5	10/3/2012	CC03E
C121012-A	200.7	No Lab Pre	7440-66-6	16300		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7429-90-5	4840		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7440-70-2	454000		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7439-89-6	94400		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7439-95-4	27800		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7439-96-5	34300		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	9/7/7440	1670		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7440-23-5	8300		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7440-24-6	4850		5	10/3/2012	CC03E
C121012-B	200.7	200.2 - TR	7440-66-6	16700		5	10/3/2012	CC03E
C121012-B	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC03E
C121012-B	EPA 300.0	No Prep Re	16887-00-6	<100		100	10/3/2012	CC03E
C121012-B	EPA 300.0	No Prep Re	16984-48-8	<10.0		100	10/3/2012	CC03E
C121012-B	EPA 300.0	No Prep Re	NA	<20.0		100	10/3/2012	CC03E
C121012-B	EPA 300.0	No Prep Re	148-08-79	1230		100	10/3/2012	CC03E
C121012-B	2340B	No Lab Pre	NA	1040		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-43-9	50.5		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-47-3	5.15		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-48-4	69.1		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-50-8	3420		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7439-92-1	4.75		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-02-0	44.9		5	10/2/2012	CC06

C121012-B	200.8	No Lab Pre	7782-49-2	4.87		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC06
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-43-9	49.9		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-47-3	9.85		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-48-4	71.5		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-50-8	3660		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7439-92-1	4.9		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-02-0	36.3		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7782-49-2	7.83		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-28-0	5.06		5	10/2/2012	CC06
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7429-90-5	18200		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7440-70-2	381000		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7439-89-6	66400		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7439-95-4	21600		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7439-96-5	28900		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7440-23-5	5160		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7440-24-6	5780		5	10/2/2012	CC06
C121012-B	200.7	No Lab Pre	7440-66-6	19500		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7429-90-5	18100		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7440-70-2	388000		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7439-89-6	68400		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7439-95-4	21700		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7439-96-5	29100		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	9/7/7440	1410		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7440-23-5	5040		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7440-24-6	5830		5	10/2/2012	CC06
C121012-B	200.7	200.2 - TR	7440-66-6	19700		5	10/2/2012	CC06
C121012-B	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC06
C121012-B	EPA 300.0	No Prep Re	16887-00-6	<100		100	10/2/2012	CC06
C121012-B	EPA 300.0	No Prep Re	16984-48-8	<10.0		100	10/2/2012	CC06
C121012-B	EPA 300.0	No Prep Re	NA	<20.0		100	10/2/2012	CC06
C121012-B	EPA 300.0	No Prep Re	148-08-79	1130		100	10/2/2012	CC06
C121012-B	2340B	No Lab Pre	NA	1040		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC06B

C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-43-9	59.4		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-47-3	10.2		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-48-4	72.1		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-50-8	4040		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7439-92-1	0.765		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-02-0	55.2		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7782-49-2	5.41		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-43-9	56.8		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-47-3	6.02		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-48-4	71.9		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-50-8	4260		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7439-92-1	0.856		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-02-0	34.7		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7782-49-2	6.31		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC06B
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7429-90-5	20500		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7440-70-2	379000		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7439-89-6	62200		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7439-95-4	22400		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7439-96-5	28500		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7440-23-5	5170		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7440-24-6	5690		5	10/2/2012	CC06B
C121012-B	200.7	No Lab Pre	7440-66-6	21600		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7429-90-5	20100		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7440-70-2	376000		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7439-89-6	61700		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7439-95-4	21900		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7439-96-5	28500		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7440-23-5	4930		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7440-24-6	5680		5	10/2/2012	CC06B
C121012-B	200.7	200.2 - TR	7440-66-6	21400		5	10/2/2012	CC06B
C121012-B	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	CC06B

C121012-BEPA 300.0		No Prep R	16887-00-I	<100		100	10/2/2012	CC06B
C121012-BEPA 300.0		No Prep R	16984-48-I	<10.0		100	10/2/2012	CC06B
C121012-BEPA 300.0		No Prep R	NA	<20.0		100	10/2/2012	CC06B
C121012-BEPA 300.0		No Prep R	148-08-79	1160		100	10/2/2012	CC06B
C121012-B2340B		No Lab Pre	NA	889		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-43-9	67.3		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-47-3	8.74		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-48-4	78.6		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-50-8	3000		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7439-92-1	4.4		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-02-0	53.6		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7782-49-2	5.16		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC07
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-43-9	67.3		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-47-3	6.86		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-48-4	84.3		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-50-8	3370		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7439-92-1	4.15		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-02-0	45.7		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7782-49-2	4.29		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC07
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7429-90-5	28300		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7440-70-2	309000		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7439-89-6	57100		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7439-95-4	28500		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7439-96-5	23100		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7440-23-5	5260		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7440-24-6	3610		5	10/3/2012	CC07
C121012-B	200.7	No Lab Pre	7440-66-6	16600		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7429-90-5	28100		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7440-70-2	316000		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7439-89-6	58800		5	10/3/2012	CC07

C121012-B	200.7	200.2 - TR	7439-95-4	28600		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7439-96-5	23400		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7440-23-5	5140		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7440-24-6	3640		5	10/3/2012	CC07
C121012-B	200.7	200.2 - TR	7440-66-6	16800		5	10/3/2012	CC07
C121012-B	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC07
C121012-B	EPA 300.0	No Prep Re	16887-00-(	<100		100	10/3/2012	CC07
C121012-B	EPA 300.0	No Prep Re	16984-48-(	<10.0		100	10/3/2012	CC07
C121012-B	EPA 300.0	No Prep Re	NA	<20.0		100	10/3/2012	CC07
C121012-B	EPA 300.0	No Prep Re	148-08-79	1080		100	10/3/2012	CC07
C121012-B	2340B	No Lab Pre	NA	598		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-43-9	1.71		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-48-4	12.3		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-50-8	<2.50		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7439-92-1	<0.500		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-02-0	10.9		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC14
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-43-9	1.85		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-48-4	14.3		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-50-8	4.95		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7439-92-1	3.59		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-02-0	4.77		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC14
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7429-90-5	717		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7440-70-2	224000		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7439-89-6	18200		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7439-95-4	9290		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7439-96-5	2570		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC14

C121012-B	200.7	No Lab Pre	7440-23-5	4160		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7440-24-6	2550		5	10/3/2012	CC14
C121012-B	200.7	No Lab Pre	7440-66-6	726		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7429-90-5	880		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7440-70-2	227000		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7439-89-6	19700		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7439-95-4	9320		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7439-96-5	2610		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7440-23-5	4100		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7440-24-6	2590		5	10/3/2012	CC14
C121012-B	200.7	200.2 - TR	7440-66-6	736		5	10/3/2012	CC14
C121012-B	EPA 310.1	No Prep Re	NA	9.35		1	10/3/2012	CC14
C121012-B	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/3/2012	CC14
C121012-B	EPA 300.0	No Prep Re	16984-48-8	2.3		10	10/3/2012	CC14
C121012-B	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC14
C121012-B	EPA 300.0	No Prep Re	148-08-79	536		10	10/3/2012	CC14
C121012-B	2340B	No Lab Pre	NA	102		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-43-9	<0.500		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-48-4	1.07		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-50-8	4.18		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7439-92-1	<0.500		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-02-0	<2.50		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC15
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-43-9	<0.500		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-48-4	1.07		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-50-8	6.14		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7439-92-1	<0.500		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7782-49-2	6.33		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC15
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC15

C121012-B	200.7	No Lab Pre	7429-90-5	<100		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7440-70-2	37600		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7439-89-6	<500		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7439-95-4	2060		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7439-96-5	64.8		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7440-23-5	1570		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7440-24-6	350		5	10/3/2012	CC15
C121012-B	200.7	No Lab Pre	7440-66-6	<50.0		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7429-90-5	470		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7440-70-2	37900		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7439-95-4	2060		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7439-96-5	66.9		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7440-23-5	1510		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7440-24-6	350		5	10/3/2012	CC15
C121012-B	200.7	200.2 - TR	7440-66-6	<50.0		5	10/3/2012	CC15
C121012-B	EPA 310.1	No Prep Re	NA		6.82	1	10/3/2012	CC15
C121012-B	EPA 300.0	No Prep Re	16887-00-(	<1.0		1	10/3/2012	CC15
C121012-B	EPA 300.0	No Prep Re	16984-48-8		0.5	1	10/3/2012	CC15
C121012-B	EPA 300.0	No Prep Re	NA		0.2	1	10/3/2012	CC15
C121012-B	EPA 300.0	No Prep Re	148-08-79		93.4	1	10/3/2012	CC15
C121012-B	2340B	No Lab Pre	NA		423	5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-43-9	1.49		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-48-4	9.85		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-50-8	2.63		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7439-92-1	<0.500		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-02-0	8.4		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-43-9		1.66	5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-47-3		5.08	5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-48-4		9.63	5	10/3/2012	CC16B

C121012-B	200.8	200.2 - TR	7440-50-8	11.8		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7439-92-1	2.89		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7782-49-2	5.68		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC16B
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7429-90-5	320		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7440-70-2	158000		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7439-89-6	9810		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7439-95-4	6980		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7439-96-5	1760		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7440-23-5	3330		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7440-24-6	1820		5	10/3/2012	CC16B
C121012-B	200.7	No Lab Pre	7440-66-6	504		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7429-90-5	1320		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7440-70-2	163000		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7439-89-6	11800		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7439-95-4	7110		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7439-96-5	1780		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7440-23-5	3320		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7440-24-6	1850		5	10/3/2012	CC16B
C121012-B	200.7	200.2 - TR	7440-66-6	522		5	10/3/2012	CC16B
C121012-B	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC16B
C121012-B	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	CC16B
C121012-B	EPA 300.0	No Prep Re	16984-48-8	1.6		10	10/3/2012	CC16B
C121012-B	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC16B
C121012-B	EPA 300.0	No Prep Re	148-08-79	387		10	10/3/2012	CC16B
C121012-B	2340B	No Lab Pre	NA	468		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-43-9	1.78		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-48-4	7.82		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-50-8	3.15		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7439-92-1	<0.500		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-02-0	8.84		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC17
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC17

C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-43-9	2.03		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-47-3	5.03		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-48-4	7.48		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-50-8	15.1		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7439-92-1	2.2		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7782-49-2	3.62		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC17
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7429-90-5	295		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7440-70-2	174000		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7439-89-6	2550		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7439-95-4	8260		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7439-96-5	1670		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7440-23-5	3550		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7440-24-6	2350		5	10/3/2012	CC17
C121012-B	200.7	No Lab Pre	7440-66-6	534		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7429-90-5	1690		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7440-70-2	180000		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7439-89-6	3970		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7439-95-4	8420		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7439-96-5	1710		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7440-23-5	3500		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7440-24-6	2410		5	10/3/2012	CC17
C121012-B	200.7	200.2 - TR	7440-66-6	570		5	10/3/2012	CC17
C121012-B	EPA 310.1	No Prep Re	NA		11.5	1	10/3/2012	CC17
C121012-B	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	CC17
C121012-B	EPA 300.0	No Prep Re	16984-48-8		1.3	10	10/3/2012	CC17
C121012-B	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC17
C121012-B	EPA 300.0	No Prep Re	148-08-79		423	10	10/3/2012	CC17
C121012-B	2340B	No Lab Pre	NA		798	5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-43-9	24.7		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC18

C121012-B	200.8	No Lab Pre	7440-48-4	56		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-50-8	333		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7439-92-1	23.9		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-02-0	38.7		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC18
C121012-B	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-43-9	24.3		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-48-4	58.7		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-50-8	351		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7439-92-1	34.2		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-02-0	27.3		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7782-49-2	3.48		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC18
C121012-B	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7429-90-5	7010		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7440-70-2	287000		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7439-89-6	35400		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7439-95-4	19600		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7439-96-5	21000		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7440-23-5	6120		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7440-24-6	3170		5	10/3/2012	CC18
C121012-B	200.7	No Lab Pre	7440-66-6	11600		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7429-90-5	7090		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7440-70-2	292000		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7439-89-6	37000		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7439-95-4	19500		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7439-96-5	21200		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	9/7/7440	1270		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7440-23-5	6160		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7440-24-6	3170		5	10/3/2012	CC18
C121012-B	200.7	200.2 - TR	7440-66-6	11600		5	10/3/2012	CC18
C121012-B	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC18
C121012-B	EPA 300.0	No Prep Re	16887-00-I	<10.0		10	10/3/2012	CC18
C121012-B	EPA 300.0	No Prep Re	16984-48-8	3.7		10	10/3/2012	CC18
C121012-B	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC18

C121012-BEPA 300.0		No Prep Re	148-08-79		918		10	10/3/2012	CC18
C121012-C	2340B	No Lab Pre	NA		747		5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-43-9		26.6		5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-48-4		48.4		5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-50-8		370		5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7439-92-1		28		5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-02-0		36		5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-43-9		26.1		5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-48-4		50		5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-50-8		415		5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7439-92-1		46.7		5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-02-0		22.6		5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7782-49-2		5.37		5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50			5	10/3/2012	CC18B
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0			5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7429-90-5		6840		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0			5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7440-70-2		269000		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7439-89-6		34700		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7439-95-4		18000		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7439-96-5		17900		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	9/7/7440	<1250			5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7440-23-5		5800		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7440-24-6		2870		5	10/3/2012	CC18B
C121012-C	200.7	No Lab Pre	7440-66-6		10600		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7429-90-5		7130		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0			5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7440-70-2		273000		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7439-89-6		39100		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7439-95-4		18200		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7439-96-5		18200		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	9/7/7440	<1250			5	10/3/2012	CC18B

C121012-C	200.7	200.2 - TR	7440-23-5	5850		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7440-24-6	2930		5	10/3/2012	CC18B
C121012-C	200.7	200.2 - TR	7440-66-6	10800		5	10/3/2012	CC18B
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC18B
C121012-C	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/3/2012	CC18B
C121012-C	EPA 300.0	No Prep Re	16984-48-8	3.9		10	10/3/2012	CC18B
C121012-C	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC18B
C121012-C	EPA 300.0	No Prep Re	148-08-79	847		10	10/3/2012	CC18B
C121012-C	2340B	No Lab Pre	NA	1290		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-43-9	2.25		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-48-4	131		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-50-8	<2.50		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7439-92-1	1.15		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-02-0	69.6		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7782-49-2	4.52		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC19
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-43-9	1.8		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-48-4	139		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-50-8	<2.50		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7439-92-1	2.77		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-02-0	50.9		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7782-49-2	6.09		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC19
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7429-90-5	4970		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7440-70-2	463000		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7439-89-6	141000		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7439-95-4	31900		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7439-96-5	48400		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	9/7/7440	1250		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7440-23-5	9410		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7440-24-6	5730		5	10/2/2012	CC19
C121012-C	200.7	No Lab Pre	7440-66-6	21100		5	10/2/2012	CC19

C121012-C	200.7	200.2 - TR	7429-90-5	5150		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7440-70-2	469000		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7439-89-6	148000		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7439-95-4	32200		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7439-96-5	49300		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	9/7/7440	1370		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7440-23-5	9550		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7440-24-6	5840		5	10/2/2012	CC19
C121012-C	200.7	200.2 - TR	7440-66-6	21200		5	10/2/2012	CC19
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC19
C121012-C	EPA 300.0	No Prep Re	16887-00-(	<100		100	10/2/2012	CC19
C121012-C	EPA 300.0	No Prep Re	16984-48-(	<10.0		100	10/2/2012	CC19
C121012-C	EPA 300.0	No Prep Re	NA	<20.0		100	10/2/2012	CC19
C121012-C	EPA 300.0	No Prep Re	148-08-79	1440		100	10/2/2012	CC19
C121012-C	2340B	No Lab Pre	NA	1280		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-43-9	2.29		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-48-4	135		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-50-8	3.14		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7439-92-1	1.14		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-02-0	74.7		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7782-49-2	2.69		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-43-9	2.36		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-48-4	137		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-50-8	4.84		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7439-92-1	3.06		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-02-0	64.2		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7782-49-2	3.33		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC19C
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7429-90-5	5370		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7440-70-2	458000		5	10/3/2012	CC19C

C121012-C	200.7	No Lab Pre	7439-89-6	137000		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7439-95-4	32000		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7439-96-5	47300		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7440-23-5	9360		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7440-24-6	5620		5	10/3/2012	CC19C
C121012-C	200.7	No Lab Pre	7440-66-6	20600		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7429-90-5	5610		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7440-70-2	461000		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7439-89-6	140000		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7439-95-4	31900		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7439-96-5	48400		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	9/7/7440	1370		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7440-23-5	9160		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7440-24-6	5690		5	10/3/2012	CC19C
C121012-C	200.7	200.2 - TR	7440-66-6	20900		5	10/3/2012	CC19C
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC19C
C121012-C	EPA 300.0	No Prep Re	16887-00-6	<100		100	10/3/2012	CC19C
C121012-C	EPA 300.0	No Prep Re	16984-48-8	<10.0		100	10/3/2012	CC19C
C121012-C	EPA 300.0	No Prep Re	NA	<20.0		100	10/3/2012	CC19C
C121012-C	EPA 300.0	No Prep Re	148-08-79	1420		100	10/3/2012	CC19C
C121012-C	2340B	No Lab Pre	NA	795		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-43-9	25.5		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-48-4	58.4		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-50-8	339		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7439-92-1	32		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-02-0	44.4		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC20
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-43-9	26.4		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-48-4	62.9		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-50-8	384		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7439-92-1	40.6		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-02-0	32.9		5	10/3/2012	CC20

C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC20
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7429-90-5	7600		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7440-70-2	286000		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7439-89-6	38700		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7439-95-4	19700		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7439-96-5	21800		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7440-23-5	6170		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7440-24-6	3100		5	10/3/2012	CC20
C121012-C	200.7	No Lab Pre	7440-66-6	12000		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7429-90-5	7750		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7440-70-2	290000		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7439-89-6	42700		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7439-95-4	19800		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7439-96-5	22300		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7440-23-5	6180		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7440-24-6	3170		5	10/3/2012	CC20
C121012-C	200.7	200.2 - TR	7440-66-6	12300		5	10/3/2012	CC20
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC20
C121012-C	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	CC20
C121012-C	EPA 300.0	No Prep Re	16984-48-8	3.9		10	10/3/2012	CC20
C121012-C	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC20
C121012-C	EPA 300.0	No Prep Re	148-08-79	934		10	10/3/2012	CC20
C121012-C	2340B	No Lab Pre	NA	1020		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-43-9	141		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-48-4	140		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-50-8	1060		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7439-92-1	35.4		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-02-0	62.9		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7782-49-2	9.27		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012	CC20B

C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-43-9	142		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-48-4	151		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-50-8	1170		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7439-92-1	37.3		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-02-0	61		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7782-49-2	8.64		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	CC20B
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7429-90-5	37300		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7440-70-2	342000		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7439-89-6	18300		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7439-95-4	40800		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7439-96-5	79400		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7440-23-5	8300		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7440-24-6	3270		5	10/4/2012	CC20B
C121012-C	200.7	No Lab Pre	7440-66-6	47900		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7429-90-5	37100		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7440-70-2	344000		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7439-89-6	18900		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7439-95-4	40800		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7439-96-5	80200		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	9/7/7440	<1250		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7440-23-5	8260		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7440-24-6	3320		5	10/4/2012	CC20B
C121012-C	200.7	200.2 - TR	7440-66-6	48500		5	10/4/2012	CC20B
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/4/2012	CC20B
C121012-C	EPA 300.0	No Prep Re	16887-00-6	<100		100	10/4/2012	CC20B
C121012-C	EPA 300.0	No Prep Re	16984-48-8	20		100	10/4/2012	CC20B
C121012-C	EPA 300.0	No Prep Re	NA	<20.0		100	10/4/2012	CC20B
C121012-C	EPA 300.0	No Prep Re	148-08-79	7840		100	10/4/2012	CC20B
C121012-C	2340B	No Lab Pre	NA	625		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-43-9	12.8		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-48-4	31.4		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7440-50-8	169		5	10/2/2012	CC21
C121012-C	200.8	No Lab Pre	7439-92-1	18.2		5	10/2/2012	CC21

C121012-C	200.8	No Lab Pre	7440-02-0	22.3		5	10/2/2012	CC21	
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-43-9	13.1		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-48-4	32.9		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-50-8	191		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7439-92-1	24.8		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-02-0	15.5		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC21	
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7429-90-5	3950		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7440-70-2	227000		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7439-89-6	14900		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7439-95-4	13800		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7439-96-5	11400		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7440-23-5	4870		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7440-24-6	2730		5	10/2/2012	CC21	
C121012-C	200.7	No Lab Pre	7440-66-6	6020		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7429-90-5	4560		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7440-70-2	230000		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7439-89-6	19700		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7439-95-4	13800		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7439-96-5	11500		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7440-23-5	4820		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7440-24-6	2750		5	10/2/2012	CC21	
C121012-C	200.7	200.2 - TR	7440-66-6	6050		5	10/2/2012	CC21	
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC21	
C121012-C	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC21	
C121012-C	EPA 300.0	No Prep Re	16984-48-8	2.6		10	10/2/2012	CC21	
C121012-C	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC21	
C121012-C	EPA 300.0	No Prep Re	148-08-79	642		10	10/2/2012	CC21	
C121012-C	2340B	No Lab Pre	NA	622		5	10/3/2012	CC21	
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC21	

C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-43-9	13		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-48-4	30.6		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-50-8	171		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7439-92-1	15.1		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-02-0	22.8		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC21
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-43-9	13.5		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-48-4	33.8		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-50-8	193		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7439-92-1	22.7		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-02-0	17.2		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7782-49-2	2.72		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC21
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7429-90-5	3900		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7440-70-2	226000		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7439-89-6	17400		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7439-95-4	13800		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7439-96-5	11200		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7440-23-5	4810		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7440-24-6	2680		5	10/3/2012	CC21
C121012-C	200.7	No Lab Pre	7440-66-6	5980		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7429-90-5	4660		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7440-70-2	233000		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7439-89-6	22300		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7439-95-4	14000		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7439-96-5	11700		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7440-23-5	4880		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7440-24-6	2790		5	10/3/2012	CC21
C121012-C	200.7	200.2 - TR	7440-66-6	6180		5	10/3/2012	CC21

C121012-CEPA	310.1	No Prep R	NA	<5.00		1	10/3/2012	CC21	
C121012-CEPA	300.0	No Prep R	16887-00-I	<10.0		10	10/3/2012	CC21	
C121012-CEPA	300.0	No Prep R	16984-48-8	2.5		10	10/3/2012	CC21	
C121012-CEPA	300.0	No Prep R	NA	<2.0		10	10/3/2012	CC21	
C121012-CEPA	300.0	No Prep R	148-08-79	644		10	10/3/2012	CC21	
C121012-C2340B		No Lab Pre	NA	520		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-43-9	9.96		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-48-4	27.6		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-50-8	123		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7439-92-1	26.8		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-02-0	19.1		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-38-2	2.68		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-43-9	10.3		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-48-4	29.8		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-50-8	144		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7439-92-1	40.3		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-02-0	15.7		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC21B	
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7429-90-5	5770		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7440-70-2	188000		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7439-89-6	13300		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7439-95-4	12400		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7439-96-5	8820		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	9/7/7440	1410		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7440-23-5	4540		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7440-24-6	2230		5	10/2/2012	CC21B	
C121012-C	200.7	No Lab Pre	7440-66-6	4690		5	10/2/2012	CC21B	
C121012-C	200.7	200.2 - TR	7429-90-5	6200		5	10/2/2012	CC21B	
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC21B	
C121012-C	200.7	200.2 - TR	7440-70-2	191000		5	10/2/2012	CC21B	

C121012-C	200.7	200.2 - TR	7439-89-6	19400		5	10/2/2012	CC21B
C121012-C	200.7	200.2 - TR	7439-95-4	12500		5	10/2/2012	CC21B
C121012-C	200.7	200.2 - TR	7439-96-5	8990		5	10/2/2012	CC21B
C121012-C	200.7	200.2 - TR	9/7/7440	1570		5	10/2/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-23-5	4500		5	10/2/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-24-6	2260		5	10/2/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-66-6	4760		5	10/2/2012	CC21B
C121012-C	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	CC21B
C121012-C	EPA 300.0	No Prep R	16887-00-(	<10.0		10	10/2/2012	CC21B
C121012-C	EPA 300.0	No Prep R	16984-48-8	2.3		10	10/2/2012	CC21B
C121012-C	EPA 300.0	No Prep R	NA	<2.0		10	10/2/2012	CC21B
C121012-C	EPA 300.0	No Prep R	148-08-79	558		10	10/2/2012	CC21B
C121012-C	2340B	No Lab Pre	NA	522		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-43-9	9.92		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-48-4	27.1		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-50-8	126		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7439-92-1	16.2		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-02-0	17.5		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-43-9	10.5		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-48-4	29.1		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-50-8	147		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7439-92-1	20.4		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-02-0	13.6		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC21B
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7429-90-5	4930		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7440-70-2	189000		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7439-89-6	15400		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7439-95-4	12400		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7439-96-5	9140		5	10/3/2012	CC21B

C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7440-23-5	4460		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7440-24-6	2260		5	10/3/2012	CC21B
C121012-C	200.7	No Lab Pre	7440-66-6	4840		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7429-90-5	4990		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-70-2	192000		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7439-89-6	19200		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7439-95-4	12300		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7439-96-5	9190		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	9/7/7440	1480		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-23-5	4440		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-24-6	2270		5	10/3/2012	CC21B
C121012-C	200.7	200.2 - TR	7440-66-6	4860		5	10/3/2012	CC21B
C121012-D	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC21B
C121012-D	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	CC21B
C121012-D	EPA 300.0	No Prep Re	16984-48-8	2.3		10	10/3/2012	CC21B
C121012-D	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC21B
C121012-D	EPA 300.0	No Prep Re	148-08-79	556		10	10/3/2012	CC21B
C121012-D	2340B	No Lab Pre	NA	124		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-38-2	35.1		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-43-9	3.96		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-48-4	31.4		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-50-8	17.5		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7439-92-1	5.44		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-02-0	25.7		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7782-49-2	3.75		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC26
C121012-D	200.8	No Lab Pre	7440-62-2	20.8		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-38-2	39.7		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-43-9	3.9		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-47-3	5.55		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-48-4	38.9		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-50-8	20.9		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7439-92-1	5.09		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-02-0	30.8		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC26
C121012-D	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC26

C121012-D	200.8	200.2 - TR	7440-62-2	13.8		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7429-90-5	25000		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7440-70-2	34100		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7439-89-6	59800		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7439-95-4	9510		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7439-96-5	878		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	9/7/7440	3950		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7440-23-5	1540		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7440-24-6	437		5	10/2/2012	CC26
C121012-D	200.7	No Lab Pre	7440-66-6	1220		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7429-90-5	24500		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7440-70-2	34100		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7439-89-6	61100		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7439-95-4	9570		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7439-96-5	899		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	9/7/7440	4090		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7440-23-5	1510		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7440-24-6	453		5	10/2/2012	CC26
C121012-D	200.7	200.2 - TR	7440-66-6	1270		5	10/2/2012	CC26
C121012-D	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC26
C121012-D	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC26
C121012-D	EPA 300.0	No Prep Re	16984-48-8	1.1		10	10/2/2012	CC26
C121012-D	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC26
C121012-D	EPA 300.0	No Prep Re	148-08-79	325		10	10/2/2012	CC26
C121012-D	2340B	No Lab Pre	NA	508		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-38-2	6.69		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-43-9	8.38		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-48-4	32.8		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-50-8	107		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7439-92-1	17.9		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-02-0	19.9		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC28C
C121012-D	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC28C
C121012-D	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC28C
C121012-D	200.8	200.2 - TR	7440-38-2	10.7		5	10/2/2012	CC28C
C121012-D	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC28C
C121012-D	200.8	200.2 - TR	7440-43-9	8.06		5	10/2/2012	CC28C
C121012-D	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC28C

C121012-[	200.8	200.2 - TR	7440-48-4	33.7		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-50-8	110		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7439-92-1	20.7		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-02-0	20.9		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-28-0	13.7		5	10/2/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7429-90-5	9240		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-70-2	183000		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-89-6	26000		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-95-4	12500		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-96-5	7000		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	9/7/7440	1920		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-23-5	4130		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-24-6	2010		5	10/2/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-66-6	3830		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7429-90-5	9470		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-70-2	186000		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-89-6	30200		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-95-4	12600		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-96-5	7120		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	9/7/7440	2230		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-23-5	4060		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-24-6	2050		5	10/2/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-66-6	3910		5	10/2/2012	CC28C
C121012-[	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	CC28C
C121012-[	EPA 300.0	No Prep R	16887-00-(	<10.0		10	10/2/2012	CC28C
C121012-[	EPA 300.0	No Prep R	16984-48-{	2.1		10	10/2/2012	CC28C
C121012-[	EPA 300.0	No Prep R	NA	<2.0		10	10/2/2012	CC28C
C121012-[	EPA 300.0	No Prep R	148-08-79	584		10	10/2/2012	CC28C
C121012-[	2340B	No Lab Pre	NA	504		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-38-2	8.4		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-43-9	8.38		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-48-4	32.3		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-50-8	107		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7439-92-1	13		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-02-0	17		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC28C

C121012-[	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-38-2	11.1		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-43-9	8.46		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-48-4	34		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-50-8	111		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7439-92-1	15.6		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-02-0	20.6		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-28-0	4.64		5	10/3/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7429-90-5	9070		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-70-2	181000		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-89-6	29000		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-95-4	12400		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-96-5	7060		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	9/7/7440	2130		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-23-5	4090		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-24-6	2020		5	10/3/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-66-6	3870		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7429-90-5	9410		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-70-2	184000		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-89-6	32400		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-95-4	12700		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-96-5	7220		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	9/7/7440	2150		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-23-5	4140		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-24-6	2080		5	10/3/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-66-6	3890		5	10/3/2012	CC28C
C121012-[	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC28C
C121012-[	EPA 300.0	No Prep Re	16887-00-(	<10		10	10/3/2012	CC28C
C121012-[	EPA 300.0	No Prep Re	16984-48-{	2.1		10	10/3/2012	CC28C
C121012-[	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	CC28C
C121012-[	EPA 300.0	No Prep Re	148-08-79{	588		10	10/3/2012	CC28C
C121012-[	2340B	No Lab Pre	NA	508		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-38-2	7.55		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-43-9	8.24		5	10/4/2012	CC28C

C121012-[	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-48-4	33.4		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-50-8	106		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7439-92-1	13.5		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-02-0	16.3		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7782-49-2	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-38-2	10.7		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-43-9	8.44		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-48-4	34.7		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-50-8	112		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7439-92-1	16.1		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-02-0	21.2		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	CC28C
C121012-[	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7429-90-5	9140		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-70-2	183000		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-89-6	28500		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-95-4	12400		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7439-96-5	7090		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	9/7/7440	1890		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-23-5	4120		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-24-6	2040		5	10/4/2012	CC28C
C121012-[	200.7	No Lab Pre	7440-66-6	3870		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7429-90-5	9580		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-70-2	185000		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-89-6	31900		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-95-4	12700		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7439-96-5	7140		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	9/7/7440	2280		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-23-5	4190		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-24-6	2080		5	10/4/2012	CC28C
C121012-[	200.7	200.2 - TR	7440-66-6	3860		5	10/4/2012	CC28C
C121012-[	EPA 310.1	No Prep Re	NA	<5.00		1	10/4/2012	CC28C
C121012-[	EPA 300.0	No Prep Re	16887-00-(	<10		10	10/4/2012	CC28C
C121012-[	EPA 300.0	No Prep Re	16984-48-8	2.3		10	10/4/2012	CC28C

C121012-[	EPA 300.0	No Prep R	NA	<2.0		10	10/4/2012	CC28C
C121012-[	EPA 300.0	No Prep R	148-08-79	882		10	10/4/2012	CC28C
C121012-[	2340B	No Lab Pre	NA	515		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-38-2	4.42		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-43-9	8.26		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-48-4	34.1		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-50-8	106		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7439-92-1	15.5		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-02-0	20		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-38-2	9.03		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-43-9	7.68		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-48-4	34		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-50-8	108		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7439-92-1	17.6		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-02-0	20.6		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC30N
C121012-[	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7429-90-5	9050		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7440-70-2	186000		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7439-89-6	24800		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7439-95-4	12500		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7439-96-5	6740		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	9/7/7440	1980		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7440-23-5	4300		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7440-24-6	1980		5	10/2/2012	CC30N
C121012-[	200.7	No Lab Pre	7440-66-6	3730		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7429-90-5	9380		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7440-70-2	188000		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7439-89-6	27900		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7439-95-4	12800		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7439-96-5	6820		5	10/2/2012	CC30N

C121012-[	200.7	200.2 - TR	9/7/7440	2350		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7440-23-5	4350		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7440-24-6	2040		5	10/2/2012	CC30N
C121012-[	200.7	200.2 - TR	7440-66-6	3670		5	10/2/2012	CC30N
C121012-[	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC30N
C121012-[	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC30N
C121012-[	EPA 300.0	No Prep Re	16984-48-{	2.1		10	10/2/2012	CC30N
C121012-[	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC30N
C121012-[	EPA 300.0	No Prep Re	148-08-79{	599		10	10/2/2012	CC30N
C121012-[	2340B	No Lab Pre	NA	520		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-43-9	7.25		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-48-4	31.2		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-50-8	93		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7439-92-1	14.8		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-02-0	18		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC34
C121012-[	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-38-2	6.92		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-43-9	7.19		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-48-4	31.7		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-50-8	102		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7439-92-1	16.5		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-02-0	17.5		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC34
C121012-[	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7429-90-5	8560		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7440-70-2	188000		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7439-89-6	19100		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7439-95-4	12100		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7439-96-5	6420		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	9/7/7440	1890		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7440-23-5	4480		5	10/2/2012	CC34
C121012-[	200.7	No Lab Pre	7440-24-6	2080		5	10/2/2012	CC34

C121012-[	200.7	No Lab Pre	7440-66-6	3480		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7429-90-5	8860		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7440-70-2	191000		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7439-89-6	22100		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7439-95-4	12300		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7439-96-5	6430		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	9/7/7440	2050		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7440-23-5	4460		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7440-24-6	2140		5	10/2/2012	CC34
C121012-[	200.7	200.2 - TR	7440-66-6	3430		5	10/2/2012	CC34
C121012-[	EPA 310.1	No Prep Re	NA		<5.00	1	10/2/2012	CC34
C121012-[	EPA 300.0	No Prep Re	16887-00-(		<10.0	10	10/2/2012	CC34
C121012-[	EPA 300.0	No Prep Re	16984-48-{		2	10	10/2/2012	CC34
C121012-[	EPA 300.0	No Prep Re	NA		<2.0	10	10/2/2012	CC34
C121012-[	EPA 300.0	No Prep Re	148-08-79{		599	10	10/2/2012	CC34
C121012-[	2340B	No Lab Pre	NA		529	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-36-0		<2.50	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-38-2		3	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-39-3		<25.0	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-43-9		7.36	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-47-3		<5.00	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-48-4		33.6	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-50-8		98.2	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7439-92-1		12.5	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-02-0		19.2	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7782-49-2		<2.50	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-22-4		<2.50	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-28-0		<2.50	5	10/4/2012	CC34
C121012-[	200.8	No Lab Pre	7440-62-2		<10.0	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-36-0		<2.50	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-38-2		6.73	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-39-3		<25.0	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-43-9		7.72	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-47-3		<5.00	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-48-4		31.3	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-50-8		96.3	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7439-92-1		15	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-02-0		17.9	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7782-49-2		<2.50	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-22-4		<2.50	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-28-0		<2.50	5	10/4/2012	CC34
C121012-[	200.8	200.2 - TR	7440-62-2		<10.0	5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7429-90-5	8580		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7440-41-7		<10.0	5	10/4/2012	CC34

C121012-[	200.7	No Lab Pre	7440-70-2	192000		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7439-89-6	23000		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7439-95-4	12200		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7439-96-5	6490		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	9/7/7440	2000		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7440-23-5	4410		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7440-24-6	2100		5	10/4/2012	CC34
C121012-[	200.7	No Lab Pre	7440-66-6	3480		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7429-90-5	8930		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7440-70-2	193000		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7439-89-6	26100		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7439-95-4	12400		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7439-96-5	6500		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	9/7/7440	2190		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7440-23-5	4470		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7440-24-6	2150		5	10/4/2012	CC34
C121012-[	200.7	200.2 - TR	7440-66-6	3450		5	10/4/2012	CC34
C121012-[	EPA 310.1	No Prep R	NA	<5.00		1	10/4/2012	CC34
C121012-[	EPA 300.0	No Prep R	16887-00-(	<10.0		10	10/4/2012	CC34
C121012-[	EPA 300.0	No Prep R	16984-48-{	2		10	10/4/2012	CC34
C121012-[	EPA 300.0	No Prep R	NA	<2.0		10	10/4/2012	CC34
C121012-[	EPA 300.0	No Prep R	148-08-79{	603		10	10/4/2012	CC34
C121012-[	2340B	No Lab Pre	NA	791		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-43-9	1.15		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-48-4	30.1		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-50-8	<2.50		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7439-92-1	<0.500		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-02-0	7.25		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7782-49-2	<2.50		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	CC38
C121012-[	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-38-2	2.68		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-43-9	1.72		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-48-4	31.2		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7440-50-8	9.34		5	10/4/2012	CC38
C121012-[	200.8	200.2 - TR	7439-92-1	3.64		5	10/4/2012	CC38

C121012-D	200.8	200.2 - TR	7440-02-0	6.72		5	10/4/2012	CC38
C121012-D	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	CC38
C121012-D	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	CC38
C121012-D	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	CC38
C121012-D	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7429-90-5	<100		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7440-70-2	289000		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7439-89-6	5050		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7439-95-4	16700		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7439-96-5	10800		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	9/7/7440	1910		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7440-23-5	9400		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7440-24-6	4410		5	10/4/2012	CC38
C121012-D	200.7	No Lab Pre	7440-66-6	1560		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7429-90-5	406		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7440-70-2	292000		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7439-89-6	16300		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7439-95-4	17000		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7439-96-5	11000		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	9/7/7440	2210		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7440-23-5	9640		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7440-24-6	4580		5	10/4/2012	CC38
C121012-D	200.7	200.2 - TR	7440-66-6	2090		5	10/4/2012	CC38
C121012-D	EPA 310.1	No Prep Re	NA	25.2		1	10/4/2012	CC38
C121012-D	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/4/2012	CC38
C121012-D	EPA 300.0	No Prep Re	16984-48-8	1.9		10	10/4/2012	CC38
C121012-D	EPA 300.0	No Prep Re	NA	<2.0		10	10/4/2012	CC38
C121012-D	EPA 300.0	No Prep Re	148-08-79	576		10	10/4/2012	CC38
C121012-D	2340B	No Lab Pre	NA	877		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-43-9	2.17		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-48-4	34.1		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-50-8	<2.50		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7439-92-1	<0.500		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-02-0	9.48		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7782-49-2	<2.50		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	CC38C
C121012-D	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	CC38C

C121012-E	200.8	200.2 - TR	7440-38-2	3.33		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-43-9	2.18		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-48-4	33		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-50-8	<2.50		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7439-92-1	3.26		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-02-0	8.65		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	CC38C
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7429-90-5	187		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7440-70-2	319000		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7439-89-6	13200		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7439-95-4	19400		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7439-96-5	8630		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	9/7/7440	2220		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7440-23-5	9770		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7440-24-6	5020		5	10/4/2012	CC38C
C121012-D	200.7	No Lab Pre	7440-66-6	2590		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7429-90-5	295		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7440-70-2	318000		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7439-89-6	17000		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7439-95-4	19500		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7439-96-5	8680		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	9/7/7440	2460		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7440-23-5	9810		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7440-24-6	5100		5	10/4/2012	CC38C
C121012-E	200.7	200.2 - TR	7440-66-6	2620		5	10/4/2012	CC38C
C121012-EEPA 310.1		No Prep Re	NA	16.3		1	10/4/2012	CC38C
C121012-EEPA 300.0		No Prep Re	16887-00-6	<10.0		10	10/4/2012	CC38C
C121012-EEPA 300.0		No Prep Re	16984-48-8	<1.0		10	10/4/2012	CC38C
C121012-EEPA 300.0		No Prep Re	NA	<2.0		10	10/4/2012	CC38C
C121012-EEPA 300.0		No Prep Re	148-08-79	<20.0		10	10/4/2012	CC38C
C121012-E2340B		No Lab Pre	NA	305		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-39-3	26.7		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-43-9	1.72		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-48-4	38.6		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-50-8	36.2		5	10/2/2012	CC-40

C121012-E	200.8	No Lab Pre	7439-92-1	22.7		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-02-0	20.2		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-43-9	1.65		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-48-4	36.6		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-50-8	36.6		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7439-92-1	23.6		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-02-0	19.7		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC-40
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7429-90-5	9690		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7440-70-2	98300		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7439-89-6	16900		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7439-95-4	14400		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7439-96-5	5920		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	9/7/7440	2940		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7440-23-5	3520		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7440-24-6	1150		5	10/2/2012	CC-40
C121012-E	200.7	No Lab Pre	7440-66-6	1000		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7429-90-5	9920		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7440-70-2	98300		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7439-89-6	17000		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7439-95-4	14500		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7439-96-5	5920		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	9/7/7440	3260		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7440-23-5	3470		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7440-24-6	1170		5	10/2/2012	CC-40
C121012-E	200.7	200.2 - TR	7440-66-6	984		5	10/2/2012	CC-40
C121012-EEPA	310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC-40
C121012-EEPA	300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC-40
C121012-EEPA	300.0	No Prep Re	16984-48-8	1.7		10	10/2/2012	CC-40
C121012-EEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC-40
C121012-EEPA	300.0	No Prep Re	148-08-79	435		10	10/2/2012	CC-40
C121012-E	2340B	No Lab Pre	NA	517		5	10/2/2012	CC40B

C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-43-9	7.01		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-48-4	31		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-50-8	95		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7439-92-1	13.2		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-02-0	16.5		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-38-2	6.29		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-43-9	6.94		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-48-4	30		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-50-8	95.4		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7439-92-1	15.4		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-02-0	18.4		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7429-90-5	8290		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-70-2	187000		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7439-89-6	15000		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7439-95-4	12000		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7439-96-5	6300		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	9/7/7440	1920		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-23-5	4480		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-24-6	2080		5	10/2/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-66-6	3370		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7429-90-5	8600		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-70-2	189000		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7439-89-6	18100		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7439-95-4	12200		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7439-96-5	6380		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	9/7/7440	2080		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-23-5	4560		5	10/2/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-24-6	2150		5	10/2/2012	CC40B

C121012-E	200.7	200.2 - TR	7440-66-6	3350		5	10/2/2012	CC40B
C121012-EEPA	310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC40B
C121012-EEPA	300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC40B
C121012-EEPA	300.0	No Prep Re	16984-48-{	2		10	10/2/2012	CC40B
C121012-EEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC40B
C121012-EEPA	300.0	No Prep Re	148-08-79{	590		10	10/2/2012	CC40B
C121012-E	2340B	No Lab Pre	NA	525		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-43-9	7.27		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-48-4	31.6		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-50-8	95.9		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7439-92-1	11.1		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-02-0	18.5		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-38-2	7.16		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-43-9	7.36		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-48-4	31.2		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-50-8	94.3		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7439-92-1	13.7		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-02-0	18.8		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	CC40B
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7429-90-5	8400		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-70-2	190000		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7439-89-6	19700		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7439-95-4	12100		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7439-96-5	6370		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	9/7/7440	1780		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-23-5	4500		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-24-6	2100		5	10/4/2012	CC40B
C121012-E	200.7	No Lab Pre	7440-66-6	3390		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7429-90-5	8530		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC40B

C121012-E	200.7	200.2 - TR	7440-70-2	187000		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7439-89-6	22300		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7439-95-4	12100		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7439-96-5	6310		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	9/7/7440	2070		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-23-5	4500		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-24-6	2130		5	10/4/2012	CC40B
C121012-E	200.7	200.2 - TR	7440-66-6	3310		5	10/4/2012	CC40B
C121012-E	EPA 310.1	No Prep Re	NA	<5.00		1	10/4/2012	CC40B
C121012-E	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/4/2012	CC40B
C121012-E	EPA 300.0	No Prep Re	16984-48-{	1.9		10	10/4/2012	CC40B
C121012-E	EPA 300.0	No Prep Re	NA	<2.0		10	10/4/2012	CC40B
C121012-E	EPA 300.0	No Prep Re	148-08-79{	599		10	10/4/2012	CC40B
C121012-E	2340B	No Lab Pre	NA	518		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-43-9	7.01		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-48-4	33.3		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-50-8	95.9		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7439-92-1	12.9		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-02-0	19.8		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC41
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-38-2	6.11		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-43-9	7.93		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-48-4	31.4		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-50-8	95.9		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7439-92-1	15.1		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-02-0	20.5		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC41
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7429-90-5	8160		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7440-70-2	188000		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7439-89-6	15700		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7439-95-4	12000		5	10/2/2012	CC41

C121012-E	200.7	No Lab Pre	7439-96-5	6310		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	9/7/7440	2000		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7440-23-5	4500		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7440-24-6	2090		5	10/2/2012	CC41
C121012-E	200.7	No Lab Pre	7440-66-6	3350		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7429-90-5	8530		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7440-70-2	188000		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7439-89-6	18400		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7439-95-4	12200		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7439-96-5	6350		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	9/7/7440	2070		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7440-23-5	4470		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7440-24-6	2130		5	10/2/2012	CC41
C121012-E	200.7	200.2 - TR	7440-66-6	3320		5	10/2/2012	CC41
C121012-EEPA	310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC41
C121012-EEPA	300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC41
C121012-EEPA	300.0	No Prep Re	16984-48-8	2		10	10/2/2012	CC41
C121012-EEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC41
C121012-EEPA	300.0	No Prep Re	148-08-79	591		10	10/2/2012	CC41
C121012-E	2340B	No Lab Pre	NA	612		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-43-9	<0.500		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-48-4	<0.500		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-50-8	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7439-92-1	<0.500		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-02-0	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC42
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-43-9	0.58		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-48-4	<0.500		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-50-8	5.97		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7439-92-1	2.09		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-02-0	<2.50		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC42

C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC42
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7429-90-5	161		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7440-70-2	234000		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7439-89-6	525		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7439-95-4	6930		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7439-96-5	1000		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	9/7/7440	<1250		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7440-23-5	6170		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7440-24-6	4900		5	10/2/2012	CC42
C121012-E	200.7	No Lab Pre	7440-66-6	102		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7429-90-5	496		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7440-70-2	231000		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7439-89-6	2560		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7439-95-4	6970		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7439-96-5	1010		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7440-23-5	6200		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7440-24-6	4960		5	10/2/2012	CC42
C121012-E	200.7	200.2 - TR	7440-66-6	131		5	10/2/2012	CC42
C121012-EEPA	310.1	No Prep Re	NA	73.8		1	10/2/2012	CC42
C121012-EEPA	300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC42
C121012-EEPA	300.0	No Prep Re	16984-48-8	1.6		10	10/2/2012	CC42
C121012-EEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC42
C121012-EEPA	300.0	No Prep Re	148-08-79	518		10	10/2/2012	CC42
C121012-E	2340B	No Lab Pre	NA	522		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-43-9	6.37		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-48-4	27.2		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-50-8	89.4		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7439-92-1	11.6		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-02-0	14		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-38-2	6.1		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-43-9	6.67		5	10/2/2012	CC44B

C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-48-4	25.9		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-50-8	86.1		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7439-92-1	13.4		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-02-0	16.4		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC44B
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7429-90-5	7350		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7440-70-2	190000		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7439-89-6	12400		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7439-95-4	11400		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7439-96-5	5670		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	9/7/7440	1750		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7440-23-5	4690		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7440-24-6	2380		5	10/2/2012	CC44B
C121012-E	200.7	No Lab Pre	7440-66-6	2970		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7429-90-5	7510		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7440-70-2	189000		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7439-89-6	16000		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7439-95-4	11400		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7439-96-5	5600		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	9/7/7440	1930		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7440-23-5	4630		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7440-24-6	2400		5	10/2/2012	CC44B
C121012-E	200.7	200.2 - TR	7440-66-6	2920		5	10/2/2012	CC44B
C121012-EEPA	310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC44B
C121012-EEPA	300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC44B
C121012-EEPA	300.0	No Prep Re	16984-48-8	1.9		10	10/2/2012	CC44B
C121012-EEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC44B
C121012-EEPA	300.0	No Prep Re	148-08-79	575		10	10/2/2012	CC44B
C121012-E	2340B	No Lab Pre	NA	529		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-43-9	6.15		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-48-4	26.6		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-50-8	86.7		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7439-92-1	12		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-02-0	13.4		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC45K

C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-38-2	6.59		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-43-9	6.76		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-48-4	26.5		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-50-8	85.4		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7439-92-1	12.8		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-02-0	15		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC45K
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7429-90-5	7290		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7440-70-2	193000		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7439-89-6	10600		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7439-95-4	11400		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7439-96-5	5610		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	9/7/7440	1680		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7440-23-5	4690		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7440-24-6	2400		5	10/2/2012	CC45K
C121012-E	200.7	No Lab Pre	7440-66-6	2940		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7429-90-5	7550		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7440-70-2	194000		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7439-89-6	14800		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7439-95-4	11600		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7439-96-5	5550		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	9/7/7440	1920		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7440-23-5	4740		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7440-24-6	2450		5	10/2/2012	CC45K
C121012-E	200.7	200.2 - TR	7440-66-6	2900		5	10/2/2012	CC45K
C121012-EEPA	310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC45K
C121012-EEPA	300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC45K
C121012-EEPA	300.0	No Prep Re	16984-48-8	1.9		10	10/2/2012	CC45K
C121012-EEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC45K
C121012-EEPA	300.0	No Prep Re	148-08-79	593		10	10/2/2012	CC45K
C121012-E	2340B	No Lab Pre	NA	527		5	10/2/2012	CC46B
C121012-E	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC46B
C121012-E	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC46B
C121012-E	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC46B

C121012-E	200.8	No Lab Pre	7440-43-9	6		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-48-4	25.3		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-50-8	78.8		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7439-92-1	11.3		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-02-0	13		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-38-2	5.94		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-43-9	5.73		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-48-4	26.3		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-50-8	80		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7439-92-1	12.8		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-02-0	15.5		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC46B	
C121012-E	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7429-90-5	7540		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7440-70-2	192000		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7439-89-6	11100		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7439-95-4	11400		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7439-96-5	5370		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	9/7/7440	1810		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7440-23-5	4780		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7440-24-6	2350		5	10/2/2012	CC46B	
C121012-E	200.7	No Lab Pre	7440-66-6	2770		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7429-90-5	7710		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7440-70-2	192000		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7439-89-6	15700		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7439-95-4	11400		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7439-96-5	5410		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	9/7/7440	1990		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7440-23-5	4750		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7440-24-6	2390		5	10/2/2012	CC46B	
C121012-E	200.7	200.2 - TR	7440-66-6	2740		5	10/2/2012	CC46B	
C121012-E	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC46B	
C121012-E	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC46B	

C121012-EEPA	300.0	No Prep Re	16984-48-8		1.9		10	10/2/2012	CC46B
C121012-EEPA	300.0	No Prep Re	NA	<2.0			10	10/2/2012	CC46B
C121012-EEPA	300.0	No Prep Re	148-08-79		588		10	10/2/2012	CC46B
C121012-F	2340B	No Lab Pre	NA		516		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0			5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-43-9		5.3		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00			5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-48-4		25.6		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-50-8		73.3		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7439-92-1		11.2		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-02-0		11.9		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7782-49-2		3.14		5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-38-2		4.9		5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-43-9		5.7		5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-47-3	<5.00			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-48-4		27.1		5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-50-8		74.5		5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7439-92-1		10.8		5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-02-0		18.1		5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-28-0	<2.50			5	10/2/2012	CC47C
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0			5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7429-90-5		7460		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0			5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7440-70-2		188000		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7439-89-6		11800		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7439-95-4		11200		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7439-96-5		5120		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	9/7/7440		1910		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7440-23-5		4750		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7440-24-6		2280		5	10/2/2012	CC47C
C121012-F	200.7	No Lab Pre	7440-66-6		2600		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7429-90-5		7800		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0			5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7440-70-2		191000		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7439-89-6		15900		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7439-95-4		11400		5	10/2/2012	CC47C

C121012-F	200.7	200.2 - TR	7439-96-5	5100		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	9/7/7440	2110		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7440-23-5	4840		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7440-24-6	2330		5	10/2/2012	CC47C
C121012-F	200.7	200.2 - TR	7440-66-6	2550		5	10/2/2012	CC47C
C121012-F	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC47C
C121012-F	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC47C
C121012-F	EPA 300.0	No Prep Re	16984-48-8	1.9		10	10/2/2012	CC47C
C121012-F	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC47C
C121012-F	EPA 300.0	No Prep Re	148-08-79	581		10	10/2/2012	CC47C
C121012-F	2340B	No Lab Pre	NA	515		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-43-9	5.06		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-48-4	24.6		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-50-8	74.4		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7439-92-1	11.2		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-02-0	12.4		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7782-49-2	3.42		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC48
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-38-2	4.81		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-43-9	5.74		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-48-4	25.4		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-50-8	73.7		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7439-92-1	13.5		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-02-0	16.4		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC48
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7429-90-5	7480		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7440-70-2	188000		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7439-89-6	11300		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7439-95-4	11100		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7439-96-5	5050		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	9/7/7440	2010		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7440-23-5	4800		5	10/2/2012	CC48

C121012-F	200.7	No Lab Pre	7440-24-6	2270		5	10/2/2012	CC48
C121012-F	200.7	No Lab Pre	7440-66-6	2590		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7429-90-5	7670		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7440-70-2	189000		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7439-89-6	15100		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7439-95-4	11300		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7439-96-5	5070		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	9/7/7440	2160		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7440-23-5	4840		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7440-24-6	2320		5	10/2/2012	CC48
C121012-F	200.7	200.2 - TR	7440-66-6	2560		5	10/2/2012	CC48
C121012-F	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC48
C121012-F	EPA 300.0	No Prep Re	16887-00-(	<10.0		10	10/2/2012	CC48
C121012-F	EPA 300.0	No Prep Re	16984-48-{	1.9		10	10/2/2012	CC48
C121012-F	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC48
C121012-F	EPA 300.0	No Prep Re	148-08-79{	581		10	10/2/2012	CC48
C121012-F	2340B	No Lab Pre	NA	515		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-43-9	5.34		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-48-4	25.4		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-50-8	73.4		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7439-92-1	10.5		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-02-0	10.4		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7782-49-2	3.93		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	CC48
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-38-2	4.92		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-43-9	5.95		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-48-4	23.1		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-50-8	68.9		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7439-92-1	12.8		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-02-0	15		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-28-0	16.6		5	10/4/2012	CC48
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7429-90-5	7520		5	10/4/2012	CC48

C121012-F	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7440-70-2	188000		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7439-89-6	11400		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7439-95-4	11100		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7439-96-5	5040		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	9/7/7440	1950		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7440-23-5	4780		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7440-24-6	2260		5	10/4/2012	CC48
C121012-F	200.7	No Lab Pre	7440-66-6	2590		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7429-90-5	7890		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7440-70-2	192000		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7439-89-6	15400		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7439-95-4	11500		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7439-96-5	5120		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	9/7/7440	2200		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7440-23-5	4950		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7440-24-6	2360		5	10/4/2012	CC48
C121012-F	200.7	200.2 - TR	7440-66-6	2600		5	10/4/2012	CC48
C121012-F	EPA 310.1	No Prep Re	NA	<5.00		1	10/4/2012	CC48
C121012-F	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/4/2012	CC48
C121012-F	EPA 300.0	No Prep Re	16984-48-8	1.8		10	10/4/2012	CC48
C121012-F	EPA 300.0	No Prep Re	NA	<2.0		10	10/4/2012	CC48
C121012-F	EPA 300.0	No Prep Re	148-08-79	579		10	10/4/2012	CC48
C121012-F	2340B	No Lab Pre	NA	545		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-43-9	5.63		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-48-4	25.8		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-50-8	78.3		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7439-92-1	11.3		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-02-0	13.5		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC49
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-38-2	4.67		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-43-9	5.51		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-47-3	13.6		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-48-4	22.7		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-50-8	66.9		5	10/2/2012	CC49

C121012-F	200.8	200.2 - TR	7439-92-1	13		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-02-0	22.7		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-28-0	4.99		5	10/2/2012	CC49
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7429-90-5	7660		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7440-70-2	199000		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7439-89-6	11500		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7439-95-4	11600		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7439-96-5	5300		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	9/7/7440	2240		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7440-23-5	4870		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7440-24-6	2340		5	10/2/2012	CC49
C121012-F	200.7	No Lab Pre	7440-66-6	2710		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7429-90-5	7800		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7440-70-2	190000		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7439-89-6	14400		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7439-95-4	11400		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7439-96-5	5140		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	9/7/7440	2130		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7440-23-5	4910		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7440-24-6	2350		5	10/2/2012	CC49
C121012-F	200.7	200.2 - TR	7440-66-6	2590		5	10/2/2012	CC49
C121012-F	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC49
C121012-F	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC49
C121012-F	EPA 300.0	No Prep Re	16984-48-8	1.8		10	10/2/2012	CC49
C121012-F	EPA 300.0	No Prep Re	NA	2.7		10	10/2/2012	CC49
C121012-F	EPA 300.0	No Prep Re	148-08-79	572		10	10/2/2012	CC49
C121012-F	2340B	No Lab Pre	NA	172		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-39-3	25.2		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-43-9	1.14		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-47-3	9.6		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-48-4	<0.500		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-50-8	4.02		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7439-92-1	<0.500		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-02-0	5.82		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7782-49-2	<2.50		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50		5	10/1/2012	A68
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0		5	10/1/2012	A68

C121012-F	200.8	200.2 - TR	7440-36-0	<2.50		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-38-2	<2.50		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-39-3	26.7		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-43-9	1.34		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-47-3	5.98		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-48-4	<0.500		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-50-8	4.24		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7439-92-1	2.84		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-02-0	3.6		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-28-0	<2.50		5	10/1/2012	A68
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7429-90-5	<100		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7440-70-2	62900		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7439-89-6	<500		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7439-95-4	3690		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7439-96-5	1420		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	9/7/7440	<1250		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7440-23-5	2740		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7440-24-6	649		5	10/1/2012	A68
C121012-F	200.7	No Lab Pre	7440-66-6	293		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7429-90-5	<100		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7440-70-2	60000		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7439-89-6	<500		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7439-95-4	3650		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7439-96-5	1390		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	9/7/7440	<1250		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7440-23-5	2630		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7440-24-6	648		5	10/1/2012	A68
C121012-F	200.7	200.2 - TR	7440-66-6	304		5	10/1/2012	A68
C121012-F	EPA 310.1	No Prep Re	NA	37.4		1	10/1/2012	A68
C121012-F	EPA 300.0	No Prep Re	16887-00-(	1.2		1	10/1/2012	A68
C121012-F	EPA 300.0	No Prep Re	16984-48-8	0.6		1	10/1/2012	A68
C121012-F	EPA 300.0	No Prep Re	NA	<0.2		1	10/1/2012	A68
C121012-F	EPA 300.0	No Prep Re	148-08-79	140		1	10/1/2012	A68
C121012-F	2340B	No Lab Pre	NA	597		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-43-9	46.6		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-48-4	22.6		5	10/2/2012	CC02D_DUP

C121012-F	200.8	No Lab Pre	7440-50-8	22.9		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7439-92-1	210		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-02-0	11.4		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-38-2	2.53		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-43-9	46.4		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-48-4	21.8		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-50-8	16.8		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7439-92-1	230		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-02-0	12.2		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7782-49-2	2.63		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC02D_DUP
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7429-90-5	3200		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7440-70-2	217000		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7439-89-6	26800		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7439-95-4	13300		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7439-96-5	29200		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	9/7/7440	2350		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7440-23-5	6300		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7440-24-6	1850		5	10/2/2012	CC02D_DUP
C121012-F	200.7	No Lab Pre	7440-66-6	33400		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7429-90-5	3440		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7440-70-2	209000		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7439-89-6	28000		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7439-95-4	13500		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7439-96-5	29400		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	9/7/7440	2320		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7440-23-5	6430		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7440-24-6	1880		5	10/2/2012	CC02D_DUP
C121012-F	200.7	200.2 - TR	7440-66-6	33100		5	10/2/2012	CC02D_DUP
C121012-FEPA	310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC02D_DUP
C121012-FEPA	300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC02D_DUP
C121012-FEPA	300.0	No Prep Re	16984-48-8	4.3		10	10/2/2012	CC02D_DUP
C121012-FEPA	300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC02D_DUP
C121012-FEPA	300.0	No Prep Re	148-08-79	718		10	10/2/2012	CC02D_DUP

C121012-F	2340B	No Lab Pre	NA		123		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-38-2		37.6		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0			5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-43-9		4.23		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00			5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-48-4		38.2		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-50-8		20.8		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7439-92-1		5.04		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-02-0		34.9		5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7782-49-2	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	No Lab Pre	7440-62-2		21.4		5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-38-2	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-43-9		4.13		5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-47-3	<5.00			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-48-4		31.6		5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-50-8		16.9		5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7439-92-1		4.92		5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-02-0		24.6		5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-28-0	<2.50			5	10/2/2012 CC21B_DUP
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0			5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7429-90-5		24500		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0			5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7440-70-2		33700		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7439-89-6		60000		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7439-95-4		9520		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7439-96-5		889		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	9/7/7440		4340		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7440-23-5		1590		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7440-24-6		444		5	10/2/2012 CC21B_DUP
C121012-F	200.7	No Lab Pre	7440-66-6		1250		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7429-90-5		24600		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7440-41-7	<10.0			5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7440-70-2		32500		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7439-89-6		11900		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7439-95-4		9380		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7439-96-5		870		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	9/7/7440		4400		5	10/2/2012 CC21B_DUP
C121012-F	200.7	200.2 - TR	7440-23-5		1510		5	10/2/2012 CC21B_DUP

C121012-F	200.7	200.2 - TR	7440-24-6	446		5	10/2/2012	CC21B_DUP
C121012-F	200.7	200.2 - TR	7440-66-6	1180		5	10/2/2012	CC21B_DUP
C121012-F	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	CC21B_DUP
C121012-F	EPA 300.0	No Prep R	16887-00-I	<10.0		10	10/2/2012	CC21B_DUP
C121012-F	EPA 300.0	No Prep R	16984-48-8	1		10	10/2/2012	CC21B_DUP
C121012-F	EPA 300.0	No Prep R	NA	<2.0		10	10/2/2012	CC21B_DUP
C121012-F	EPA 300.0	No Prep R	148-08-79	331		10	10/2/2012	CC21B_DUP
C121012-F	2340B	No Lab Pre	NA	532		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-43-9	10.8		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-48-4	31.9		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-50-8	150		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7439-92-1	27		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-02-0	12.7		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-43-9	10.1		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-48-4	27.8		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-50-8	131		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7439-92-1	40.8		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-02-0	14.1		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC26_DUP
C121012-F	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7429-90-5	5790		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7440-70-2	192000		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7439-89-6	13600		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7439-95-4	12600		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7439-96-5	8990		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	9/7/7440	1790		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7440-23-5	4670		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7440-24-6	2260		5	10/2/2012	CC26_DUP
C121012-F	200.7	No Lab Pre	7440-66-6	4780		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7429-90-5	6300		5	10/2/2012	CC26_DUP

C121012-F	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7440-70-2	184000		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7439-89-6	18700		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7439-95-4	12500		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7439-96-5	8800		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	9/7/7440	1640		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7440-23-5	4530		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7440-24-6	2260		5	10/2/2012	CC26_DUP
C121012-F	200.7	200.2 - TR	7440-66-6	4580		5	10/2/2012	CC26_DUP
C121012-F	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	CC26_DUP
C121012-F	EPA 300.0	No Prep R	16887-00-(	<10.0		10	10/2/2012	CC26_DUP
C121012-F	EPA 300.0	No Prep R	16984-48-8	2.4		10	10/2/2012	CC26_DUP
C121012-F	EPA 300.0	No Prep R	NA	<2.0		10	10/2/2012	CC26_DUP
C121012-F	EPA 300.0	No Prep R	148-08-79	556		10	10/2/2012	CC26_DUP
C121012-C	2340B	No Lab Pre	NA	537		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-43-9	5.45		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-48-4	24.7		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-50-8	76.1		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7439-92-1	10.9		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-02-0	11.4		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-38-2	4.82		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-43-9	5.44		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-48-4	23.2		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-50-8	68.7		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7439-92-1	12.8		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-02-0	15		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC49_DUP
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7429-90-5	7600		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7440-70-2	196000		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7439-89-6	8580		5	10/2/2012	CC49_DUP

C121012-C	200.7	No Lab Pre	7439-95-4	11500		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7439-96-5	5200		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	9/7/7440	2310		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7440-23-5	4950		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7440-24-6	2350		5	10/2/2012	CC49_DUP
C121012-C	200.7	No Lab Pre	7440-66-6	2670		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7429-90-5	7770		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7440-70-2	191000		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7439-89-6	14600		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7439-95-4	11400		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7439-96-5	5120		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	9/7/7440	2150		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7440-23-5	4900		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7440-24-6	2340		5	10/2/2012	CC49_DUP
C121012-C	200.7	200.2 - TR	7440-66-6	2550		5	10/2/2012	CC49_DUP
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC49_DUP
C121012-C	EPA 300.0	No Prep Re	16887-00-I	<10.0		10	10/2/2012	CC49_DUP
C121012-C	EPA 300.0	No Prep Re	16984-48-8	1.8		10	10/2/2012	CC49_DUP
C121012-C	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC49_DUP
C121012-C	EPA 300.0	No Prep Re	148-08-79	562		10	10/2/2012	CC49_DUP
C121012-C	2340B	No Lab Pre	NA	537		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-43-9	5.82		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-48-4	25.2		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-50-8	76.1		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7439-92-1	11.3		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-02-0	10.3		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7782-49-2	2.54		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-38-2	4.3		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-43-9	5.49		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-48-4	23.4		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-50-8	68.6		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7439-92-1	12.9		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-02-0	13.3		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	CC48_DUP

C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	CC48_DUP
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7429-90-5	7630		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7440-70-2	196000		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7439-89-6	11700		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7439-95-4	11500		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7439-96-5	5270		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	9/7/7440	2260		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7440-23-5	4960		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7440-24-6	2340		5	10/2/2012	CC48_DUP
C121012-C	200.7	No Lab Pre	7440-66-6	2690		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7429-90-5	7780		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7440-70-2	190000		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7439-89-6	15100		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7439-95-4	11400		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7439-96-5	5080		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	9/7/7440	2160		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7440-23-5	4920		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7440-24-6	2340		5	10/2/2012	CC48_DUP
C121012-C	200.7	200.2 - TR	7440-66-6	2570		5	10/2/2012	CC48_DUP
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	CC48_DUP
C121012-C	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/2/2012	CC48_DUP
C121012-C	EPA 300.0	No Prep Re	16984-48-8	1.9		10	10/2/2012	CC48_DUP
C121012-C	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	CC48_DUP
C121012-C	EPA 300.0	No Prep Re	148-08-79	570		10	10/2/2012	CC48_DUP
C121012-C	2340B	No Lab Pre	NA	1220		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-43-9	31		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-48-4	102		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-50-8	5.75		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7439-92-1	2.82		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-02-0	42.4		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	CC03E_DUP

C121012-C	200.8	200.2 - TR	7440-43-9	31.7		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-48-4	91.1		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-50-8	10.4		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7439-92-1	72		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-02-0	51.3		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	CC03E_DUP
C121012-C	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7429-90-5	2430		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7440-70-2	443000		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7439-89-6	88600		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7439-95-4	27700		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7439-96-5	33700		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	9/7/7440	1770		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7440-23-5	8670		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7440-24-6	4850		5	10/3/2012	CC03E_DUP
C121012-C	200.7	No Lab Pre	7440-66-6	16300		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7429-90-5	4870		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7440-70-2	432000		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7439-89-6	88500		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7439-95-4	27400		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7439-96-5	32800		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	9/7/7440	1610		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7440-23-5	8570		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7440-24-6	4850		5	10/3/2012	CC03E_DUP
C121012-C	200.7	200.2 - TR	7440-66-6	15600		5	10/3/2012	CC03E_DUP
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	CC03E_DUP
C121012-C	EPA 300.0	No Prep Re	16887-00-6	<100		100	10/3/2012	CC03E_DUP
C121012-C	EPA 300.0	No Prep Re	16984-48-8	50.8		100	10/3/2012	CC03E_DUP
C121012-C	EPA 300.0	No Prep Re	NA	<20.0		100	10/3/2012	CC03E_DUP
C121012-C	EPA 300.0	No Prep Re	148-08-79	12900		100	10/3/2012	CC03E_DUP
C121012-C	2340B	No Lab Pre	NA	<2		1	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-39-3	<25.0		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-43-9	<0.500		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-48-4	<0.500		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-50-8	2.66		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7439-92-1	<0.500		5	10/1/2012	FB-01
C121012-C	200.8	No Lab Pre	7440-02-0	<2.50		5	10/1/2012	FB-01

C121012-0	200.8	No Lab Pre	7782-49-2	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	No Lab Pre	7440-22-4	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	No Lab Pre	7440-28-0	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	No Lab Pre	7440-62-2	<10.0		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-36-0	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-38-2	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-39-3	<25.0		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-43-9	<0.500		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-47-3	<5.00		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-48-4	<0.500		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-50-8	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7439-92-1	<0.500		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-02-0	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7782-49-2	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-22-4	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-28-0	<2.50		5	10/1/2012 FB-01
C121012-0	200.8	200.2 - TR	7440-62-2	<10.0		5	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7429-90-5	<20.0		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7440-70-2	<100		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7439-89-6	<100		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7439-95-4	<100		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7439-96-5	<2.00		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	9/7/7440	<250		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7440-23-5	<250		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7440-24-6	<2.00		1	10/1/2012 FB-01
C121012-0	200.7	No Lab Pre	7440-66-6	<10.0		1	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7429-90-5	<100		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7440-41-7	<10.0		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7440-70-2	<500		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7439-89-6	<500		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7439-95-4	<500		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7439-96-5	<10.0		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	9/7/7440	<1250		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7440-23-5	<1250		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7440-24-6	<10.0		5	10/1/2012 FB-01
C121012-0	200.7	200.2 - TR	7440-66-6	<50.0		5	10/1/2012 FB-01
C121012-0	EPA 310.1	No Prep Re	NA	<5.00		1	10/1/2012 FB-01
C121012-0	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	10/1/2012 FB-01
C121012-0	EPA 300.0	No Prep Re	16984-48-8	<0.1		1	10/1/2012 FB-01
C121012-0	EPA 300.0	No Prep Re	NA	<0.2		1	10/1/2012 FB-01
C121012-0	EPA 300.0	No Prep Re	148-08-79	<2.0		1	10/1/2012 FB-01
C121012-0	2340B	No Lab Pre	NA	<2		1	10/2/2012 FB-02
C121012-0	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012 FB-02
C121012-0	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012 FB-02

C121012-0	200.8	No Lab Pre	7440-39-3	<25.0		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-43-9	<0.500		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-48-4	<0.500		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-50-8	2.96		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7439-92-1	<0.500		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-02-0	4.03		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-39-3	<25.0		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-43-9	<0.500		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-48-4	<0.500		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-50-8	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7439-92-1	<0.500		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-02-0	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	FB-02
C121012-0	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7429-90-5	<20.0		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7440-70-2	<100		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7439-89-6	<100		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7439-95-4	<100		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7439-96-5	<2.00		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	9/7/7440	<250		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7440-23-5	<250		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7440-24-6	<2.00		1	10/2/2012	FB-02
C121012-0	200.7	No Lab Pre	7440-66-6	<10.0		1	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7429-90-5	<100		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7440-70-2	<500		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7439-89-6	<500		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7439-95-4	<500		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7439-96-5	<10.0		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7440-23-5	<1250		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7440-24-6	<10.0		5	10/2/2012	FB-02
C121012-0	200.7	200.2 - TR	7440-66-6	<50.0		5	10/2/2012	FB-02
C121012-0	EPA 310.1	No Prep R	NA	<5.00		1	10/2/2012	FB-02

C121012-0	EPA 300.0	No Prep R	16887-00-(	<1.0		1	10/2/2012	FB-02
C121012-0	EPA 300.0	No Prep R	16984-48-(	<0.1		1	10/2/2012	FB-02
C121012-0	EPA 300.0	No Prep R	NA	<0.2		1	10/2/2012	FB-02
C121012-0	EPA 300.0	No Prep R	148-08-79(	<2.0		1	10/2/2012	FB-02
C121012-0	2340B	No Lab Pre	NA	<2		1	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-43-9	<0.500		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-47-3		5	5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-48-4	<0.500		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-50-8		3.6	5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7439-92-1		0.599	5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-02-0		4.52	5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-43-9	<0.500		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-48-4	<0.500		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-50-8	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7439-92-1	<0.500		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-02-0	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7782-49-2	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	FB-03
C121012-0	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7429-90-5	<20.0		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7440-70-2	<100		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7439-89-6	<100		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7439-95-4	<100		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7439-96-5	<2.00		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	9/7/7440	<250		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7440-23-5	<250		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7440-24-6	<2.00		1	10/3/2012	FB-03
C121012-0	200.7	No Lab Pre	7440-66-6	<10.0		1	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7429-90-5	<100		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7440-70-2	<500		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	FB-03

C121012-0	200.7	200.2 - TR	7439-95-4	<500		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7439-96-5	<10.0		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7440-23-5	<1250		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7440-24-6	<10.0		5	10/3/2012	FB-03
C121012-0	200.7	200.2 - TR	7440-66-6	<50.0		5	10/3/2012	FB-03
C121012-0	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	FB-03
C121012-0	EPA 300.0	No Prep Re	16887-00-1	<1.0		1	10/3/2012	FB-03
C121012-0	EPA 300.0	No Prep Re	16984-48-1	<0.1		1	10/3/2012	FB-03
C121012-0	EPA 300.0	No Prep Re	NA	<0.2		1	10/3/2012	FB-03
C121012-0	EPA 300.0	No Prep Re	148-08-79	<2.0		1	10/3/2012	FB-03
C121012-0	2340B	No Lab Pre	NA	<2		1	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-39-3	<25.0		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-43-9	<0.500		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-48-4	<0.500		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-50-8	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7439-92-1	<0.500		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-02-0		3.57	5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7782-49-2	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-39-3	<25.0		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-43-9	<0.500		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-48-4	<0.500		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-50-8	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7439-92-1	<0.500		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-02-0	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	FB-04
C121012-0	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	7429-90-5	<20.0		1	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	7440-41-7	<2.00		1	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	7440-70-2	<100		1	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	7439-89-6	<100		1	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	7439-95-4	<100		1	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	7439-96-5	<2.00		1	10/4/2012	FB-04
C121012-0	200.7	No Lab Pre	9/7/7440	<250		1	10/4/2012	FB-04

C121012-C		200.7	No Lab Pre	7440-23-5	<250		10/4/2012	FB-04
C121012-C		200.7	No Lab Pre	7440-24-6	<2.00		10/4/2012	FB-04
C121012-C		200.7	No Lab Pre	7440-66-6	<10.0		10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7429-90-5	<100		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7440-41-7	<10.0		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7440-70-2	<500		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7439-89-6	<500		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7439-95-4	<500		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7439-96-5	<10.0		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	9/7/7440	<1250		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7440-23-5	<1250		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7440-24-6	<10.0		5 10/4/2012	FB-04
C121012-C		200.7	200.2 - TR	7440-66-6	<50.0		5 10/4/2012	FB-04
C121012-C	EPA 310.1		No Prep Re	NA	<5.00		10/4/2012	FB-04
C121012-C	EPA 300.0		No Prep Re	16887-00-6	<1.0		10/4/2012	FB-04
C121012-C	EPA 300.0		No Prep Re	16984-48-8	<0.1		10/4/2012	FB-04
C121012-C	EPA 300.0		No Prep Re	NA	<0.2		10/4/2012	FB-04
C121012-C	EPA 300.0		No Prep Re	148-08-79	<2.0		10/4/2012	FB-04
C121012-C	2340B		No Lab Pre	NA		403	5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-36-0	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-38-2	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-39-3	<25.0		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-43-9		17.4	5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-47-3	<5.00		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-48-4		1.86	5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-50-8		148	5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7439-92-1		15.3	5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-02-0		9.45	5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7782-49-2	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-22-4	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-28-0	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	No Lab Pre	7440-62-2	<10.0		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-36-0	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-38-2	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-39-3	<25.0		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-43-9		17.9	5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-47-3	<5.00		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-48-4		1.61	5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-50-8		131	5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7439-92-1		14.7	5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-02-0		11.5	5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7782-49-2	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-22-4	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-28-0	<2.50		5 10/3/2012	FD-1
C121012-C		200.8	200.2 - TR	7440-62-2	<10.0		5 10/3/2012	FD-1

C121012-C	200.7	No Lab Pre	7429-90-5	4440		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7440-70-2	146000		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7439-89-6	<500		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7439-95-4	9040		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7439-96-5	6030		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	9/7/7440	<1250		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7440-23-5	5270		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7440-24-6	1690		5	10/3/2012	FD-1
C121012-C	200.7	No Lab Pre	7440-66-6	8400		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7429-90-5	4510		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7440-70-2	142000		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7439-89-6	<500		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7439-95-4	9000		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7439-96-5	5960		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	9/7/7440	<1250		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7440-23-5	5190		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7440-24-6	1700		5	10/3/2012	FD-1
C121012-C	200.7	200.2 - TR	7440-66-6	8010		5	10/3/2012	FD-1
C121012-C	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	FD-1
C121012-C	EPA 300.0	No Prep Re	16887-00-I	<10.0		10	10/3/2012	FD-1
C121012-C	EPA 300.0	No Prep Re	16984-48-I	<1.0		10	10/3/2012	FD-1
C121012-C	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	FD-1
C121012-C	EPA 300.0	No Prep Re	148-08-79	50.9		10	10/3/2012	FD-1
C121012-C	2340B	No Lab Pre	NA	220		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-36-0	<2.50		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-38-2	<2.50		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-39-3	25.4		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-43-9	0.905		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-47-3	<5.00		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-48-4	7.36		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-50-8	3.76		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7439-92-1	<0.500		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-02-0	<2.50		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7782-49-2	<2.50		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-22-4	<2.50		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-28-0	<2.50		5	10/2/2012	M34
C121012-C	200.8	No Lab Pre	7440-62-2	<10.0		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-36-0	<2.50		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-38-2	<2.50		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-39-3	25.2		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-43-9	0.701		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-47-3	<5.00		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-48-4	6.6		5	10/2/2012	M34

C121012-H	200.8	200.2 - TR	7440-50-8	5.57		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7439-92-1	2.4		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-02-0	2.63		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7782-49-2	<2.50		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-22-4	<2.50		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-28-0	<2.50		5	10/2/2012	M34
C121012-H	200.8	200.2 - TR	7440-62-2	<10.0		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7429-90-5	177		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7440-41-7	<10.0		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7440-70-2	77300		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7439-89-6	3510		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7439-95-4	6460		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7439-96-5	435		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	9/7/7440	<1250		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7440-23-5	3880		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7440-24-6	748		5	10/2/2012	M34
C121012-G	200.7	No Lab Pre	7440-66-6	173		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7429-90-5	3390		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7440-41-7	<10.0		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7440-70-2	75100		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7439-89-6	4630		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7439-95-4	6420		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7439-96-5	428		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	9/7/7440	<1250		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7440-23-5	3780		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7440-24-6	745		5	10/2/2012	M34
C121012-H	200.7	200.2 - TR	7440-66-6	177		5	10/2/2012	M34
C121012-H	EPA 310.1	No Prep Re	NA	<5.00		1	10/2/2012	M34
C121012-H	EPA 300.0	No Prep Re	16887-00-I	<10.0		10	10/2/2012	M34
C121012-H	EPA 300.0	No Prep Re	16984-48-I	<1.0		10	10/2/2012	M34
C121012-H	EPA 300.0	No Prep Re	NA	<2.0		10	10/2/2012	M34
C121012-H	EPA 300.0	No Prep Re	148-08-79	192		10	10/2/2012	M34
C121012-H	2340B	No Lab Pre	NA	225		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-36-0	<2.50		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-38-2	<2.50		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-39-3	27.1		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-43-9	0.65		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-47-3	<5.00		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-48-4	7.6		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-50-8	4.69		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7439-92-1	0.662		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-02-0	<2.50		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7782-49-2	<2.50		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-22-4	<2.50		5	10/4/2012	M34
C121012-H	200.8	No Lab Pre	7440-28-0	<2.50		5	10/4/2012	M34

C121012-H	200.8	No Lab Pre	7440-62-2	<10.0		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-36-0	<2.50		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-38-2	<2.50		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-39-3	25.7		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-43-9	0.75		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-47-3	<5.00		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-48-4	7.02		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-50-8	7.95		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7439-92-1	2.57		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-02-0	2.92		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7782-49-2	<2.50		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-22-4	<2.50		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-28-0	<2.50		5	10/4/2012	M34
C121012-H	200.8	200.2 - TR	7440-62-2	<10.0		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7429-90-5	373		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7440-41-7	<10.0		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7440-70-2	79200		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7439-89-6	3600		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7439-95-4	6690		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7439-96-5	455		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	9/7/7440	<1250		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7440-23-5	3960		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7440-24-6	770		5	10/4/2012	M34
C121012-H	200.7	No Lab Pre	7440-66-6	182		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7429-90-5	3670		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7440-41-7	<10.0		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7440-70-2	76800		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7439-89-6	4740		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7439-95-4	6620		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7439-96-5	444		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	9/7/7440	<1250		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7440-23-5	3900		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7440-24-6	771		5	10/4/2012	M34
C121012-H	200.7	200.2 - TR	7440-66-6	178		5	10/4/2012	M34
C121012-H	EPA 310.1	No Prep Re	NA	<5.00		1	10/4/2012	M34
C121012-H	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/4/2012	M34
C121012-H	EPA 300.0	No Prep Re	16984-48-8	<1.0		10	10/4/2012	M34
C121012-H	EPA 300.0	No Prep Re	NA	<2.0		10	10/4/2012	M34
C121012-H	EPA 300.0	No Prep Re	148-08-79	197		10	10/4/2012	M34
C121012-H	2340B	No Lab Pre	NA	461		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-36-0	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-38-2	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-39-3	<25.0		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-43-9	52.9		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-47-3	<5.00		5	10/3/2012	MTD-4

C121012-H	200.8	No Lab Pre	7440-48-4	16.1		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-50-8	516		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7439-92-1	75.4		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-02-0	11.7		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7782-49-2	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-22-4	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-28-0	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	No Lab Pre	7440-62-2	<10.0		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-36-0	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-38-2	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-39-3	<25.0		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-43-9	53.6		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-47-3	<5.00		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-48-4	14.9		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-50-8	466		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7439-92-1	72.6		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-02-0	16.3		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7782-49-2	2.94		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-22-4	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-28-0	<2.50		5	10/3/2012	MTD-4
C121012-H	200.8	200.2 - TR	7440-62-2	<10.0		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7429-90-5	7810		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7440-41-7	<10.0		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7440-70-2	164000		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7439-89-6	2520		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7439-95-4	12800		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7439-96-5	21200		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	9/7/7440	1660		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7440-23-5	5240		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7440-24-6	1460		5	10/3/2012	MTD-4
C121012-H	200.7	No Lab Pre	7440-66-6	26100		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7429-90-5	8030		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7440-41-7	<10.0		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7440-70-2	160000		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7439-89-6	2610		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7439-95-4	12800		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7439-96-5	20900		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	9/7/7440	1690		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7440-23-5	5180		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7440-24-6	1460		5	10/3/2012	MTD-4
C121012-H	200.7	200.2 - TR	7440-66-6	24800		5	10/3/2012	MTD-4
C121012-H	EPA 310.1	No Prep Re	NA	<5.00		1	10/3/2012	MTD-4
C121012-H	EPA 300.0	No Prep Re	16887-00-6	<10.0		10	10/3/2012	MTD-4
C121012-H	EPA 300.0	No Prep Re	16984-48-8	3.7		10	10/3/2012	MTD-4
C121012-H	EPA 300.0	No Prep Re	NA	<2.0		10	10/3/2012	MTD-4

C121012-H	EPA 300.0	No Prep Re	148-08-79		545		10	10/3/2012	MTD-4
C121012-H	2340B	No Lab Pre	NA		304		5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-36-0	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-38-2	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-39-3	<25.0			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-43-9		15.8		5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-47-3	<5.00			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-48-4		21.1		5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-50-8		85		5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7439-92-1		9.15		5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-02-0		14.1		5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7782-49-2	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-22-4	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-28-0	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	No Lab Pre	7440-62-2	<10.0			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-36-0	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-38-2	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-39-3	<25.0			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-43-9		14.8		5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-47-3	<5.00			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-48-4		18.9		5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-50-8		111		5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7439-92-1		71.7		5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-02-0		13.8		5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7782-49-2	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-22-4	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-28-0	<2.50			5	10/4/2012	SEEPA
C121012-H	200.8	200.2 - TR	7440-62-2	<10.0			5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7429-90-5		1510		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7440-41-7	<10.0			5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7440-70-2		106000		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7439-89-6		16800		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7439-95-4		9340		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7439-96-5		37200		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	9/7/7440		1680		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7440-23-5		3790		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7440-24-6		1100		5	10/4/2012	SEEPA
C121012-H	200.7	No Lab Pre	7440-66-6		4420		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7429-90-5		2940		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7440-41-7	<10.0			5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7440-70-2		103000		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7439-89-6		17900		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7439-95-4		9110		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7439-96-5		36200		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	9/7/7440		1490		5	10/4/2012	SEEPA

C121012-H	200.7	200.2 - TR	7440-23-5	3570		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7440-24-6	1090		5	10/4/2012	SEEPA
C121012-H	200.7	200.2 - TR	7440-66-6	4220		5	10/4/2012	SEEPA
C121012-HEPA	310.1	No Prep Re	NA	<5.00		1	10/4/2012	SEEPA
C121012-HEPA	300.0	No Prep Re	16887-00-I	<10.0		10	10/4/2012	SEEPA
C121012-HEPA	300.0	No Prep Re	16984-48-8	3.3		10	10/4/2012	SEEPA
C121012-HEPA	300.0	No Prep Re	NA	<2.0		10	10/4/2012	SEEPA
C121012-HEPA	300.0	No Prep Re	148-08-79	341		10	10/4/2012	SEEPA
C130504-02340B		No Lab Pre	NA	65		1	5/13/2013	A56
C130504-0	415.3	No Prep Re	NA	1.8		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-36-0	<0.500		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-38-2	<0.500		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-39-3	16.8		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-43-9	0.742		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-47-3	<1.00		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-48-4	<0.100		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-50-8	8.42		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7439-92-1	0.563		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-02-0	<0.500		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7782-49-2	<0.500		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-22-4	<0.500		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-28-0	<0.500		1	5/13/2013	A56
C130504-0	200.8	No Lab Pre	7440-62-2	<2.00		1	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-36-0	2170		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-36-0	<2.50		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-38-2	20300		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-38-2	<2.50		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-39-3	134000		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-39-3	26.9		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-43-9	12800		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-43-9	1.62		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-47-3	4650		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-47-3	<5.00		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-48-4	10100		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-48-4	<0.500		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-50-8	267000		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-50-8	46		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7439-92-1	1820000		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7439-92-1	81.3		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-02-0	5990		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-02-0	<2.50		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7782-49-2	548		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7782-49-2	<2.50		5	5/13/2013	A56
C130504-0EPA	200.2	200.2 - TR	7440-22-4	7060		10	5/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-22-4	<2.50		5	5/13/2013	A56

C130504-0	EPA 200.2	200.2 - TR	7440-28-0	<493		1	05/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-28-0	<2.50		5	5/13/2013	A56
C130504-0	EPA 200.2	200.2 - TR	7440-62-2	15400		1	05/13/2013	A56
C130504-0	200.8	200.2 - TR	7440-62-2	<10.0		5	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7429-90-5	48.7		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7440-41-7	<2.00		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7440-70-2	23100		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7439-89-6	<100		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7439-95-4	1720		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7439-96-5	140		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	9/7/7440	584		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7440-23-5	1230		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7440-24-6	206		1	5/13/2013	A56
C130504-0	200.7	No Lab Pre	7440-66-6	224		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7429-90-5	8250		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7429-90-5	817		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7440-41-7	<1.97		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7440-41-7	<2.00		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7440-70-2	2900		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7440-70-2	21900		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7439-89-6	26100		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7439-89-6	635		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7439-95-4	5200		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7439-95-4	1660		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7439-96-5	9760		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7439-96-5	567		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	9/7/7440	590		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	9/7/7440	595		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7440-23-5	<246		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7440-23-5	1100		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7440-24-6	27.8		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7440-24-6	219		1	5/13/2013	A56
C130504-0	EPA 200.2/	200.2 - TR	7440-66-6	2330		1	05/13/2013	A56
C130504-0	200.7	200.2 - TR	7440-66-6	467		1	5/13/2013	A56
C130504-0	EPA 310.1	No Prep Re	NA	25.3		1	5/13/2013	A56
C130504-0	EPA 300.0	No Prep Re	16887-00-	1.1		1	5/13/2013	A56
C130504-0	EPA 300.0	No Prep Re	16984-48-	0.2		1	5/13/2013	A56
C130504-0	EPA 300.0	No Prep Re	NA	0.2		1	5/13/2013	A56
C130504-0	EPA 300.0	No Prep Re	148-08-79	39.6		1	5/13/2013	A56
C130504-02340B		No Lab Pre	NA	70		1	5/13/2013	A58
C130504-0	415.3	No Prep Re	NA	<1.0		1	5/13/2013	A58
C130504-0	200.8	No Lab Pre	7440-36-0	<0.500		1	5/13/2013	A58
C130504-0	200.8	No Lab Pre	7440-38-2	<0.500		1	5/13/2013	A58
C130504-0	200.8	No Lab Pre	7440-39-3	18.1		1	5/13/2013	A58
C130504-0	200.8	No Lab Pre	7440-43-9	1.09		1	5/13/2013	A58

C130504-0	200.8	No Lab Pre	7440-47-3	1.17		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7440-48-4	<0.100		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7440-50-8	6.35		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7439-92-1	1.91		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7440-02-0	<0.500		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7782-49-2	0.502		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7440-22-4	<0.500		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7440-28-0	<0.500		15/13/2013	A58	
C130504-0	200.8	No Lab Pre	7440-62-2	<2.00		15/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-36-0	1940		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-36-0	<2.50		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-38-2	9370		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-38-2	<2.50		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-39-3	127000		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-39-3	<25.0		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-43-9	6230		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-43-9	1.21		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-47-3	3260		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-47-3	<5.00		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-48-4	6650		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-48-4	<0.500		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-50-8	458000		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-50-8	15.2		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7439-92-1	1860000		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7439-92-1	22.1		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-02-0	2810		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-02-0	<2.50		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7782-49-2	<504		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7782-49-2	<2.50		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-22-4	9550		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-22-4	<2.50		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-28-0	627		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-28-0	<2.50		55/13/2013	A58	
C130504-1EPA	200.2	200.2 - TR	7440-62-2	11500		105/13/2013	A58	
C130504-0	200.8	200.2 - TR	7440-62-2	<10.0		55/13/2013	A58	
C130504-0	200.7	No Lab Pre	7429-90-5	<20.0		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7440-41-7	<2.00		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7440-70-2	25900		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7439-89-6	<100		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7439-95-4	1280		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7439-96-5	2.49		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	9/7/7440	493		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7440-23-5	1720		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7440-24-6	301		15/13/2013	A58	
C130504-0	200.7	No Lab Pre	7440-66-6	154		15/13/2013	A58	

C130504-1	EPA 200.2/	200.2 - TR	7429-90-5	6780		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7429-90-5	57.1		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7440-41-7	<2.02		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7440-41-7	<2.00		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7440-70-2	2590		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7440-70-2	24000		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7439-89-6	20300		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7439-89-6	<100		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7439-95-4	4410		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7439-95-4	1190		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7439-96-5	4060		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7439-96-5	17.6		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	9/7/7440	500		105/13/2013	A58
C130504-0	200.7	200.2 - TR	9/7/7440	462		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7440-23-5	<252		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7440-23-5	1550		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7440-24-6	30.5		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7440-24-6	343		15/13/2013	A58
C130504-1	EPA 200.2/	200.2 - TR	7440-66-6	1260		105/13/2013	A58
C130504-0	200.7	200.2 - TR	7440-66-6	165		15/13/2013	A58
C130504-0	EPA 310.1	No Prep Re	NA	36.8		15/13/2013	A58
C130504-0	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/13/2013	A58
C130504-0	EPA 300.0	No Prep Re	16984-48-8	0.1		15/13/2013	A58
C130504-0	EPA 300.0	No Prep Re	NA	0.4		15/13/2013	A58
C130504-0	EPA 300.0	No Prep Re	148-08-79	31.2		15/13/2013	A58
C130504-12340B		No Lab Pre	NA	74		15/13/2013	A60
C130504-1	415.3	No Prep Re	NA	1.6		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-36-0	<0.500		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-38-2	<0.500		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-39-3	17.4		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-43-9	0.737		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-47-3	<1.00		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-48-4	<0.100		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-50-8	7.81		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7439-92-1	0.666		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-02-0	<0.500		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7782-49-2	<0.500		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-22-4	<0.500		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-28-0	<0.500		15/13/2013	A60
C130504-1	200.8	No Lab Pre	7440-62-2	<2.00		15/13/2013	A60
C130504-1	EPA 200.2	200.2 - TR	7440-36-0	2610		105/13/2013	A60
C130504-1	200.8	200.2 - TR	7440-36-0	<2.50		55/13/2013	A60
C130504-1	EPA 200.2	200.2 - TR	7440-38-2	24400		105/13/2013	A60
C130504-1	200.8	200.2 - TR	7440-38-2	<2.50		55/13/2013	A60
C130504-1	EPA 200.2	200.2 - TR	7440-39-3	159000		105/13/2013	A60

C130504-1	200.8	200.2 - TR	7440-39-3	<25.0		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-43-9	14700		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-43-9	1.33		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-47-3	4860		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-47-3	<5.00		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-48-4	13000		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-48-4	<0.500		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-50-8	286000		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-50-8	33.1		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7439-92-1	2100000		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7439-92-1	34.7		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-02-0	7580		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-02-0	<2.50		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7782-49-2	<502		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7782-49-2	<2.50		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-22-4	4050		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-22-4	<2.50		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-28-0	<502		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-28-0	<2.50		5	5/13/2013 A60
C130504-1EPA	200.2	200.2 - TR	7440-62-2	15000		10	5/13/2013 A60
C130504-1	200.8	200.2 - TR	7440-62-2	<10.0		5	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7429-90-5	49.8		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7440-41-7	<2.00		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7440-70-2	26400		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7439-89-6	<100		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7439-95-4	1900		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7439-96-5	153		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	9/7/7440	594		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7440-23-5	1330		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7440-24-6	222		1	5/13/2013 A60
C130504-1	200.7	No Lab Pre	7440-66-6	242		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	7429-90-5	9160		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	7429-90-5	370		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	7440-41-7	<2.01		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	7440-41-7	<2.00		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	7440-70-2	2810		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	7440-70-2	24200		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	7439-89-6	24400		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	7439-89-6	257		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	7439-95-4	5370		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	7439-95-4	1740		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	7439-96-5	12600		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	7439-96-5	348		1	5/13/2013 A60
C130504-1EPA	200.2/	200.2 - TR	9/7/7440	563		10	5/13/2013 A60
C130504-1	200.7	200.2 - TR	9/7/7440	568		1	5/13/2013 A60

C130504-1	EPA 200.2/	200.2 - TR	7440-23-5	<251		10	5/13/2013	A60
C130504-1	200.7	200.2 - TR	7440-23-5	1170		1	5/13/2013	A60
C130504-1	EPA 200.2/	200.2 - TR	7440-24-6	36.4		10	5/13/2013	A60
C130504-1	200.7	200.2 - TR	7440-24-6	256		1	5/13/2013	A60
C130504-1	EPA 200.2/	200.2 - TR	7440-66-6	3180		10	5/13/2013	A60
C130504-1	200.7	200.2 - TR	7440-66-6	384		1	5/13/2013	A60
C130504-1	EPA 310.1	No Prep R	NA	26		1	5/13/2013	A60
C130504-1	EPA 300.0	No Prep R	16887-00-	1.1		1	5/13/2013	A60
C130504-1	EPA 300.0	No Prep R	16984-48-	0.3		1	5/13/2013	A60
C130504-1	EPA 300.0	No Prep R	NA	0.2		1	5/13/2013	A60
C130504-1	EPA 300.0	No Prep R	148-08-79	46.8		1	5/13/2013	A60
C130504-1	2340B	No Lab Pre	NA	78		1	5/13/2013	A61
C130504-1	415.3	No Prep R	NA	1.5		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-36-0	<0.500		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-38-2	<0.500		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-39-3	18.2		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-43-9	0.996		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-47-3	<1.00		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-48-4	<0.100		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-50-8	9.6		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7439-92-1	0.749		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-02-0	<0.500		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7782-49-2	<0.500		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-22-4	<0.500		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-28-0	<0.500		1	5/13/2013	A61
C130504-1	200.8	No Lab Pre	7440-62-2	<2.00		1	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-36-0	4320		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-36-0	<2.50		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-38-2	44000		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-38-2	<2.50		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-39-3	130000		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-39-3	<25.0		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-43-9	11300		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-43-9	1.17		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-47-3	4710		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-47-3	<5.00		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-48-4	14400		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-48-4	<0.500		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-50-8	466000		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-50-8	21.7		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7439-92-1	2120000		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7439-92-1	23.1		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7440-02-0	7190		10	5/13/2013	A61
C130504-1	200.8	200.2 - TR	7440-02-0	<2.50		5	5/13/2013	A61
C130504-2	EPA 200.2	200.2 - TR	7782-49-2	<505		10	5/13/2013	A61

C130504-1	200.8	200.2 - TR	7782-49-2	<2.50		5	5/13/2013 A61
C130504-2EPA	200.2	200.2 - TR	7440-22-4	7340		10	5/13/2013 A61
C130504-1	200.8	200.2 - TR	7440-22-4	<2.50		5	5/13/2013 A61
C130504-2EPA	200.2	200.2 - TR	7440-28-0	<505		10	5/13/2013 A61
C130504-1	200.8	200.2 - TR	7440-28-0	<2.50		5	5/13/2013 A61
C130504-2EPA	200.2	200.2 - TR	7440-62-2	15600		10	5/13/2013 A61
C130504-1	200.8	200.2 - TR	7440-62-2	<10.0		5	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7429-90-5	70.4		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7440-41-7	<2.00		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7440-70-2	28000		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7439-89-6	<100		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7439-95-4	2000		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7439-96-5	328		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	9/7/7440	595		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7440-23-5	1430		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7440-24-6	255		1	5/13/2013 A61
C130504-1	200.7	No Lab Pre	7440-66-6	305		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7429-90-5	10600		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7429-90-5	322		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7440-41-7	2.53		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7440-41-7	<2.00		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7440-70-2	3360		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7440-70-2	27900		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7439-89-6	27500		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7439-89-6	218		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7439-95-4	4950		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7439-95-4	1970		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7439-96-5	11000		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7439-96-5	477		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	9/7/7440	701		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	9/7/7440	602		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7440-23-5	<253		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7440-23-5	1350		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7440-24-6	26.2		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7440-24-6	276		1	5/13/2013 A61
C130504-2EPA	200.2/	200.2 - TR	7440-66-6	2840		10	5/13/2013 A61
C130504-1	200.7	200.2 - TR	7440-66-6	375		1	5/13/2013 A61
C130504-1EPA	310.1	No Prep Re	NA	29.9		1	5/13/2013 A61
C130504-1EPA	300.0	No Prep Re	16887-00-	1.1		1	5/13/2013 A61
C130504-1EPA	300.0	No Prep Re	16984-48-	0.3		1	5/13/2013 A61
C130504-1EPA	300.0	No Prep Re	NA	0.2		1	5/13/2013 A61
C130504-1EPA	300.0	No Prep Re	148-08-79	51		1	5/13/2013 A61
C130504-22340B		No Lab Pre	NA	63		1	5/14/2013 A64
C130504-2	415.3	No Prep Re	NA	1.9		1	5/14/2013 A64
C130504-2	200.8	No Lab Pre	7440-36-0	<0.500		1	5/14/2013 A64

C130504-2	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-39-3	14.9		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-43-9	0.891		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-48-4	<0.100		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-50-8	8.46		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7439-92-1	1.24		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-02-0	<0.500		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	A64	
C130504-2	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-36-0	3660		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-38-2	44200		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-39-3	144000		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-43-9	11900		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-43-9	1.25		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-47-3	4420		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-47-3	5.22		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-48-4	11500		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-48-4	<0.500		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-50-8	336000		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-50-8	20.1		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7439-92-1	1770000		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7439-92-1	24.9		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-02-0	7200		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7782-49-2	905		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-22-4	7140		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-28-0	<495		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	A64	
C130504-2EPA	200.2	200.2 - TR	7440-62-2	12800		105/14/2013	A64	
C130504-2	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	A64	
C130504-2	200.7	No Lab Pre	7429-90-5	70.5		15/14/2013	A64	
C130504-2	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	A64	
C130504-2	200.7	No Lab Pre	7440-70-2	22600		15/14/2013	A64	
C130504-2	200.7	No Lab Pre	7439-89-6	<100		15/14/2013	A64	
C130504-2	200.7	No Lab Pre	7439-95-4	1640		15/14/2013	A64	
C130504-2	200.7	No Lab Pre	7439-96-5	240		15/14/2013	A64	
C130504-2	200.7	No Lab Pre	9/7/7440	632		15/14/2013	A64	

C130504-2	200.7	No Lab Pre	7440-23-5	1130		15/14/2013	A64
C130504-2	200.7	No Lab Pre	7440-24-6	209		15/14/2013	A64
C130504-2	200.7	No Lab Pre	7440-66-6	280		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7429-90-5	10500		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7429-90-5	343		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7440-41-7	2.77		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7440-70-2	3840		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7440-70-2	22700		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7439-89-6	30000		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7439-89-6	130		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7439-95-4	4800		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7439-95-4	1690		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7439-96-5	9670		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7439-96-5	412		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	9/7/7440	722		105/14/2013	A64
C130504-2	200.7	200.2 - TR	9/7/7440	644		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7440-23-5	<248		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7440-23-5	1130		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7440-24-6	39.6		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7440-24-6	219		15/14/2013	A64
C130504-2EPA	200.2/	200.2 - TR	7440-66-6	3470		105/14/2013	A64
C130504-2	200.7	200.2 - TR	7440-66-6	358		15/14/2013	A64
C130504-2EPA	310.1	No Prep Re	NA	22.8		15/14/2013	A64
C130504-2EPA	300.0	No Prep Re	16887-00-(	1.1		15/14/2013	A64
C130504-2EPA	300.0	No Prep Re	16984-48-8	0.2		15/14/2013	A64
C130504-2EPA	300.0	No Prep Re	NA	0.2		15/14/2013	A64
C130504-2EPA	300.0	No Prep Re	148-08-79	39.7		15/14/2013	A64
C130504-22340B		No Lab Pre	NA	65		15/14/2013	A65
C130504-2	415.3	No Prep Re	NA	2		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-39-3	15.5		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-43-9	0.906		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-48-4	<0.100		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-50-8	8.91		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7439-92-1	1.33		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-02-0	<0.500		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	A65
C130504-2	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-36-0	2910		105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	A65

C130504-3EPA	200.2	200.2 - TR	7440-38-2	30300	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-38-2	<2.50	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-39-3	130000	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-39-3	<25.0	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-43-9	10300	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-43-9	1.3	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-47-3	4760	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-47-3	5.34	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-48-4	11800	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-48-4	<0.500	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-50-8	328000	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-50-8	25.7	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7439-92-1	1840000	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7439-92-1	50.5	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-02-0	6680	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-02-0	<2.50	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7782-49-2	<504	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7782-49-2	<2.50	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-22-4	5530	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-22-4	<2.50	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-28-0	<504	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-28-0	<2.50	55/14/2013	A65
C130504-3EPA	200.2	200.2 - TR	7440-62-2	15000	105/14/2013	A65
C130504-2	200.8	200.2 - TR	7440-62-2	<10.0	55/14/2013	A65
C130504-2	200.7	No Lab Pre	7429-90-5	81.4	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7440-41-7	<2.00	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7440-70-2	23400	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7439-89-6	<100	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7439-95-4	1690	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7439-96-5	304	15/14/2013	A65
C130504-2	200.7	No Lab Pre	9/7/7440	657	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7440-23-5	1180	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7440-24-6	213	15/14/2013	A65
C130504-2	200.7	No Lab Pre	7440-66-6	296	15/14/2013	A65
C130504-3EPA	200.2/200.2	- TR	7429-90-5	9250	105/14/2013	A65
C130504-2	200.7	200.2 - TR	7429-90-5	698	15/14/2013	A65
C130504-3EPA	200.2/200.2	- TR	7440-41-7	<2.02	105/14/2013	A65
C130504-2	200.7	200.2 - TR	7440-41-7	<2.00	15/14/2013	A65
C130504-3EPA	200.2/200.2	- TR	7440-70-2	3100	105/14/2013	A65
C130504-2	200.7	200.2 - TR	7440-70-2	22700	15/14/2013	A65
C130504-3EPA	200.2/200.2	- TR	7439-89-6	28800	105/14/2013	A65
C130504-2	200.7	200.2 - TR	7439-89-6	699	15/14/2013	A65
C130504-3EPA	200.2/200.2	- TR	7439-95-4	5020	105/14/2013	A65
C130504-2	200.7	200.2 - TR	7439-95-4	1700	15/14/2013	A65
C130504-3EPA	200.2/200.2	- TR	7439-96-5	12900	105/14/2013	A65

C130504-2	200.7	200.2 - TR	7439-96-5	578		15/14/2013	A65
C130504-3EPA	200.2/	200.2 - TR	9/7/7440	624		105/14/2013	A65
C130504-2	200.7	200.2 - TR	9/7/7440	757		15/14/2013	A65
C130504-3EPA	200.2/	200.2 - TR	7440-23-5	<252		105/14/2013	A65
C130504-2	200.7	200.2 - TR	7440-23-5	1130		15/14/2013	A65
C130504-3EPA	200.2/	200.2 - TR	7440-24-6	30.1		105/14/2013	A65
C130504-2	200.7	200.2 - TR	7440-24-6	227		15/14/2013	A65
C130504-3EPA	200.2/	200.2 - TR	7440-66-6	2590		105/14/2013	A65
C130504-2	200.7	200.2 - TR	7440-66-6	395		15/14/2013	A65
C130504-2EPA	310.1	No Prep R	NA	24.3		15/14/2013	A65
C130504-2EPA	300.0	No Prep R	16887-00-(	1.1		15/14/2013	A65
C130504-2EPA	300.0	No Prep R	16984-48-{	0.2		15/14/2013	A65
C130504-2EPA	300.0	No Prep R	NA	0.2		15/14/2013	A65
C130504-2EPA	300.0	No Prep R	148-08-79{	41.3		15/14/2013	A65
C130504-32340B		No Lab Pre	NA	64		15/14/2013	A66
C130504-3	415.3	No Prep R	NA	1.8		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-39-3	15.2		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-43-9	0.868		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-48-4	<0.100		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-50-8	9.12		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7439-92-1	1.45		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-02-0	<0.500		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	A66
C130504-3	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-36-0	2110		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-38-2	26900		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-39-3	140000		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-43-9	8440		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-43-9	1.39		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-47-3	5680		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-48-4	10200		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-48-4	<0.500		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7440-50-8	257000		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-50-8	24.9		55/14/2013	A66
C130504-3EPA	200.2	200.2 - TR	7439-92-1	1750000		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7439-92-1	51.1		55/14/2013	A66

C130504-3	EPA 200.2	200.2 - TR	7440-02-0		5920	105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	A66
C130504-3	EPA 200.2	200.2 - TR	7782-49-2	<497		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	A66
C130504-3	EPA 200.2	200.2 - TR	7440-22-4		5060	105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	A66
C130504-3	EPA 200.2	200.2 - TR	7440-28-0	<497		105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	A66
C130504-3	EPA 200.2	200.2 - TR	7440-62-2		18600	105/14/2013	A66
C130504-3	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	A66
C130504-3	200.7	No Lab Pre	7429-90-5		76.7	15/14/2013	A66
C130504-3	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	A66
C130504-3	200.7	No Lab Pre	7440-70-2		22800	15/14/2013	A66
C130504-3	200.7	No Lab Pre	7439-89-6	<100		15/14/2013	A66
C130504-3	200.7	No Lab Pre	7439-95-4		1650	15/14/2013	A66
C130504-3	200.7	No Lab Pre	7439-96-5		343	15/14/2013	A66
C130504-3	200.7	No Lab Pre	9/7/7440		639	15/14/2013	A66
C130504-3	200.7	No Lab Pre	7440-23-5		1140	15/14/2013	A66
C130504-3	200.7	No Lab Pre	7440-24-6		209	15/14/2013	A66
C130504-3	200.7	No Lab Pre	7440-66-6		292	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7429-90-5		8370	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7429-90-5		653	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7440-41-7	<1.99		105/14/2013	A66
C130504-3	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7440-70-2		3450	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7440-70-2		22900	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7439-89-6		29600	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7439-89-6		669	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7439-95-4		5120	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7439-95-4		1700	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7439-96-5		7830	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7439-96-5		635	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	9/7/7440		633	105/14/2013	A66
C130504-3	200.7	200.2 - TR	9/7/7440		750	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7440-23-5	<249		105/14/2013	A66
C130504-3	200.7	200.2 - TR	7440-23-5		1120	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7440-24-6		29.5	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7440-24-6		226	15/14/2013	A66
C130504-3	EPA 200.2/	200.2 - TR	7440-66-6		1950	105/14/2013	A66
C130504-3	200.7	200.2 - TR	7440-66-6		400	15/14/2013	A66
C130504-3	EPA 310.1	No Prep Re	NA		24.3	15/14/2013	A66
C130504-3	EPA 300.0	No Prep Re	16887-00-		1.1	15/14/2013	A66
C130504-3	EPA 300.0	No Prep Re	16984-48-		0.2	15/14/2013	A66
C130504-3	EPA 300.0	No Prep Re	NA		0.2	15/14/2013	A66
C130504-3	EPA 300.0	No Prep Re	148-08-79		41.1	15/14/2013	A66

C130504-32340B		No Lab Pre	NA		44	15/14/2013	A67
C130504-3	415.3	No Prep R	NA		1.4	15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-39-3		20.4	15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-43-9		0.547	15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-48-4	<0.100		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-50-8		2.65	15/14/2013	A67
C130504-3	200.8	No Lab Pre	7439-92-1		2.57	15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-02-0	<0.500		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	A67
C130504-3	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-43-9	<0.500		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-48-4	<0.500		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-50-8		3.18	55/14/2013	A67
C130504-3	200.8	200.2 - TR	7439-92-1		4.99	55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	A67
C130504-3	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	A67
C130504-3	200.7	No Lab Pre	7429-90-5		37.3	15/14/2013	A67
C130504-3	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	A67
C130504-3	200.7	No Lab Pre	7440-70-2		15500	15/14/2013	A67
C130504-3	200.7	No Lab Pre	7439-89-6	<100		15/14/2013	A67
C130504-3	200.7	No Lab Pre	7439-95-4		1190	15/14/2013	A67
C130504-3	200.7	No Lab Pre	7439-96-5		2.21	15/14/2013	A67
C130504-3	200.7	No Lab Pre	9/7/7440		468	15/14/2013	A67
C130504-3	200.7	No Lab Pre	7440-23-5		1150	15/14/2013	A67
C130504-3	200.7	No Lab Pre	7440-24-6		144	15/14/2013	A67
C130504-3	200.7	No Lab Pre	7440-66-6		90.2	15/14/2013	A67
C130504-3	200.7	200.2 - TR	7429-90-5		57.6	15/14/2013	A67
C130504-3	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	A67
C130504-3	200.7	200.2 - TR	7440-70-2		15200	15/14/2013	A67
C130504-3	200.7	200.2 - TR	7439-89-6	<100		15/14/2013	A67
C130504-3	200.7	200.2 - TR	7439-95-4		1140	15/14/2013	A67
C130504-3	200.7	200.2 - TR	7439-96-5		5.52	15/14/2013	A67
C130504-3	200.7	200.2 - TR	9/7/7440		416	15/14/2013	A67

C130504-3	200.7	200.2 - TR	7440-23-5	1080		15/14/2013	A67
C130504-3	200.7	200.2 - TR	7440-24-6	154		15/14/2013	A67
C130504-3	200.7	200.2 - TR	7440-66-6	92.1		15/14/2013	A67
C130504-3EPA	310.1	No Prep R	NA	22.6		15/14/2013	A67
C130504-3EPA	300.0	No Prep R	16887-00-	1		15/14/2013	A67
C130504-3EPA	300.0	No Prep R	16984-48-	0.1		15/14/2013	A67
C130504-3EPA	300.0	No Prep R	NA	0.4		15/14/2013	A67
C130504-3EPA	300.0	No Prep R	148-08-79	21.7		15/14/2013	A67
C130504-42340B		No Lab Pre	NA	66		15/14/2013	A68
C130504-4	415.3	No Prep R	NA	1.8		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-39-3	15		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-43-9	0.969		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-48-4	<0.100		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-50-8	10.3		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7439-92-1	1.34		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-02-0	<0.500		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	A68
C130504-4	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-36-0	2570		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-38-2	26300		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-39-3	163000		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-43-9	13700		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-43-9	1.45		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-47-3	5210		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-48-4	11100		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-48-4	<0.500		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-50-8	352000		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-50-8	28.9		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7439-92-1	2180000		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7439-92-1	43.3		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-02-0	8760		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7782-49-2	<501		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	A68
C130504-4EPA	200.2	200.2 - TR	7440-22-4	9220		105/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	A68

C130504-4	EPA 200.2	200.2 - TR	7440-28-0	<501		10	5/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-28-0	<2.50		5	5/14/2013	A68
C130504-4	EPA 200.2	200.2 - TR	7440-62-2	14500		10	5/14/2013	A68
C130504-4	200.8	200.2 - TR	7440-62-2	<10.0		5	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7429-90-5	93.3		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7440-41-7	<2.00		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7440-70-2	23800		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7439-89-6	<100		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7439-95-4	1730		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7439-96-5	656		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	9/7/7440	651		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7440-23-5	1180		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7440-24-6	225		1	5/14/2013	A68
C130504-4	200.7	No Lab Pre	7440-66-6	347		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7429-90-5	7650		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7429-90-5	534		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7440-41-7	<2.01		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7440-41-7	<2.00		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7440-70-2	3060		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7440-70-2	23900		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7439-89-6	28800		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7439-89-6	437		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7439-95-4	4290		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7439-95-4	1740		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7439-96-5	10300		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7439-96-5	988		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	9/7/7440	587		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	9/7/7440	701		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7440-23-5	<251		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7440-23-5	1160		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7440-24-6	36.4		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7440-24-6	233		1	5/14/2013	A68
C130504-4	EPA 200.2/	200.2 - TR	7440-66-6	2830		10	5/14/2013	A68
C130504-4	200.7	200.2 - TR	7440-66-6	454		1	5/14/2013	A68
C130504-4	EPA 310.1	No Prep Re	NA	28.7		1	5/14/2013	A68
C130504-4	EPA 300.0	No Prep Re	16887-00-	1.2		1	5/14/2013	A68
C130504-4	EPA 300.0	No Prep Re	16984-48-	0.3		1	5/14/2013	A68
C130504-4	EPA 300.0	No Prep Re	NA	0.2		1	5/14/2013	A68
C130504-4	EPA 300.0	No Prep Re	148-08-79	44		1	5/14/2013	A68
C130504-4	2340B	No Lab Pre	NA	82		1	5/14/2013	A72
C130504-4	415.3	No Prep Re	NA	1.3		1	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-36-0	<2.50		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-38-2	<2.50		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-39-3	<25.0		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-43-9	1.01		5	5/14/2013	A72

C130504-4	200.8	No Lab Pre	7440-47-3	<5.00		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-48-4	1.61		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-50-8	7.61		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7439-92-1	1.18		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-02-0	<2.50		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7782-49-2	<2.50		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-22-4	<2.50		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-28-0	<2.50		5	5/14/2013	A72
C130504-4	200.8	No Lab Pre	7440-62-2	<10.0		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-36-0	727		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-36-0	<2.50		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-38-2	26100		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-38-2	<2.50		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-39-3	109000		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-39-3	<25.0		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-43-9	1150		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-43-9	1.42		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-47-3	6410		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-47-3	<5.00		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-48-4	8470		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-48-4	1.65		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-50-8	77800		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-50-8	26		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7439-92-1	299000		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7439-92-1	29.2		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-02-0	4880		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-02-0	<2.50		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7782-49-2	1040		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7782-49-2	<2.50		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-22-4	1300		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-22-4	<2.50		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-28-0	<494		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-28-0	<2.50		5	5/14/2013	A72
C130504-4EPA	200.2	200.2 - TR	7440-62-2	23200		10	5/14/2013	A72
C130504-4	200.8	200.2 - TR	7440-62-2	<10.0		5	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7429-90-5	58.9		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7440-41-7	<2.00		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7440-70-2	29100		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7439-89-6	628		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7439-95-4	2290		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7439-96-5	478		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	9/7/7440	604		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7440-23-5	1570		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7440-24-6	280		1	5/14/2013	A72
C130504-4	200.7	No Lab Pre	7440-66-6	369		1	5/14/2013	A72

C130504-4	EPA 200.2/	200.2 - TR	7429-90-5	11800		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7429-90-5	938		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7440-41-7	<1.97		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7440-70-2	2860		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7440-70-2	28900		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7439-89-6	45800		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7439-89-6	2680		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7439-95-4	4270		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7439-95-4	2260		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7439-96-5	1210		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7439-96-5	734		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	9/7/7440	682		105/14/2013	A72
C130504-4	200.7	200.2 - TR	9/7/7440	592		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7440-23-5	<247		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7440-23-5	1520		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7440-24-6	44.2		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7440-24-6	304		15/14/2013	A72
C130504-4	EPA 200.2/	200.2 - TR	7440-66-6	386		105/14/2013	A72
C130504-4	200.7	200.2 - TR	7440-66-6	453		15/14/2013	A72
C130504-4	EPA 310.1	No Prep Re	NA	13.3		15/14/2013	A72
C130504-4	EPA 300.0	No Prep Re	16887-00-	1.3		15/14/2013	A72
C130504-4	EPA 300.0	No Prep Re	16984-48-	0.3		15/14/2013	A72
C130504-4	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	A72
C130504-4	EPA 300.0	No Prep Re	148-08-79	71.4		15/14/2013	A72
C130504-5	2340B	No Lab Pre	NA	71		15/15/2013	A73
C130504-5	415.3	No Prep Re	NA	1.5		15/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-36-0	<2.50		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-38-2	<2.50		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-39-3	<25.0		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-43-9	0.743		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-47-3	<5.00		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-48-4	0.919		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-50-8	5		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7439-92-1	0.706		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-02-0	<2.50		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7782-49-2	<2.50		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-22-4	<2.50		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-28-0	<2.50		55/15/2013	A73
C130504-5	200.8	No Lab Pre	7440-62-2	<10.0		55/15/2013	A73
C130504-5	EPA 200.2	200.2 - TR	7440-36-0	2050		105/15/2013	A73
C130504-5	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	A73
C130504-5	EPA 200.2	200.2 - TR	7440-38-2	31900		105/15/2013	A73
C130504-5	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	A73
C130504-5	EPA 200.2	200.2 - TR	7440-39-3	180000		105/15/2013	A73

C130504-5	200.8	200.2 - TR	7440-39-3	<25.0		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-43-9	4100		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-43-9	0.989		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-47-3	5600		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-47-3	<5.00		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-48-4	13700		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-48-4	1.66		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-50-8	176000		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-50-8	22.8		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7439-92-1	591000		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7439-92-1	33.7		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-02-0	6070		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-02-0	<2.50		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7782-49-2	717		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7782-49-2	<2.50		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-22-4	2780		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-22-4	<2.50		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-28-0	<504		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-28-0	<2.50		5	5/15/2013 A73
C130504-5EPA	200.2	200.2 - TR	7440-62-2	21000		10	5/15/2013 A73
C130504-5	200.8	200.2 - TR	7440-62-2	<10.0		5	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7429-90-5	73.1		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7440-41-7	<2.00		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7440-70-2	25100		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7439-89-6	249		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7439-95-4	2080		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7439-96-5	341		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	9/7/7440	602		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7440-23-5	1400		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7440-24-6	232		1	5/15/2013 A73
C130504-5	200.7	No Lab Pre	7440-66-6	242		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	7429-90-5	9220		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	7429-90-5	1280		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	7440-41-7	<2.02		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	7440-41-7	<2.00		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	7440-70-2	2710		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	7440-70-2	24400		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	7439-89-6	55700		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	7439-89-6	4210		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	7439-95-4	3780		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	7439-95-4	2110		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	7439-96-5	3320		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	7439-96-5	609		1	5/15/2013 A73
C130504-5EPA	200.2/	200.2 - TR	9/7/7440	711		10	5/15/2013 A73
C130504-5	200.7	200.2 - TR	9/7/7440	735		1	5/15/2013 A73

C130504-5	EPA 200.2/	200.2 - TR	7440-23-5	<252		10	5/15/2013	A73
C130504-5	200.7	200.2 - TR	7440-23-5	1360		1	5/15/2013	A73
C130504-5	EPA 200.2/	200.2 - TR	7440-24-6	41.7		10	5/15/2013	A73
C130504-5	200.7	200.2 - TR	7440-24-6	248		1	5/15/2013	A73
C130504-5	EPA 200.2/	200.2 - TR	7440-66-6	998		10	5/15/2013	A73
C130504-5	200.7	200.2 - TR	7440-66-6	352		1	5/15/2013	A73
C130504-5	EPA 310.1	No Prep R	NA	16.5		1	5/15/2013	A73
C130504-5	EPA 300.0	No Prep R	16887-00-	1.3		1	5/15/2013	A73
C130504-5	EPA 300.0	No Prep R	16984-48-	0.3		1	5/15/2013	A73
C130504-5	EPA 300.0	No Prep R	NA	0.2		1	5/15/2013	A73
C130504-5	EPA 300.0	No Prep R	148-08-79	56		1	5/15/2013	A73
C130504-5	2340B	No Lab Pre	NA	37		1	5/15/2013	A73B
C130504-5	415.3	No Prep R	NA	1.8		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-36-0	<0.500		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-38-2	<0.500		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-39-3	25.4		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-43-9	0.251		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-47-3	<1.00		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-48-4	0.449		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-50-8	2.04		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7439-92-1	0.272		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-02-0	1.42		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7782-49-2	<0.500		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-22-4	<0.500		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-28-0	<0.500		1	5/15/2013	A73B
C130504-5	200.8	No Lab Pre	7440-62-2	<2.00		1	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-36-0	1540		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-36-0	<2.50		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-38-2	30400		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-38-2	<2.50		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-39-3	128000		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-39-3	28.3		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-43-9	3560		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-43-9	<0.500		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-47-3	4720		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-47-3	<5.00		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-48-4	19200		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-48-4	0.932		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-50-8	140000		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-50-8	8.49		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7439-92-1	593000		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7439-92-1	11.7		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7440-02-0	9780		10	5/15/2013	A73B
C130504-5	200.8	200.2 - TR	7440-02-0	<2.50		5	5/15/2013	A73B
C130504-5	EPA 200.2	200.2 - TR	7782-49-2	<500		10	5/15/2013	A73B

C130504-5	200.8	200.2 - TR	7782-49-2	<2.50		5	5/15/2013 A73B
C130504-5EPA	200.2	200.2 - TR	7440-22-4	1650		10	5/15/2013 A73B
C130504-5	200.8	200.2 - TR	7440-22-4	<2.50		5	5/15/2013 A73B
C130504-5EPA	200.2	200.2 - TR	7440-28-0	<500		10	5/15/2013 A73B
C130504-5	200.8	200.2 - TR	7440-28-0	<2.50		5	5/15/2013 A73B
C130504-5EPA	200.2	200.2 - TR	7440-62-2	19800		10	5/15/2013 A73B
C130504-5	200.8	200.2 - TR	7440-62-2	<10.0		5	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7429-90-5	83.1		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7440-41-7	<2.00		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7440-70-2	11600		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7439-89-6	120		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7439-95-4	2030		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7439-96-5	109		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	9/7/7440	561		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7440-23-5	839		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7440-24-6	96.8		1	5/15/2013 A73B
C130504-5	200.7	No Lab Pre	7440-66-6	79		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7429-90-5	10600		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7429-90-5	666		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7440-41-7	<2.00		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7440-41-7	<2.00		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7440-70-2	1760		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7440-70-2	12000		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7439-89-6	67100		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7439-89-6	1520		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7439-95-4	3750		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7439-95-4	2100		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7439-96-5	4340		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7439-96-5	230		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	9/7/7440	590		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	9/7/7440	626		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7440-23-5	<250		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7440-23-5	853		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7440-24-6	31.2		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7440-24-6	107		1	5/15/2013 A73B
C130504-5EPA	200.2/	200.2 - TR	7440-66-6	964		10	5/15/2013 A73B
C130504-5	200.7	200.2 - TR	7440-66-6	119		1	5/15/2013 A73B
C130504-5EPA	310.1	No Prep Re	NA	11.4		1	5/15/2013 A73B
C130504-5EPA	300.0	No Prep Re	16887-00-	1.1		1	5/15/2013 A73B
C130504-5EPA	300.0	No Prep Re	16984-48-	0.1		1	5/15/2013 A73B
C130504-5EPA	300.0	No Prep Re	NA	<0.2		1	5/15/2013 A73B
C130504-5EPA	300.0	No Prep Re	148-08-79	25.6		1	5/15/2013 A73B
C130504-62340B		No Lab Pre	NA	22		1	5/15/2013 A73EC
C130504-6	415.3	No Prep Re	NA	2.1		1	5/15/2013 A73EC
C130504-6	200.8	No Lab Pre	7440-36-0	<0.500		1	5/15/2013 A73EC

C130504-6	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-39-3	29.2		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-43-9	<0.100		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-48-4	0.254		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-50-8	0.623		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-02-0	1.86		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	A73EC
C130504-6	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-36-0	503	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-36-0	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-38-2	8730	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-38-2	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-39-3	62400	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-39-3	30.5	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-43-9	805	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-43-9	<0.500	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-47-3	8660	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-47-3	<5.00	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-48-4	20700	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-48-4	<0.500	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-50-8	13200	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-50-8	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7439-92-1	9620	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7439-92-1	<0.500	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-02-0	33500	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-02-0	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7782-49-2	529	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7782-49-2	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-22-4	<500	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-22-4	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-28-0	<500	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-28-0	<2.50	5	5/15/2013	A73EC
C130504-6EPA	200.2	200.2 - TR	7440-62-2	7660	10	5/15/2013	A73EC
C130504-6	200.8	200.2 - TR	7440-62-2	<10.0	5	5/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7429-90-5	91.7		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7440-70-2	5610		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7439-89-6	<100		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7439-95-4	2020		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7439-96-5	10.2		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	9/7/7440	550		15/15/2013	A73EC

C130504-6	200.7	No Lab Pre	7440-23-5	592		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7440-24-6	37.7		15/15/2013	A73EC
C130504-6	200.7	No Lab Pre	7440-66-6	<10.0		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7429-90-5	7930	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7429-90-5	323		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7440-41-7	<2.00	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7440-70-2	1880	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7440-70-2	5500		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7439-89-6	19300	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7439-89-6	101		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7439-95-4	2860	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7439-95-4	1960		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7439-96-5	724	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7439-96-5	17.7		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	9/7/7440	697	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	9/7/7440	523		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7440-23-5	<250	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7440-23-5	562		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7440-24-6	8.93	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7440-24-6	41.2		15/15/2013	A73EC
C130504-6EPA	200.2/	200.2 - TR	7440-66-6	126	10	5/15/2013	A73EC
C130504-6	200.7	200.2 - TR	7440-66-6	<10.0		15/15/2013	A73EC
C130504-6EPA	310.1	No Prep Re	NA	9.39		15/15/2013	A73EC
C130504-6EPA	300.0	No Prep Re	16887-00-(	1		15/15/2013	A73EC
C130504-6EPA	300.0	No Prep Re	16984-48-8	<0.1		15/15/2013	A73EC
C130504-6EPA	300.0	No Prep Re	NA	0.2		15/15/2013	A73EC
C130504-6EPA	300.0	No Prep Re	148-08-79	13.6		15/15/2013	A73EC
C130504-62340B		No Lab Pre	NA	58		15/15/2013	A73MC
C130504-6	415.3	No Prep Re	NA	4.7		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-39-3	35.1		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-43-9	<0.100		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-47-3	1.8		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-48-4	<0.100		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-50-8	0.5		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-02-0	<0.500		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	A73MC
C130504-6	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	A73MC
C130504-6EPA	200.2	200.2 - TR	7440-36-0	<497	10	5/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	A73MC

C130504-6	EPA 200.2	200.2 - TR	7440-38-2	6820	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-38-2	<2.50	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-39-3	75400	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-39-3	34.8	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-43-9	421	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-43-9	<0.500	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-47-3	7250	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-47-3	<5.00	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-48-4	4930	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-48-4	<0.500	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-50-8	5720	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-50-8	<2.50	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7439-92-1	13600	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7439-92-1	<0.500	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-02-0	6220	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-02-0	<2.50	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7782-49-2	<497	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7782-49-2	<2.50	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-22-4	<497	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-22-4	<2.50	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-28-0	<497	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-28-0	<2.50	5	5/15/2013	A73MC
C130504-6	EPA 200.2	200.2 - TR	7440-62-2	8380	1	05/15/2013	A73MC
C130504-6	200.8	200.2 - TR	7440-62-2	<10.0	5	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7429-90-5	81.6	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7440-41-7	<2.00	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7440-70-2	16800	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7439-89-6	<100	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7439-95-4	3760	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7439-96-5	<2.00	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	9/7/7440	452	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7440-23-5	1560	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7440-24-6	47.6	1	5/15/2013	A73MC
C130504-6	200.7	No Lab Pre	7440-66-6	<10.0	1	5/15/2013	A73MC
C130504-6	EPA 200.2/	200.2 - TR	7429-90-5	4180	1	05/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7429-90-5	131	1	5/15/2013	A73MC
C130504-6	EPA 200.2/	200.2 - TR	7440-41-7	<1.99	1	05/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7440-41-7	<2.00	1	5/15/2013	A73MC
C130504-6	EPA 200.2/	200.2 - TR	7440-70-2	3690	1	05/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7440-70-2	16400	1	5/15/2013	A73MC
C130504-6	EPA 200.2/	200.2 - TR	7439-89-6	12300	1	05/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7439-89-6	104	1	5/15/2013	A73MC
C130504-6	EPA 200.2/	200.2 - TR	7439-95-4	2880	1	05/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7439-95-4	3590	1	5/15/2013	A73MC
C130504-6	EPA 200.2/	200.2 - TR	7439-96-5	593	1	05/15/2013	A73MC

C130504-6	200.7	200.2 - TR	7439-96-5	7.46		15/15/2013	A73MC
C130504-6EPA	200.2/	200.2 - TR	9/7/7440	568		105/15/2013	A73MC
C130504-6	200.7	200.2 - TR	9/7/7440	406		15/15/2013	A73MC
C130504-6EPA	200.2/	200.2 - TR	7440-23-5	<248		105/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7440-23-5	1490		15/15/2013	A73MC
C130504-6EPA	200.2/	200.2 - TR	7440-24-6	10.8		105/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7440-24-6	50.5		15/15/2013	A73MC
C130504-6EPA	200.2/	200.2 - TR	7440-66-6	76.7		105/15/2013	A73MC
C130504-6	200.7	200.2 - TR	7440-66-6	<10.0		15/15/2013	A73MC
C130504-6EPA	310.1	No Prep R	NA	53		15/15/2013	A73MC
C130504-6EPA	300.0	No Prep R	16887-00-(	2.1		15/15/2013	A73MC
C130504-6EPA	300.0	No Prep R	16984-48-1	<0.1		15/15/2013	A73MC
C130504-6EPA	300.0	No Prep R	NA	<0.2		15/15/2013	A73MC
C130504-6EPA	300.0	No Prep R	148-08-79	5.3		15/15/2013	A73MC
C130504-72340B		No Lab Pre	NA	61		15/15/2013	A75B
C130504-7	415.3	No Prep R	NA	1.7		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-39-3	15.2		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-43-9	0.531		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-48-4	0.528		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-50-8	3.67		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7439-92-1	0.759		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-02-0	0.502		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	A75B
C130504-7	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-36-0	987		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-38-2	13300		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-39-3	77000		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-39-3	25.9		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-43-9	2650		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-43-9	1.04		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-47-3	5450		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-48-4	9570		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-48-4	1.83		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7440-50-8	82700		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7440-50-8	21.5		55/15/2013	A75B
C130504-7EPA	200.2	200.2 - TR	7439-92-1	354000		105/15/2013	A75B
C130504-7	200.8	200.2 - TR	7439-92-1	34.5		55/15/2013	A75B

C130504-7	EPA 200.2	200.2 - TR	7440-02-0		5930	10	5/15/2013 A75B
C130504-7	200.8	200.2 - TR	7440-02-0	<2.50		5	5/15/2013 A75B
C130504-7	EPA 200.2	200.2 - TR	7782-49-2		588	10	5/15/2013 A75B
C130504-7	200.8	200.2 - TR	7782-49-2	<2.50		5	5/15/2013 A75B
C130504-7	EPA 200.2	200.2 - TR	7440-22-4		1510	10	5/15/2013 A75B
C130504-7	200.8	200.2 - TR	7440-22-4	<2.50		5	5/15/2013 A75B
C130504-7	EPA 200.2	200.2 - TR	7440-28-0	<498		10	5/15/2013 A75B
C130504-7	200.8	200.2 - TR	7440-28-0	<2.50		5	5/15/2013 A75B
C130504-7	EPA 200.2	200.2 - TR	7440-62-2		13200	10	5/15/2013 A75B
C130504-7	200.8	200.2 - TR	7440-62-2	<10.0		5	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7429-90-5		84.2	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7440-41-7	<2.00		1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7440-70-2		21200	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7439-89-6		137	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7439-95-4		2070	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7439-96-5		233	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	9/7/7440		645	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7440-23-5		1290	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7440-24-6		182	1	5/15/2013 A75B
C130504-7	200.7	No Lab Pre	7440-66-6		140	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7429-90-5		7220	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7429-90-5		1650	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7440-41-7	<1.99		10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7440-41-7	<2.00		1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7440-70-2		1970	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7440-70-2		21200	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7439-89-6		26000	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7439-89-6		4810	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7439-95-4		3460	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7439-95-4		2200	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7439-96-5		2340	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7439-96-5		592	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	9/7/7440		625	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	9/7/7440		857	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7440-23-5	<249		10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7440-23-5		1280	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7440-24-6		24.3	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7440-24-6		198	1	5/15/2013 A75B
C130504-7	EPA 200.2/	200.2 - TR	7440-66-6		672	10	5/15/2013 A75B
C130504-7	200.7	200.2 - TR	7440-66-6		283	1	5/15/2013 A75B
C130504-7	EPA 310.1	No Prep Re	NA		16.1	1	5/15/2013 A75B
C130504-7	EPA 300.0	No Prep Re	16887-00-		1.2	1	5/15/2013 A75B
C130504-7	EPA 300.0	No Prep Re	16984-48-		0.2	1	5/15/2013 A75B
C130504-7	EPA 300.0	No Prep Re	NA	<0.2		1	5/15/2013 A75B
C130504-7	EPA 300.0	No Prep Re	148-08-79		44.7	1	5/15/2013 A75B

C130504-72340B		No Lab Pre	NA		57		15/15/2013	A75CC
C130504-7	415.3	No Prep R	NA		3.2		15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-36-0	<0.500			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-38-2	<0.500			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-39-3		43.6		15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-43-9	<0.100			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-47-3		1.29		15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-48-4	<0.100			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-50-8	<0.500			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7439-92-1	<0.100			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-02-0	<0.500			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7782-49-2		0.534		15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-22-4	<0.500			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-28-0	<0.500			15/15/2013	A75CC
C130504-7	200.8	No Lab Pre	7440-62-2	<2.00			15/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-36-0	<503			105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-36-0	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-38-2		2990		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-38-2	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-39-3		71500		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-39-3		45.6		55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-43-9		157		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-43-9	<0.500			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-47-3		6340		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-47-3	<5.00			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-48-4		4740		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-48-4	<0.500			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-50-8		6120		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-50-8	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7439-92-1		5070		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7439-92-1	<0.500			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-02-0		5980		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-02-0	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7782-49-2	<503			105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7782-49-2	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-22-4	<503			105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-22-4	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-28-0	<503			105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-28-0	<2.50			55/15/2013	A75CC
C130504-7EPA	200.2	200.2 - TR	7440-62-2		7650		105/15/2013	A75CC
C130504-7	200.8	200.2 - TR	7440-62-2	<10.0			55/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7429-90-5		93		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7440-41-7	<2.00			15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7440-70-2		18000		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7439-89-6	<100			15/15/2013	A75CC

C130504-7	200.7	No Lab Pre	7439-95-4	2980		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7439-96-5	5.91		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	9/7/7440	492		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7440-23-5	1520		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7440-24-6	107		15/15/2013	A75CC
C130504-7	200.7	No Lab Pre	7440-66-6	<10.0		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7429-90-5	<20.1		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7429-90-5	485		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7440-41-7	<2.01		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7440-70-2	<101		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7440-70-2	18300		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7439-89-6	<101		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7439-89-6	326		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7439-95-4	<101		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7439-95-4	3030		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7439-96-5	<2.01		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7439-96-5	27.6		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	9/7/7440	<252		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	9/7/7440	518		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7440-23-5	<252		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7440-23-5	1500		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7440-24-6	<2.01		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7440-24-6	111		15/15/2013	A75CC
C130504-7EPA	200.2/	200.2 - TR	7440-66-6	<10.1		105/15/2013	A75CC
C130504-7	200.7	200.2 - TR	7440-66-6	<10.0		15/15/2013	A75CC
C130504-7EPA	310.1	No Prep Re	NA	46.6		15/15/2013	A75CC
C130504-7EPA	300.0	No Prep Re	16887-00-	1.7		15/15/2013	A75CC
C130504-7EPA	300.0	No Prep Re	16984-48-	<0.1		15/15/2013	A75CC
C130504-7EPA	300.0	No Prep Re	NA	<0.2		15/15/2013	A75CC
C130504-7EPA	300.0	No Prep Re	148-08-79	10.1		15/15/2013	A75CC
C130504-82340B		No Lab Pre	NA	60		15/15/2013	A75D
C130504-8	415.3	No Prep Re	NA	1.7		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-39-3	15.4		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-43-9	0.487		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-48-4	0.556		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-50-8	3.65		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7439-92-1	0.779		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-02-0	0.648		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	A75D
C130504-8	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	A75D

C130504-8	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-36-0	1500		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-38-2	18200		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-39-3	119000		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-43-9	3880		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-43-9	0.953		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-47-3	4990		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-48-4	15200		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-48-4	1.85		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-50-8	108000		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-50-8	20.6		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7439-92-1	367000		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7439-92-1	32.6		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-02-0	7270		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7782-49-2	<498		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-22-4	1370		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-28-0	<498		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	A75D
C130504-8EPA	200.2	200.2 - TR	7440-62-2	15600		105/15/2013	A75D
C130504-8	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	A75D
C130504-8	200.7	No Lab Pre	7429-90-5	86.7		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7440-70-2	20800		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7439-89-6	144		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7439-95-4	2030		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7439-96-5	232		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	9/7/7440	629		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7440-23-5	1270		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7440-24-6	180		15/15/2013	A75D
C130504-8	200.7	No Lab Pre	7440-66-6	140		15/15/2013	A75D
C130504-8EPA	200.2/	200.2 - TR	7429-90-5	8550		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7429-90-5	1630		15/15/2013	A75D
C130504-8EPA	200.2/	200.2 - TR	7440-41-7	<1.99		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	A75D
C130504-8EPA	200.2/	200.2 - TR	7440-70-2	2120		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7440-70-2	20900		15/15/2013	A75D
C130504-8EPA	200.2/	200.2 - TR	7439-89-6	34400		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7439-89-6	4610		15/15/2013	A75D

C130504-8	EPA 200.2/	200.2 - TR	7439-95-4		4110		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7439-95-4		2160		15/15/2013	A75D
C130504-8	EPA 200.2/	200.2 - TR	7439-96-5		3730		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7439-96-5		571		15/15/2013	A75D
C130504-8	EPA 200.2/	200.2 - TR	9/7/7440		719		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	9/7/7440		806		15/15/2013	A75D
C130504-8	EPA 200.2/	200.2 - TR	7440-23-5	<249			105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7440-23-5		1250		15/15/2013	A75D
C130504-8	EPA 200.2/	200.2 - TR	7440-24-6		28.9		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7440-24-6		197		15/15/2013	A75D
C130504-8	EPA 200.2/	200.2 - TR	7440-66-6		1030		105/15/2013	A75D
C130504-8	200.7	200.2 - TR	7440-66-6		288		15/15/2013	A75D
C130504-8	EPA 310.1	No Prep Re	NA		14.7		15/15/2013	A75D
C130504-8	EPA 300.0	No Prep Re	16887-00-		1.2		15/15/2013	A75D
C130504-8	EPA 300.0	No Prep Re	16984-48-		0.2		15/15/2013	A75D
C130504-8	EPA 300.0	No Prep Re	NA		0.2		15/15/2013	A75D
C130504-8	EPA 300.0	No Prep Re	148-08-79		44.6		15/15/2013	A75D
C130504-8	2340B	No Lab Pre	NA		58		15/15/2013	Bbridge
C130504-8	415.3	No Prep Re	NA		1.9		15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-36-0	<0.500			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-38-2	<0.500			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-39-3		20.8		15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-43-9		0.313		15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-47-3	<1.00			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-48-4		0.283		15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-50-8		3.49		15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7439-92-1		0.533		15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-02-0	<0.500			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7782-49-2	<0.500			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-22-4	<0.500			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-28-0	<0.500			15/15/2013	Bbridge
C130504-8	200.8	No Lab Pre	7440-62-2	<2.00			15/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-36-0		978		105/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-36-0	<2.50			55/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-38-2		15900		105/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-38-2	<2.50			55/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-39-3		137000		105/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-39-3		28.2		55/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-43-9		2460		105/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-43-9		0.725		55/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-47-3		7380		105/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-47-3	<5.00			55/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-48-4		9700		105/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-48-4		1.49		55/15/2013	Bbridge
C130504-8	EPA 200.2	200.2 - TR	7440-50-8		116000		105/15/2013	Bbridge

C130504-8	200.8	200.2 - TR	7440-50-8	16.3	5	5/15/2013	Bbridge
C130504-8EPA	200.2	200.2 - TR	7439-92-1	328000	10	5/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7439-92-1	26	5	5/15/2013	Bbridge
C130504-8EPA	200.2	200.2 - TR	7440-02-0	7360	10	5/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-02-0	<2.50	5	5/15/2013	Bbridge
C130504-8EPA	200.2	200.2 - TR	7782-49-2	<496	10	5/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7782-49-2	<2.50	5	5/15/2013	Bbridge
C130504-8EPA	200.2	200.2 - TR	7440-22-4	1080	10	5/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-22-4	<2.50	5	5/15/2013	Bbridge
C130504-8EPA	200.2	200.2 - TR	7440-28-0	<496	10	5/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-28-0	<2.50	5	5/15/2013	Bbridge
C130504-8EPA	200.2	200.2 - TR	7440-62-2	15300	10	5/15/2013	Bbridge
C130504-8	200.8	200.2 - TR	7440-62-2	<10.0	5	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7429-90-5	84.2	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7440-41-7	<2.00	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7440-70-2	19400	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7439-89-6	<100	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7439-95-4	2340	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7439-96-5	149	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	9/7/7440	549	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7440-23-5	1180	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7440-24-6	150	1	5/15/2013	Bbridge
C130504-8	200.7	No Lab Pre	7440-66-6	66.5	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7429-90-5	7360	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7429-90-5	1310	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7440-41-7	<1.98	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7440-41-7	<2.00	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7440-70-2	11500	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7440-70-2	19500	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7439-89-6	28200	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7439-89-6	3560	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7439-95-4	5760	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7439-95-4	2460	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7439-96-5	2130	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7439-96-5	468	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	9/7/7440	1040	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	9/7/7440	707	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7440-23-5	<248	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7440-23-5	1180	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7440-24-6	51.6	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7440-24-6	161	1	5/15/2013	Bbridge
C130504-8EPA	200.2/	200.2 - TR	7440-66-6	2080	10	5/15/2013	Bbridge
C130504-8	200.7	200.2 - TR	7440-66-6	221	1	5/15/2013	Bbridge
C130504-8EPA	310.1	No Prep Re	NA	25.7	1	5/15/2013	Bbridge
C130504-8EPA	300.0	No Prep Re	16887-00-	1.3	1	5/15/2013	Bbridge

C130504-8	EPA 300.0	No Prep R	16984-48-		0.2	15/15/2013	Bbridge
C130504-8	EPA 300.0	No Prep R	NA		0.2	15/15/2013	Bbridge
C130504-8	EPA 300.0	No Prep R	148-08-79		34.2	15/15/2013	Bbridge
C130504-9	2340B	No Lab Pre	NA		51	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-39-3		15.8	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-43-9		7.43	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-48-4		1.01	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-50-8		134	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7439-92-1		6.15	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-02-0		1.97	15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	CC02B
C130504-9	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-39-3		33.8	55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-43-9		7.34	55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-48-4		1.2	55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-50-8		142	55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7439-92-1		23.1	55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	CC02B
C130504-9	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7429-90-5		1030	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7440-70-2		16900	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7439-89-6		741	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7439-95-4		2170	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7439-96-5		791	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	9/7/7440		427	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7440-23-5		709	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7440-24-6		111	15/15/2013	CC02B
C130504-9	200.7	No Lab Pre	7440-66-6		2110	15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7429-90-5		1930	15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7440-70-2		16900	15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7439-89-6		2480	15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7439-95-4		2350	15/15/2013	CC02B

C130504-9	200.7	200.2 - TR	7439-96-5	850		15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	9/7/7440	706		15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7440-23-5	708		15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7440-24-6	120		15/15/2013	CC02B
C130504-9	200.7	200.2 - TR	7440-66-6	2040		15/15/2013	CC02B
C130504-9	EPA 310.1	No Prep Re	NA		<5.00	15/15/2013	CC02B
C130504-9	EPA 300.0	No Prep Re	16887-00-(		<1.0	15/15/2013	CC02B
C130504-9	EPA 300.0	No Prep Re	16984-48-{	0.4		15/15/2013	CC02B
C130504-9	EPA 300.0	No Prep Re	NA	0.3		15/15/2013	CC02B
C130504-9	EPA 300.0	No Prep Re	148-08-79{	65		15/15/2013	CC02B
C130504-9	2340B	No Lab Pre	NA	331		15/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-36-0		<2.50	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-38-2		<2.50	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-39-3		<25.0	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-43-9	16.7		55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-47-3		<5.00	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-48-4	10.6		55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-50-8	10.5		55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7439-92-1	79.1		55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-02-0	5.49		55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7782-49-2		<2.50	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-22-4		<2.50	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-28-0		<2.50	55/15/2013	CC02D
C130504-9	200.8	No Lab Pre	7440-62-2		<10.0	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-36-0		<2.50	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-38-2		<2.50	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-39-3		<25.0	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-43-9	16.9		55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-47-3		<5.00	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-48-4	11.5		55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-50-8	10.1		55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7439-92-1	81.8		55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-02-0	4.84		55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7782-49-2		<2.50	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-22-4		<2.50	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-28-0		<2.50	55/15/2013	CC02D
C130504-9	200.8	200.2 - TR	7440-62-2		<10.0	55/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7429-90-5	1310		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7440-41-7		<2.00	15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7440-70-2	120000		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7439-89-6	14400		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7439-95-4	7400		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7439-96-5	16000		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	9/7/7440	1120		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7440-23-5	3590		15/15/2013	CC02D

C130504-9	200.7	No Lab Pre	7440-24-6	938		15/15/2013	CC02D
C130504-9	200.7	No Lab Pre	7440-66-6	18100		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7429-90-5	1320		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7440-70-2	115000		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7439-89-6	14800		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7439-95-4	7280		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7439-96-5	15600		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	9/7/7440	1150		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7440-23-5	3600		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7440-24-6	984		15/15/2013	CC02D
C130504-9	200.7	200.2 - TR	7440-66-6	15100		15/15/2013	CC02D
C130504-9	EPA 310.1	No Prep Re	NA	<5.00		15/15/2013	CC02D
C130504-9	EPA 300.0	No Prep Re	16887-00-(	<10.0		105/15/2013	CC02D
C130504-9	EPA 300.0	No Prep Re	16984-48-8	2.1		105/15/2013	CC02D
C130504-9	EPA 300.0	No Prep Re	NA	<2.0		105/15/2013	CC02D
C130504-9	EPA 300.0	No Prep Re	148-08-79	404		105/15/2013	CC02D
C130504-9	2340B	No Lab Pre	NA	43		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-39-3	15.6		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-43-9	7.01		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-48-4	0.62		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-50-8	153		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7439-92-1	6		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-02-0	2.16		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	CC02H
C130504-9	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-43-9	7		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-48-4	0.601		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-50-8	146		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7439-92-1	7.27		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	CC02H
C130504-9	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7429-90-5	925		15/15/2013	CC02H

C130504-9	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7440-70-2	14100		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7439-89-6	487		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7439-95-4	2020		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7439-96-5	592		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	9/7/7440	402		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7440-23-5	585		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7440-24-6	84.3		15/15/2013	CC02H
C130504-9	200.7	No Lab Pre	7440-66-6	1740		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7429-90-5	1090		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7440-70-2	15100		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7439-89-6	690		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7439-95-4	2200		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7439-96-5	615		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	9/7/7440	457		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7440-23-5	632		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7440-24-6	87.8		15/15/2013	CC02H
C130504-9	200.7	200.2 - TR	7440-66-6	1660		15/15/2013	CC02H
C130504-9	EPA 310.1	No Prep R	NA	<5.00		15/15/2013	CC02H
C130504-9	EPA 300.0	No Prep R	16887-00-	1		15/15/2013	CC02H
C130504-9	EPA 300.0	No Prep R	16984-48-	0.3		15/15/2013	CC02H
C130504-9	EPA 300.0	No Prep R	NA	0.4		15/15/2013	CC02H
C130504-9	EPA 300.0	No Prep R	148-08-79	57		15/15/2013	CC02H
C130504-A	2340B	No Lab Pre	NA	83		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-39-3	15.6		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-43-9	5.57		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-48-4	4.87		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-50-8	72.3		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7439-92-1	5.81		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-02-0	2.95		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	CC03
C130504-A	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-39-3	32.3		55/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-43-9	6.08		55/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-48-4	6.07		55/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-50-8	88		55/14/2013	CC03

C130504-A	200.8	200.2 - TR	7439-92-1	47.3		5/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-02-0	3.53		5/14/2013	CC03
C130504-A	200.8	200.2 - TR	7782-49-2	<2.50		5/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-22-4	<2.50		5/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-28-0	<2.50		5/14/2013	CC03
C130504-A	200.8	200.2 - TR	7440-62-2	<10.0		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7429-90-5	1150		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7440-41-7	<2.00		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7440-70-2	29400		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7439-89-6	2880		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7439-95-4	2410		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7439-96-5	1880		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	9/7/7440	504		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7440-23-5	1100		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7440-24-6	272		5/14/2013	CC03
C130504-A	200.7	No Lab Pre	7440-66-6	2190		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7429-90-5	2680		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7440-41-7	<2.00		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7440-70-2	28200		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7439-89-6	8180		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7439-95-4	2630		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7439-96-5	2040		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	9/7/7440	785		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7440-23-5	1070		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7440-24-6	291		5/14/2013	CC03
C130504-A	200.7	200.2 - TR	7440-66-6	1980		5/14/2013	CC03
C130504-A	EPA 310.1	No Prep Re	NA	<5.00		5/14/2013	CC03
C130504-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		5/14/2013	CC03
C130504-A	EPA 300.0	No Prep Re	16984-48-8	0.6		5/14/2013	CC03
C130504-A	EPA 300.0	No Prep Re	NA	0.2		5/14/2013	CC03
C130504-A	EPA 300.0	No Prep Re	148-08-79	101		5/14/2013	CC03
C130504-A	2340B	No Lab Pre	NA	39		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-36-0	<0.500		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-38-2	<0.500		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-39-3	17.7		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-43-9	4.44		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-47-3	<1.00		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-48-4	1.49		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-50-8	69.1		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7439-92-1	3.04		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-02-0	1.47		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7782-49-2	<0.500		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-22-4	<0.500		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-28-0	<0.500		5/14/2013	CC03B
C130504-A	200.8	No Lab Pre	7440-62-2	<2.00		5/14/2013	CC03B

C130504-A	200.8	200.2 - TR	7440-36-0	<2.50		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-38-2	4.45		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-39-3	66		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-43-9	4.64		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-47-3	5.23		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-48-4	3.54		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-50-8	103		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7439-92-1	130		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-02-0	2.73		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7782-49-2	<2.50		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-22-4	<2.50		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-28-0	<2.50		5	5/14/2013	CC03B
C130504-A	200.8	200.2 - TR	7440-62-2	<10.0		5	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7429-90-5	761		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7440-41-7	<2.00		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7440-70-2	13300		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7439-89-6	282		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7439-95-4	1400		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7439-96-5	608		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	9/7/7440	435		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7440-23-5	757		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7440-24-6	110		1	5/14/2013	CC03B
C130504-A	200.7	No Lab Pre	7440-66-6	1430		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7429-90-5	4740		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7440-41-7	<2.00		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7440-70-2	13100		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7439-89-6	10800		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7439-95-4	2400		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7439-96-5	890		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	9/7/7440	1340		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7440-23-5	810		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7440-24-6	136		1	5/14/2013	CC03B
C130504-A	200.7	200.2 - TR	7440-66-6	1330		1	5/14/2013	CC03B
C130504-A	EPA 310.1	No Prep Re	NA	<5.00		1	5/14/2013	CC03B
C130504-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	5/14/2013	CC03B
C130504-A	EPA 300.0	No Prep Re	16984-48-8	0.3		1	5/14/2013	CC03B
C130504-A	EPA 300.0	No Prep Re	NA	0.2		1	5/14/2013	CC03B
C130504-A	EPA 300.0	No Prep Re	148-08-79	47.2		1	5/14/2013	CC03B
C130504-A	2340B	No Lab Pre	NA	1240		10	5/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-36-0	<5.00		10	5/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-38-2	<5.00		10	5/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-39-3	<50.0		10	5/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-43-9	33.9		10	5/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-47-3	<10.0		10	5/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-48-4	97		10	5/14/2013	CC03C

C130504-A	200.8	No Lab Pre	7440-50-8	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7439-92-1	18.9		1	05/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-02-0	43.3		1	05/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7782-49-2	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-22-4	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-28-0	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	No Lab Pre	7440-62-2	<20.0		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-36-0	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-38-2	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-39-3	<50.0		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-43-9	34.5		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-47-3	<10.0		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-48-4	104		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-50-8	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7439-92-1	76.6		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-02-0	50.4		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7782-49-2	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-22-4	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-28-0	<5.00		1	05/14/2013	CC03C
C130504-A	200.8	200.2 - TR	7440-62-2	<20.0		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7429-90-5	4310		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7440-41-7	<20.0		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7440-70-2	453000		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7439-89-6	96800		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7439-95-4	27200		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7439-96-5	36000		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	9/7/7440	<2500		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7440-23-5	8050		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7440-24-6	4790		1	05/14/2013	CC03C
C130504-A	200.7	No Lab Pre	7440-66-6	18100		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7429-90-5	4800		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7440-41-7	<20.0		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7440-70-2	470000		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7439-89-6	102000		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7439-95-4	29200		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7439-96-5	37200		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	9/7/7440	<2500		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7440-23-5	8540		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7440-24-6	5170		1	05/14/2013	CC03C
C130504-A	200.7	200.2 - TR	7440-66-6	17500		1	05/14/2013	CC03C
C130504-A	EPA 310.1	No Prep Re	NA	<5.00		1	5/14/2013	CC03C
C130504-A	EPA 300.0	No Prep Re	16887-00-6	<100		100	5/14/2013	CC03C
C130504-A	EPA 300.0	No Prep Re	16984-48-8	<10.0		10	5/14/2013	CC03C
C130504-A	EPA 300.0	No Prep Re	NA	<20.0		10	5/14/2013	CC03C
C130504-A	EPA 300.0	No Prep Re	148-08-79	1610		10	5/14/2013	CC03C

C130504-A	2340B	No Lab Pre	NA		1150	05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-36-0	<5.00		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-38-2	<5.00		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-39-3	<50.0		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-43-9		33.5	05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-47-3	<10.0		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-48-4		88.6	05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-50-8		51	05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7439-92-1		11.2	05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-02-0		46.9	05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7782-49-2	<5.00		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-22-4	<5.00		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-28-0	<5.00		05/14/2013	CC03D
C130504-A	200.8	No Lab Pre	7440-62-2	<20.0		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-36-0	<5.00		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-38-2	<5.00		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-39-3	<50.0		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-43-9		35.5	05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-47-3	<10.0		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-48-4		92.4	05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-50-8		55.4	05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7439-92-1		102	05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-02-0		45.4	05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7782-49-2	<5.00		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-22-4	<5.00		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-28-0	<5.00		05/14/2013	CC03D
C130504-A	200.8	200.2 - TR	7440-62-2	<20.0		05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7429-90-5		3820	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7440-41-7	<20.0		05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7440-70-2		419000	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7439-89-6		83200	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7439-95-4		25500	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7439-96-5		33200	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	9/7/7440	<2500		05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7440-23-5		7760	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7440-24-6		4410	05/14/2013	CC03D
C130504-A	200.7	No Lab Pre	7440-66-6		17300	05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7429-90-5		4940	05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7440-41-7	<20.0		05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7440-70-2		423000	05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7439-89-6		87000	05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7439-95-4		26400	05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7439-96-5		34200	05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	9/7/7440	<2500		05/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7440-23-5		7770	05/14/2013	CC03D

C130504-A	200.7	200.2 - TR	7440-24-6	4760		105/14/2013	CC03D
C130504-A	200.7	200.2 - TR	7440-66-6	16600		105/14/2013	CC03D
C130504-A	EPA 310.1	No Prep R	NA	<5.00		15/14/2013	CC03D
C130504-A	EPA 300.0	No Prep R	16887-00-(	<100		1005/14/2013	CC03D
C130504-A	EPA 300.0	No Prep R	16984-48-8	<10.0		1005/14/2013	CC03D
C130504-A	EPA 300.0	No Prep R	NA	<20.0		1005/14/2013	CC03D
C130504-A	EPA 300.0	No Prep R	148-08-79	1420		1005/14/2013	CC03D
C130504-A	2340B	No Lab Pre	NA	128		15/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-43-9	11.6		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-48-4	13.9		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-50-8	523		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7439-92-1	3.84		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-02-0	7.88		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC07
C130504-A	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-43-9	12.5		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-48-4	14.8		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-50-8	547		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7439-92-1	111		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-02-0	8.03		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC07
C130504-A	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC07
C130504-A	200.7	No Lab Pre	7429-90-5	5330		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7440-70-2	41700		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7439-89-6	11700		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7439-95-4	5900		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7439-96-5	3060		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	9/7/7440	368		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7440-23-5	1130		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7440-24-6	427		15/14/2013	CC07
C130504-A	200.7	No Lab Pre	7440-66-6	2960		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7429-90-5	6410		15/14/2013	CC07

C130504-A	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7440-70-2	41700		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7439-89-6	26200		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7439-95-4	6190		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7439-96-5	3060		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	9/7/7440	729		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7440-23-5	1140		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7440-24-6	449		15/14/2013	CC07
C130504-A	200.7	200.2 - TR	7440-66-6	2670		15/14/2013	CC07
C130504-A	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC07
C130504-A	EPA 300.0	No Prep Re	16887-00-(	<10.0		105/14/2013	CC07
C130504-A	EPA 300.0	No Prep Re	16984-48-(	<1.0		105/14/2013	CC07
C130504-A	EPA 300.0	No Prep Re	NA	<2.0		105/14/2013	CC07
C130504-A	EPA 300.0	No Prep Re	148-08-79	216		105/14/2013	CC07
C130504-A	2340B	No Lab Pre	NA	546		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-36-0	<5.00		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-38-2	<5.00		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-39-3	<50.0		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-43-9	2.76		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-47-3	<10.0		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-48-4	13.3		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-50-8	29.7		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7439-92-1	<1.00		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-02-0	5.59		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7782-49-2	<5.00		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-22-4	<5.00		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-28-0	<5.00		105/15/2013	CC14
C130504-A	200.8	No Lab Pre	7440-62-2	<20.0		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-36-0	<5.00		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-38-2	<5.00		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-39-3	<50.0		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-43-9	3.34		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-47-3	<10.0		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-48-4	12.8		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-50-8	43.6		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7439-92-1	4.67		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-02-0	5.98		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7782-49-2	<5.00		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-22-4	<5.00		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-28-0	<5.00		105/15/2013	CC14
C130504-A	200.8	200.2 - TR	7440-62-2	<20.0		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7429-90-5	815		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7440-41-7	<20.0		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7440-70-2	205000		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7439-89-6	17600		105/15/2013	CC14

C130504-A	200.7	No Lab Pre	7439-95-4	8230		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7439-96-5	2260		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	9/7/7440	<2500		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7440-23-5	3780		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7440-24-6	2280		105/15/2013	CC14
C130504-A	200.7	No Lab Pre	7440-66-6	800		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7429-90-5	1310		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7440-41-7	<20.0		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7440-70-2	224000		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7439-89-6	20000		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7439-95-4	9010		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7439-96-5	2510		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	9/7/7440	<2500		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7440-23-5	3900		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7440-24-6	2610		105/15/2013	CC14
C130504-A	200.7	200.2 - TR	7440-66-6	884		105/15/2013	CC14
C130504-A	EPA 310.1	No Prep R	NA	8.39		15/15/2013	CC14
C130504-A	EPA 300.0	No Prep R	16887-00-I	<10.0		105/15/2013	CC14
C130504-A	EPA 300.0	No Prep R	16984-48-8	2		105/15/2013	CC14
C130504-A	EPA 300.0	No Prep R	NA	<2.0		105/15/2013	CC14
C130504-A	EPA 300.0	No Prep R	148-08-79	555		105/15/2013	CC14
C130504-A	2340B	No Lab Pre	NA	43		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-39-3	9.92		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-43-9	0.316		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-48-4	6.12		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-50-8	24.1		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7439-92-1	0.197		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-02-0	3.53		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	CC15
C130504-A	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-43-9	<0.500		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-48-4	6.83		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-50-8	27.3		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7439-92-1	2.24		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-02-0	4.01		55/15/2013	CC15
C130504-A	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	CC15

C130504-A	200.8	200.2 - TR	7440-22-4	<2.50		5	5/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-28-0	<2.50		5	5/15/2013	CC15
C130504-A	200.8	200.2 - TR	7440-62-2	<10.0		5	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7429-90-5	1380		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7440-41-7	<2.00		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7440-70-2	14600		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7439-89-6	2110		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7439-95-4	1540		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7439-96-5	159		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	9/7/7440	433		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7440-23-5	896		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7440-24-6	126		1	5/15/2013	CC15
C130504-A	200.7	No Lab Pre	7440-66-6	68.4		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7429-90-5	2050		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7440-41-7	<2.00		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7440-70-2	14800		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7439-89-6	7020		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7439-95-4	1550		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7439-96-5	188		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	9/7/7440	510		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7440-23-5	839		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7440-24-6	130		1	5/15/2013	CC15
C130504-A	200.7	200.2 - TR	7440-66-6	75.4		1	5/15/2013	CC15
C130504-A	EPA 310.1	No Prep Re	NA	<5.00		1	5/15/2013	CC15
C130504-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		1	5/15/2013	CC15
C130504-A	EPA 300.0	No Prep Re	16984-48-8	0.4		1	5/15/2013	CC15
C130504-A	EPA 300.0	No Prep Re	NA	0.3		1	5/15/2013	CC15
C130504-A	EPA 300.0	No Prep Re	148-08-79	62.6		1	5/15/2013	CC15
C130504-A	2340B	No Lab Pre	NA	97		1	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-36-0	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-38-2	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-39-3	<50.0		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-43-9	<1.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-47-3	<10.0		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-48-4	7.04		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-50-8	26.9		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7439-92-1	<1.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-02-0	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7782-49-2	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-22-4	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-28-0	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	No Lab Pre	7440-62-2	<20.0		10	5/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-36-0	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-38-2	<5.00		10	5/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-39-3	<50.0		10	5/15/2013	CC16B

C130504-A	200.8	200.2 - TR	7440-43-9	<1.00		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-47-3	<10.0		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-48-4	8.89		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-50-8	33		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7439-92-1	19.2		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-02-0	<5.00		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7782-49-2	<5.00		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-22-4	<5.00		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-28-0	<5.00		105/15/2013	CC16B
C130504-A	200.8	200.2 - TR	7440-62-2	<20.0		105/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7429-90-5	1450		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7440-70-2	34900		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7439-89-6	3620		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7439-95-4	2310		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7439-96-5	395		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	9/7/7440	481		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7440-23-5	1200		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7440-24-6	366		15/15/2013	CC16B
C130504-A	200.7	No Lab Pre	7440-66-6	161		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7429-90-5	3570		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7440-70-2	37000		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7439-89-6	14200		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7439-95-4	2750		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7439-96-5	461		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	9/7/7440	1470		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7440-23-5	1250		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7440-24-6	400		15/15/2013	CC16B
C130504-A	200.7	200.2 - TR	7440-66-6	167		15/15/2013	CC16B
C130504-A	EPA 310.1	No Prep Re	NA	<5.00		15/15/2013	CC16B
C130504-A	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2013	CC16B
C130504-A	EPA 300.0	No Prep Re	16984-48-8	0.5		15/15/2013	CC16B
C130504-A	EPA 300.0	No Prep Re	NA	0.3		15/15/2013	CC16B
C130504-A	EPA 300.0	No Prep Re	148-08-79	123		15/15/2013	CC16B
C130504-A	2340B	No Lab Pre	NA	136		15/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-43-9	1.42		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-48-4	6.35		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-50-8	37.7		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7439-92-1	<1.00		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-02-0	<5.00		105/14/2013	CC17

C130504-A	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC17
C130504-A	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-38-2	15.8		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-39-3	189		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-43-9	2.52		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-48-4	8.29		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-50-8	57.4		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7439-92-1	141		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-02-0	<5.00		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC17
C130504-A	200.8	200.2 - TR	7440-62-2	22.3		105/14/2013	CC17
C130504-A	200.7	No Lab Pre	7429-90-5	1540		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7440-70-2	48900		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7439-89-6	1150		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7439-95-4	3300		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7439-96-5	634		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	9/7/7440	553		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7440-23-5	1600		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7440-24-6	603		15/14/2013	CC17
C130504-A	200.7	No Lab Pre	7440-66-6	426		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7429-90-5	8850		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7440-70-2	49200		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7439-89-6	44500		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7439-95-4	5350		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7439-96-5	964		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	9/7/7440	3920		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7440-23-5	1770		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7440-24-6	699		15/14/2013	CC17
C130504-A	200.7	200.2 - TR	7440-66-6	482		15/14/2013	CC17
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC17
C130504-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/14/2013	CC17
C130504-B	EPA 300.0	No Prep Re	16984-48-8	0.6		15/14/2013	CC17
C130504-B	EPA 300.0	No Prep Re	NA	0.3		15/14/2013	CC17
C130504-B	EPA 300.0	No Prep Re	148-08-79	157		15/14/2013	CC17
C130504-B	2340B	No Lab Pre	NA	109		15/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC18

C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-43-9	6.53		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-48-4	8.1		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-50-8	119		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7439-92-1	6.51		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-02-0	<5.00		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC18
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-43-9	7.12		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-48-4	9.81		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-50-8	130		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7439-92-1	94.9		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-02-0	5.72		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC18
C130504-B	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC18
C130504-B	200.7	No Lab Pre	7429-90-5	1760		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7440-70-2	38100		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7439-89-6	4870		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7439-95-4	3370		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7439-96-5	2670		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	9/7/7440	500		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7440-23-5	1350		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7440-24-6	388		15/14/2013	CC18
C130504-B	200.7	No Lab Pre	7440-66-6	2380		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7429-90-5	4740		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7440-70-2	39000		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7439-89-6	21400		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7439-95-4	4260		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7439-96-5	2910		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	9/7/7440	1170		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7440-23-5	1340		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7440-24-6	420		15/14/2013	CC18
C130504-B	200.7	200.2 - TR	7440-66-6	2360		15/14/2013	CC18
C130504-B	EPA 310.1	No Prep R	NA	<5.00		15/14/2013	CC18

C130504-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/14/2013	CC18	
C130504-B	EPA 300.0	No Prep Re	16984-48-8	0.6		15/14/2013	CC18	
C130504-B	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	CC18	
C130504-B	EPA 300.0	No Prep Re	148-08-79	147		15/14/2013	CC18	
C130504-B	2340B	No Lab Pre	NA	90		15/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-43-9	6.31		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-48-4	7.47		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-50-8	158		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7439-92-1	5.43		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-02-0	<5.00		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC18B	
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-38-2	5.09		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-43-9	6.98		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-48-4	8.3		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-50-8	146		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7439-92-1	148		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-02-0	<5.00		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC18B	
C130504-B	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7429-90-5	1770		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7440-70-2	31100		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7439-89-6	4090		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7439-95-4	2980		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7439-96-5	2070		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	9/7/7440	477		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7440-23-5	1160		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7440-24-6	309		15/14/2013	CC18B	
C130504-B	200.7	No Lab Pre	7440-66-6	2160		15/14/2013	CC18B	
C130504-B	200.7	200.2 - TR	7429-90-5	4680		15/14/2013	CC18B	
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC18B	
C130504-B	200.7	200.2 - TR	7440-70-2	31400		15/14/2013	CC18B	
C130504-B	200.7	200.2 - TR	7439-89-6	18400		15/14/2013	CC18B	

C130504-B	200.7	200.2 - TR	7439-95-4	3790		15/14/2013	CC18B
C130504-B	200.7	200.2 - TR	7439-96-5	2270		15/14/2013	CC18B
C130504-B	200.7	200.2 - TR	9/7/7440	1160		15/14/2013	CC18B
C130504-B	200.7	200.2 - TR	7440-23-5	1140		15/14/2013	CC18B
C130504-B	200.7	200.2 - TR	7440-24-6	338		15/14/2013	CC18B
C130504-B	200.7	200.2 - TR	7440-66-6	2090		15/14/2013	CC18B
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC18B
C130504-B	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/14/2013	CC18B
C130504-B	EPA 300.0	No Prep Re	16984-48-{	0.5		15/14/2013	CC18B
C130504-B	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	CC18B
C130504-B	EPA 300.0	No Prep Re	148-08-79{	125		15/14/2013	CC18B
C130504-B	2340B	No Lab Pre	NA	1220		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-43-9	2.74		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-48-4	129		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-50-8	<5.00		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7439-92-1	3.56		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-02-0	52.9		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC19
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-43-9	3.39		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-48-4	139		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-50-8	5.65		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7439-92-1	5.31		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-02-0	58.2		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC19
C130504-B	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7429-90-5	4070		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7440-41-7	<20.0		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7440-70-2	439000		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7439-89-6	152000		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7439-95-4	29500		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7439-96-5	48400		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	9/7/7440	<2500		105/14/2013	CC19

C130504-B	200.7	No Lab Pre	7440-23-5	8300		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7440-24-6	5250		105/14/2013	CC19
C130504-B	200.7	No Lab Pre	7440-66-6	21900		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7429-90-5	4870		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7440-41-7	<20.0		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7440-70-2	445000		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7439-89-6	155000		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7439-95-4	31100		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7439-96-5	49300		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	9/7/7440	<2500		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7440-23-5	8930		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7440-24-6	5580		105/14/2013	CC19
C130504-B	200.7	200.2 - TR	7440-66-6	20900		105/14/2013	CC19
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC19
C130504-B	EPA 300.0	No Prep Re	16887-00-6	<100		1005/14/2013	CC19
C130504-B	EPA 300.0	No Prep Re	16984-48-8	<10.0		1005/14/2013	CC19
C130504-B	EPA 300.0	No Prep Re	NA	<20.0		1005/14/2013	CC19
C130504-B	EPA 300.0	No Prep Re	148-08-79	1630		1005/14/2013	CC19
C130504-B	2340B	No Lab Pre	NA	145		15/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-43-9	7.04		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-48-4	9.73		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-50-8	122		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7439-92-1	10.8		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-02-0	5.23		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC21
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-43-9	7.46		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-48-4	9.98		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-50-8	114		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7439-92-1	40		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-02-0	5.6		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC21
C130504-B	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC21

C130504-B	200.7	No Lab Pre	7429-90-5	2080		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7440-70-2	51200		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7439-89-6	5090		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7439-95-4	4070		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7439-96-5	3340		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	9/7/7440	514		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7440-23-5	1600		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7440-24-6	512		15/14/2013	CC21	
C130504-B	200.7	No Lab Pre	7440-66-6	2900		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7429-90-5	3340		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7440-70-2	48400		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7439-89-6	11900		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7439-95-4	4310		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7439-96-5	3410		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	9/7/7440	922		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7440-23-5	1570		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7440-24-6	549		15/14/2013	CC21	
C130504-B	200.7	200.2 - TR	7440-66-6	2620		15/14/2013	CC21	
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC21	
C130504-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/14/2013	CC21	
C130504-B	EPA 300.0	No Prep Re	16984-48-8	0.9		15/14/2013	CC21	
C130504-B	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	CC21	
C130504-B	EPA 300.0	No Prep Re	148-08-79	179		15/14/2013	CC21	
C130504-B	2340B	No Lab Pre	NA	136		15/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-43-9	5.84		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-48-4	8.57		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-50-8	94.8		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7439-92-1	10.1		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-02-0	<5.00		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC21B	
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC21B	
C130504-B	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC21B	
C130504-B	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC21B	
C130504-B	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC21B	
C130504-B	200.8	200.2 - TR	7440-43-9	4.96		105/14/2013	CC21B	
C130504-B	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC21B	
C130504-B	200.8	200.2 - TR	7440-48-4	8.6		105/14/2013	CC21B	

C130504-B	200.8	200.2 - TR	7440-50-8	94.3		105/14/2013	CC21B
C130504-B	200.8	200.2 - TR	7439-92-1	25.7		105/14/2013	CC21B
C130504-B	200.8	200.2 - TR	7440-02-0	5		105/14/2013	CC21B
C130504-B	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC21B
C130504-B	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC21B
C130504-B	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC21B
C130504-B	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7429-90-5	2020		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7440-70-2	48100		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7439-89-6	4870		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7439-95-4	3870		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7439-96-5	2480		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	9/7/7440	611		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7440-23-5	1610		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7440-24-6	525		15/14/2013	CC21B
C130504-B	200.7	No Lab Pre	7440-66-6	1940		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7429-90-5	2620		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7440-70-2	47500		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7439-89-6	10100		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7439-95-4	3970		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7439-96-5	2570		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	9/7/7440	769		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7440-23-5	1590		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7440-24-6	544		15/14/2013	CC21B
C130504-B	200.7	200.2 - TR	7440-66-6	1960		15/14/2013	CC21B
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC21B
C130504-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/14/2013	CC21B
C130504-B	EPA 300.0	No Prep Re	16984-48-8	0.7		15/14/2013	CC21B
C130504-B	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	CC21B
C130504-B	EPA 300.0	No Prep Re	148-08-79	172		15/14/2013	CC21B
C130504-B	2340B	No Lab Pre	NA	26		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-38-2	1.32		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-39-3	29.5		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-43-9	2.86		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-48-4	4.39		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-50-8	152		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7439-92-1	58.2		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-02-0	3.29		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	CC26
C130504-B	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	CC26

C130504-B	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-38-2	5.06		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-39-3	34.8		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-43-9	2.98		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-47-3	5.53		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-48-4	4.7		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-50-8	172		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7439-92-1	73.8		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-02-0	3.78		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	CC26
C130504-B	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	CC26
C130504-B	200.7	No Lab Pre	7429-90-5	1910		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7440-70-2	7790		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7439-89-6	3800		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7439-95-4	1610		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7439-96-5	197		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	9/7/7440	628		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7440-23-5	506		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7440-24-6	111		15/14/2013	CC26
C130504-B	200.7	No Lab Pre	7440-66-6	779		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7429-90-5	2100		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7440-70-2	7520		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7439-89-6	6330		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7439-95-4	1590		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7439-96-5	211		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	9/7/7440	683		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7440-23-5	440		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7440-24-6	114		15/14/2013	CC26
C130504-B	200.7	200.2 - TR	7440-66-6	752		15/14/2013	CC26
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC26
C130504-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/14/2013	CC26
C130504-B	EPA 300.0	No Prep Re	16984-48-8	0.1		15/14/2013	CC26
C130504-B	EPA 300.0	No Prep Re	NA	<0.2		15/14/2013	CC26
C130504-B	EPA 300.0	No Prep Re	148-08-79	51.4		15/14/2013	CC26
C130504-B	2340B	No Lab Pre	NA	70		15/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-43-9	<1.00		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC40

C130504-B	200.8	No Lab Pre	7440-48-4		10.4		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-50-8		41.4		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7439-92-1		22.4		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-02-0		5.41		105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00			105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00			105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00			105/14/2013	CC40
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0			105/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-36-0	<2.50			55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-38-2	<2.50			55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-39-3		33.7		55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-43-9		0.783		55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-47-3	<5.00			55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-48-4		10.1		55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-50-8		42.8		55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7439-92-1		25.8		55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-02-0		6.67		55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7782-49-2	<2.50			55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-22-4	<2.50			55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-28-0	<2.50			55/14/2013	CC40
C130504-B	200.8	200.2 - TR	7440-62-2	<10.0			55/14/2013	CC40
C130504-B	200.7	No Lab Pre	7429-90-5		2590		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00			15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7440-70-2		21400		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7439-89-6		8840		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7439-95-4		3960		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7439-96-5		831		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	9/7/7440		882		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7440-23-5		1330		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7440-24-6		305		15/14/2013	CC40
C130504-B	200.7	No Lab Pre	7440-66-6		252		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7429-90-5		2880		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00			15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7440-70-2		21000		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7439-89-6		10300		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7439-95-4		3960		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7439-96-5		834		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	9/7/7440		1060		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7440-23-5		1300		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7440-24-6		311		15/14/2013	CC40
C130504-B	200.7	200.2 - TR	7440-66-6		250		15/14/2013	CC40
C130504-B	EPA 310.1	No Prep Re	NA	<5.00			15/14/2013	CC40
C130504-B	EPA 300.0	No Prep Re	16887-00-(		1		15/14/2013	CC40
C130504-B	EPA 300.0	No Prep Re	16984-48-8		0.4		15/14/2013	CC40
C130504-B	EPA 300.0	No Prep Re	NA	<0.2			15/14/2013	CC40

C130504-B	EPA 300.0	No Prep Re	148-08-79		126		15/14/2013	CC40
C130504-B	2340B	No Lab Pre	NA		124		15/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-43-9		3.83		105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-48-4		8.07		105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-50-8		84.8		105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7439-92-1		15.3		105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-02-0		5.38		105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00			105/14/2013	CC41
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-36-0	<5.00			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-38-2	<5.00			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-39-3	<50.0			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-43-9		3.52		105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-47-3	<10.0			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-48-4		7.57		105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-50-8		85		105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7439-92-1		19.7		105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-02-0		5.03		105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7782-49-2	<5.00			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-22-4	<5.00			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-28-0	<5.00			105/14/2013	CC41
C130504-B	200.8	200.2 - TR	7440-62-2	<20.0			105/14/2013	CC41
C130504-B	200.7	No Lab Pre	7429-90-5		2290		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7440-41-7	<2.00			15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7440-70-2		43900		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7439-89-6		5460		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7439-95-4		3570		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7439-96-5		1630		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	9/7/7440		698		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7440-23-5		1490		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7440-24-6		463		15/14/2013	CC41
C130504-B	200.7	No Lab Pre	7440-66-6		1350		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7429-90-5		2260		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7440-41-7	<2.00			15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7440-70-2		41600		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7439-89-6		10500		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7439-95-4		3410		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7439-96-5		1650		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	9/7/7440		706		15/14/2013	CC41

C130504-B	200.7	200.2 - TR	7440-23-5	1410		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7440-24-6	467		15/14/2013	CC41
C130504-B	200.7	200.2 - TR	7440-66-6	1320		15/14/2013	CC41
C130504-B	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC41
C130504-B	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/14/2013	CC41
C130504-B	EPA 300.0	No Prep Re	16984-48-8	0.6		15/14/2013	CC41
C130504-B	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	CC41
C130504-B	EPA 300.0	No Prep Re	148-08-79	158		15/14/2013	CC41
C130504-B	2340B	No Lab Pre	NA	581		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-43-9	<1.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-48-4	<1.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-50-8	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7439-92-1	<1.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-02-0	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC42
C130504-B	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-43-9	<1.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-48-4	<1.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-50-8	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7439-92-1	2.83		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-02-0	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC42
C130504-C	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7429-90-5	270		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7440-41-7	<20.0		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7440-70-2	222000		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7439-89-6	<1000		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7439-95-4	6470		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7439-96-5	639		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	9/7/7440	<2500		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7440-23-5	5270		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7440-24-6	4640		105/14/2013	CC42
C130504-B	200.7	No Lab Pre	7440-66-6	107		105/14/2013	CC42

C130504-C	200.7	200.2 - TR	7429-90-5	473		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7440-41-7	<20.0		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7440-70-2	232000		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7439-89-6	2430		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7439-95-4	6820		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7439-96-5	718		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	9/7/7440	<2500		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7440-23-5	5770		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7440-24-6	4980		105/14/2013	CC42
C130504-C	200.7	200.2 - TR	7440-66-6	129		105/14/2013	CC42
C130504-C	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC42
C130504-C	EPA 300.0	No Prep Re	16887-00-(	<10.0		105/14/2013	CC42
C130504-C	EPA 300.0	No Prep Re	16984-48-8	1.5		105/14/2013	CC42
C130504-C	EPA 300.0	No Prep Re	NA	<2.0		105/14/2013	CC42
C130504-C	EPA 300.0	No Prep Re	148-08-79	571		105/14/2013	CC42
C130504-C	2340B	No Lab Pre	NA	129		15/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-36-0	<5.00		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-38-2	<5.00		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-39-3	<50.0		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-43-9	3.2		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-47-3	<10.0		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-48-4	7.52		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-50-8	79.3		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7439-92-1	13.1		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-02-0	<5.00		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7782-49-2	<5.00		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-22-4	<5.00		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-28-0	<5.00		105/14/2013	CC48
C130504-C	200.8	No Lab Pre	7440-62-2	<20.0		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-36-0	<5.00		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-38-2	<5.00		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-39-3	<50.0		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-43-9	3.31		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-47-3	<10.0		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-48-4	7.28		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-50-8	80.1		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7439-92-1	30.3		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-02-0	<5.00		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7782-49-2	<5.00		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-22-4	<5.00		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-28-0	<5.00		105/14/2013	CC48
C130504-C	200.8	200.2 - TR	7440-62-2	<20.0		105/14/2013	CC48
C130504-C	200.7	No Lab Pre	7429-90-5	2290		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7440-70-2	46000		15/14/2013	CC48

C130504-C	200.7	No Lab Pre	7439-89-6	4360		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7439-95-4	3530		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7439-96-5	1440		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	9/7/7440	758		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7440-23-5	1570		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7440-24-6	514		15/14/2013	CC48
C130504-C	200.7	No Lab Pre	7440-66-6	1160		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7429-90-5	2690		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7440-70-2	46000		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7439-89-6	17200		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7439-95-4	3630		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7439-96-5	1510		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	9/7/7440	891		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7440-23-5	1590		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7440-24-6	538		15/14/2013	CC48
C130504-C	200.7	200.2 - TR	7440-66-6	1180		15/14/2013	CC48
C130504-C	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	CC48
C130504-C	EPA 300.0	No Prep Re	16887-00-(	1		15/14/2013	CC48
C130504-C	EPA 300.0	No Prep Re	16984-48-8	0.5		15/14/2013	CC48
C130504-C	EPA 300.0	No Prep Re	NA	0.2		15/14/2013	CC48
C130504-C	EPA 300.0	No Prep Re	148-08-79	163		15/14/2013	CC48
C130504-C	2340B	No Lab Pre	NA	71		15/13/2013	Dup-01
C130504-C	415.3	No Prep Re	NA	1.5		15/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-36-0	<2.50		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-38-2	<2.50		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-39-3	<25.0		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-43-9	0.863		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-47-3	<5.00		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-48-4	<0.500		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-50-8	7.25		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7439-92-1	0.759		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-02-0	<2.50		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7782-49-2	<2.50		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-22-4	<2.50		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-28-0	<2.50		55/13/2013	Dup-01
C130504-C	200.8	No Lab Pre	7440-62-2	<10.0		55/13/2013	Dup-01
C130504-C	EPA 200.2	200.2 - TR	7440-36-0	2210		105/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-36-0	<2.50		55/13/2013	Dup-01
C130504-C	EPA 200.2	200.2 - TR	7440-38-2	7150		105/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-38-2	<2.50		55/13/2013	Dup-01
C130504-C	EPA 200.2	200.2 - TR	7440-39-3	72900		105/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-39-3	<25.0		55/13/2013	Dup-01
C130504-C	EPA 200.2	200.2 - TR	7440-43-9	5480		105/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-43-9	1.21		55/13/2013	Dup-01

C130504-CEPA	200.2	200.2 - TR	7440-47-3	3610	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-47-3	<5.00		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7440-48-4	6530	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-48-4	<0.500		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7440-50-8	373000	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-50-8	24.8		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7439-92-1	1530000	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7439-92-1	46.8		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7440-02-0	2440	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-02-0	<2.50		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7782-49-2	<503	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7782-49-2	<2.50		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7440-22-4	5060	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-22-4	<2.50		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7440-28-0	<503	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-28-0	<2.50		5	5/13/2013	Dup-01
C130504-CEPA	200.2	200.2 - TR	7440-62-2	9290	1	05/13/2013	Dup-01
C130504-C	200.8	200.2 - TR	7440-62-2	<10.0		5	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7429-90-5	61.8		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7440-70-2	25300		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7439-89-6	<100		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7439-95-4	1780		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7439-96-5	160		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	9/7/7440	533		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7440-23-5	1220		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7440-24-6	238		1	5/13/2013	Dup-01
C130504-C	200.7	No Lab Pre	7440-66-6	243		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7429-90-5	5870	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7429-90-5	652		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7440-41-7	<2.01	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7440-41-7	<2.00		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7440-70-2	2140	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7440-70-2	25100		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7439-89-6	18800	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7439-89-6	680		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7439-95-4	3920	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7439-95-4	1880		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7439-96-5	4800	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7439-96-5	364		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	9/7/7440	494	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	9/7/7440	758		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7440-23-5	<251	1	05/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7440-23-5	1220		1	5/13/2013	Dup-01
C130504-CEPA	200.2/200.2	- TR	7440-24-6	23.7	1	05/13/2013	Dup-01

C130504-C	200.7	200.2 - TR	7440-24-6	246		15/13/2013	Dup-01
C130504-CEPA	200.2/	200.2 - TR	7440-66-6	1030		105/13/2013	Dup-01
C130504-C	200.7	200.2 - TR	7440-66-6	360		15/13/2013	Dup-01
C130504-CEPA	310.1	No Prep R€	NA	29.8		15/13/2013	Dup-01
C130504-CEPA	300.0	No Prep R€	16887-00-(	1.1		15/13/2013	Dup-01
C130504-CEPA	300.0	No Prep R€	16984-48-8	0.3		15/13/2013	Dup-01
C130504-CEPA	300.0	No Prep R€	NA	0.2		15/13/2013	Dup-01
C130504-CEPA	300.0	No Prep R€	148-08-79	46.9		15/13/2013	Dup-01
C130504-C2340B		No Lab Pre	NA	79		15/14/2013	Dup-02
C130504-C	415.3	No Prep R€	NA	1.2		15/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-36-0	<2.50		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-38-2	<2.50		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-39-3	<25.0		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-43-9	1.04		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-47-3	<5.00		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-48-4	1.55		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-50-8	6.49		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7439-92-1	<0.500		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-02-0	<2.50		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7782-49-2	<2.50		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-22-4	<2.50		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-28-0	<2.50		55/14/2013	Dup-02
C130504-C	200.8	No Lab Pre	7440-62-2	<10.0		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-36-0	2130		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-38-2	37800		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-39-3	162000		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-43-9	1330		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-43-9	1.71		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-47-3	6440		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-48-4	10600		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-48-4	1.77		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-50-8	124000		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-50-8	29.5		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7439-92-1	385000		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7439-92-1	48.9		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-02-0	4950		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7782-49-2	788		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-22-4	3900		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	Dup-02

C130504-CEPA	200.2	200.2 - TR	7440-28-0	<507		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	Dup-02
C130504-CEPA	200.2	200.2 - TR	7440-62-2	22800		105/14/2013	Dup-02
C130504-C	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7429-90-5	51		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7440-70-2	28100		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7439-89-6	579		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7439-95-4	2150		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7439-96-5	472		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	9/7/7440	528		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7440-23-5	1440		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7440-24-6	275		15/14/2013	Dup-02
C130504-C	200.7	No Lab Pre	7440-66-6	360		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7429-90-5	11800		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7429-90-5	1190		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7440-41-7	<2.03		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7440-70-2	3520		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7440-70-2	27200		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7439-89-6	61700		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7439-89-6	3520		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7439-95-4	4210		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7439-95-4	2200		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7439-96-5	1690		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7439-96-5	738		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	9/7/7440	716		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	9/7/7440	748		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7440-23-5	<253		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7440-23-5	1440		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7440-24-6	45.3		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7440-24-6	282		15/14/2013	Dup-02
C130504-CEPA	200.2/	200.2 - TR	7440-66-6	448		105/14/2013	Dup-02
C130504-C	200.7	200.2 - TR	7440-66-6	456		15/14/2013	Dup-02
C130504-CEPA	310.1	No Prep Re	NA	12.5		15/14/2013	Dup-02
C130504-CEPA	300.0	No Prep Re	16887-00-	1.3		15/14/2013	Dup-02
C130504-CEPA	300.0	No Prep Re	16984-48-	0.3		15/14/2013	Dup-02
C130504-CEPA	300.0	No Prep Re	NA	0.2		15/14/2013	Dup-02
C130504-CEPA	300.0	No Prep Re	148-08-79	71.4		15/14/2013	Dup-02
C130504-C2340B		No Lab Pre	NA	44		15/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-36-0	<2.50		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-38-2	<2.50		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-39-3	<25.0		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-43-9	<0.500		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-47-3	<5.00		55/15/2013	Dup-03

C130504-C	200.8	No Lab Pre	7440-48-4	6.97		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-50-8	26.1		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7439-92-1	<0.500		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-02-0	4.4		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7782-49-2	<2.50		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-22-4	<2.50		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-28-0	<2.50		55/15/2013	Dup-03
C130504-C	200.8	No Lab Pre	7440-62-2	<10.0		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-38-2	3.12		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-39-3	59.2		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-43-9	<0.500		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-48-4	7.37		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-50-8	31		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7439-92-1	30.5		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-02-0	4.28		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	Dup-03
C130504-C	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7429-90-5	1410		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7440-70-2	15100		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7439-89-6	2010		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7439-95-4	1540		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7439-96-5	159		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	9/7/7440	445		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7440-23-5	827		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7440-24-6	125		15/15/2013	Dup-03
C130504-C	200.7	No Lab Pre	7440-66-6	72.3		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7429-90-5	3980		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7440-70-2	15000		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7439-89-6	15100		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7439-95-4	2030		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7439-96-5	238		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	9/7/7440	1710		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7440-23-5	935		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7440-24-6	146		15/15/2013	Dup-03
C130504-C	200.7	200.2 - TR	7440-66-6	82.1		15/15/2013	Dup-03
C130504-C	EPA 310.1	No Prep Re	NA	<5.00		15/15/2013	Dup-03
C130504-C	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/15/2013	Dup-03
C130504-C	EPA 300.0	No Prep Re	16984-48-8	0.4		15/15/2013	Dup-03
C130504-C	EPA 300.0	No Prep Re	NA	0.3		15/15/2013	Dup-03

C130504-C	EPA 300.0	No Prep Re	148-08-79	62.5		15/15/2013	Dup-03
C130504-C	2340B	No Lab Pre	NA	100		15/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-36-0	<2.50		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-38-2	<2.50		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-39-3	<25.0		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-43-9	0.656		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-47-3	<5.00		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-48-4	7.73		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-50-8	30.2		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7439-92-1	<0.500		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-02-0	4.3		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7782-49-2	<2.50		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-22-4	<2.50		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-28-0	<2.50		55/15/2013	Dup-04
C130504-C	200.8	No Lab Pre	7440-62-2	<10.0		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-38-2	3.97		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-39-3	63.8		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-43-9	0.786		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-48-4	7.7		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-50-8	33.2		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7439-92-1	29.7		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-02-0	4.74		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	Dup-04
C130504-C	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7429-90-5	1480		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7440-70-2	36400		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7439-89-6	3600		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7439-95-4	2310		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7439-96-5	398		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	9/7/7440	473		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7440-23-5	1130		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7440-24-6	371		15/15/2013	Dup-04
C130504-C	200.7	No Lab Pre	7440-66-6	163		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7429-90-5	3910		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7440-70-2	36400		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7439-89-6	15800		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7439-95-4	2830		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7439-96-5	458		15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	9/7/7440	1760		15/15/2013	Dup-04

C130504-C	200.7	200.2 - TR	7440-23-5	1280	15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7440-24-6	398	15/15/2013	Dup-04
C130504-C	200.7	200.2 - TR	7440-66-6	168	15/15/2013	Dup-04
C130504-C	EPA 310.1	No Prep Re	NA	<5.00	15/15/2013	Dup-04
C130504-C	EPA 300.0	No Prep Re	16887-00-(	<1.0	15/15/2013	Dup-04
C130504-C	EPA 300.0	No Prep Re	16984-48-8	0.5	15/15/2013	Dup-04
C130504-C	EPA 300.0	No Prep Re	NA	0.3	15/15/2013	Dup-04
C130504-C	EPA 300.0	No Prep Re	148-08-79	124	15/15/2013	Dup-04
C130504-C	2340B	No Lab Pre	NA	70	15/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-36-0	<2.50	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-38-2	<2.50	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-39-3	27	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-43-9	0.783	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-47-3	<5.00	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-48-4	9.6	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-50-8	40.6	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7439-92-1	19.6	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-02-0	5.51	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7782-49-2	<2.50	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-22-4	<2.50	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-28-0	<2.50	55/14/2013	Dup-05
C130504-C	200.8	No Lab Pre	7440-62-2	<10.0	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-36-0	<2.50	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-38-2	<2.50	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-39-3	34.8	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-43-9	0.799	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-47-3	<5.00	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-48-4	9.43	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-50-8	42.1	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7439-92-1	29.9	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-02-0	6.04	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7782-49-2	<2.50	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-22-4	<2.50	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-28-0	<2.50	55/14/2013	Dup-05
C130504-C	200.8	200.2 - TR	7440-62-2	<10.0	55/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7429-90-5	2640	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7440-70-2	21600	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7439-89-6	8480	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7439-95-4	3990	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7439-96-5	763	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	9/7/7440	873	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7440-23-5	1310	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7440-24-6	275	15/14/2013	Dup-05
C130504-C	200.7	No Lab Pre	7440-66-6	234	15/14/2013	Dup-05

C130504-C	200.7	200.2 - TR	7429-90-5	2940		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7440-70-2	21200		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7439-89-6	10400		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7439-95-4	4000		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7439-96-5	833		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	9/7/7440	1050		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7440-23-5	1310		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7440-24-6	313		15/14/2013	Dup-05
C130504-C	200.7	200.2 - TR	7440-66-6	246		15/14/2013	Dup-05
C130504-C	EPA 310.1	No Prep Re	NA	<5.00		15/14/2013	Dup-05
C130504-C	EPA 300.0	No Prep Re	16887-00-(	<1.0		15/14/2013	Dup-05
C130504-C	EPA 300.0	No Prep Re	16984-48-8	0.4		15/14/2013	Dup-05
C130504-C	EPA 300.0	No Prep Re	NA	<0.2		15/14/2013	Dup-05
C130504-C	EPA 300.0	No Prep Re	148-08-79	127		15/14/2013	Dup-05
C130504-C	2340B	No Lab Pre	NA	<2		15/13/2013	FB-01
C130504-C	415.3	No Prep Re	NA	<1.0		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-36-0	<0.500		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-38-2	<0.500		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-39-3	<5.00		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-43-9	<0.100		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-47-3	<1.00		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-48-4	<0.100		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-50-8	0.594		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7439-92-1	<0.100		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-02-0	<0.500		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7782-49-2	<0.500		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-22-4	<0.500		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-28-0	<0.500		15/13/2013	FB-01
C130504-C	200.8	No Lab Pre	7440-62-2	<2.00		15/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-36-0	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-38-2	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-39-3	<25.0		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-43-9	<0.500		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-47-3	<5.00		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-48-4	<0.500		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-50-8	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7439-92-1	<0.500		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-02-0	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7782-49-2	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-22-4	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-28-0	<2.50		55/13/2013	FB-01
C130504-D	200.8	200.2 - TR	7440-62-2	<10.0		55/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7429-90-5	<20.0		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7440-41-7	<2.00		15/13/2013	FB-01

C130504-C	200.7	No Lab Pre	7440-70-2	66.5		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7439-89-6	<100		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7439-95-4	<100		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7439-96-5	<2.00		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	9/7/7440	<250		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7440-23-5	<250		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7440-24-6	<2.00		15/13/2013	FB-01
C130504-C	200.7	No Lab Pre	7440-66-6	<10.0		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7429-90-5	<20.0		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7440-41-7	<2.00		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7440-70-2	<50.0		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7439-89-6	<100		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7439-95-4	<100		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7439-96-5	<2.00		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	9/7/7440	<250		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7440-23-5	<250		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7440-24-6	<2.00		15/13/2013	FB-01
C130504-D	200.7	200.2 - TR	7440-66-6	<10.0		15/13/2013	FB-01
C130504-D	EPA 310.1	No Prep Re	NA	<5.00		15/13/2013	FB-01
C130504-D	EPA 300.0	No Prep Re	16887-00-6	<1.0		15/13/2013	FB-01
C130504-D	EPA 300.0	No Prep Re	16984-48-8	<0.1		15/13/2013	FB-01
C130504-D	EPA 300.0	No Prep Re	NA	<0.2		15/13/2013	FB-01
C130504-D	EPA 300.0	No Prep Re	148-08-79		2.3	15/13/2013	FB-01
C130504-D	2340B	No Lab Pre	NA	<2		15/14/2013	FB-02
C130504-D	415.3	No Prep Re	NA	<1.0		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-36-0	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-38-2	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-39-3	<5.00		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-43-9	<0.100		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-47-3	<1.00		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-48-4	<0.100		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-50-8	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7439-92-1	<0.100		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-02-0	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7782-49-2	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-22-4	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-28-0	<0.500		15/14/2013	FB-02
C130504-D	200.8	No Lab Pre	7440-62-2	<2.00		15/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-43-9	<0.500		55/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-48-4	<0.500		55/14/2013	FB-02
C130504-D	200.8	200.2 - TR	7440-50-8	<2.50		55/14/2013	FB-02

C130504-[	200.8	200.2 - TR	7439-92-1	<0.500		55/14/2013	FB-02
C130504-[	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	FB-02
C130504-[	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	FB-02
C130504-[	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	FB-02
C130504-[	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	FB-02
C130504-[	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7429-90-5	<20.0		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7440-70-2		92.3	15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7439-89-6	<100		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7439-95-4	<100		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7439-96-5	<2.00		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	9/7/7440	<250		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7440-23-5	<250		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7440-24-6	<2.00		15/14/2013	FB-02
C130504-[	200.7	No Lab Pre	7440-66-6	<10.0		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7429-90-5	<20.0		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7440-70-2	<50.0		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7439-89-6	<100		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7439-95-4	<100		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7439-96-5	<2.00		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	9/7/7440	<250		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7440-23-5	<250		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7440-24-6	<2.00		15/14/2013	FB-02
C130504-[	200.7	200.2 - TR	7440-66-6	<10.0		15/14/2013	FB-02
C130504-[	EPA 310.1	No Prep R	NA	<5.00		15/14/2013	FB-02
C130504-[	EPA 300.0	No Prep R	16887-00-(	<1.0		15/14/2013	FB-02
C130504-[	EPA 300.0	No Prep R	16984-48-(	<0.1		15/14/2013	FB-02
C130504-[	EPA 300.0	No Prep R	NA	<0.2		15/14/2013	FB-02
C130504-[	EPA 300.0	No Prep R	148-08-79		2.3	15/14/2013	FB-02
C130504-[	2340B	No Lab Pre	NA	<2		15/15/2013	FB-03
C130504-[	415.3	No Prep R	NA	<1.0		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-36-0	<0.500		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-38-2	<0.500		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-39-3	<5.00		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-43-9	<0.100		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-47-3	<1.00		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-48-4	<0.100		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-50-8	<0.500		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7439-92-1	<0.100		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-02-0	<0.500		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7782-49-2	<0.500		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-22-4	<0.500		15/15/2013	FB-03
C130504-[	200.8	No Lab Pre	7440-28-0	<0.500		15/15/2013	FB-03

C130504-[	200.8	No Lab Pre	7440-62-2	<2.00		15/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-43-9	<0.500		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-48-4	<0.500		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-50-8	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7439-92-1	<0.500		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	FB-03
C130504-[	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7429-90-5	<20.0		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7440-70-2		82	15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7439-89-6	<100		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7439-95-4	<100		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7439-96-5	<2.00		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	9/7/7440	<250		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7440-23-5	<250		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7440-24-6	<2.00		15/15/2013	FB-03
C130504-[	200.7	No Lab Pre	7440-66-6	<10.0		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7429-90-5	<20.0		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7440-70-2	<50.0		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7439-89-6	<100		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7439-95-4	<100		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7439-96-5	<2.00		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	9/7/7440	<250		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7440-23-5	<250		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7440-24-6	<2.00		15/15/2013	FB-03
C130504-[	200.7	200.2 - TR	7440-66-6	<10.0		15/15/2013	FB-03
C130504-[	EPA 310.1	No Prep Re	NA	<5.00		15/15/2013	FB-03
C130504-[	EPA 300.0	No Prep Re	16887-00-[	<1.0		15/15/2013	FB-03
C130504-[	EPA 300.0	No Prep Re	16984-48-[	<0.1		15/15/2013	FB-03
C130504-[	EPA 300.0	No Prep Re	NA	<0.2		15/15/2013	FB-03
C130504-[	EPA 300.0	No Prep Re	148-08-79		2.3	15/15/2013	FB-03
C130504-[	2340B	No Lab Pre	NA		192	15/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-36-0	<2.50		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-38-2	<2.50		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-39-3	<25.0		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-43-9		4.38	55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-47-3	<5.00		55/15/2013	FD-1

C130504-[	200.8	No Lab Pre	7440-48-4	<0.500		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-50-8	20		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7439-92-1	3.4		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-02-0	3.57		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7782-49-2	<2.50		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-22-4	<2.50		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-28-0	<2.50		55/15/2013	FD-1
C130504-[	200.8	No Lab Pre	7440-62-2	<10.0		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-43-9	4.45		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-48-4	<0.500		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-50-8	22		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7439-92-1	4.25		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-02-0	3.29		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	FD-1
C130504-[	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7429-90-5	1930		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7440-70-2	70200		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7439-89-6	<100		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7439-95-4	4000		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7439-96-5	190		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	9/7/7440	664		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7440-23-5	2520		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7440-24-6	802		15/15/2013	FD-1
C130504-[	200.7	No Lab Pre	7440-66-6	1330		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7429-90-5	1960		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7440-70-2	69500		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7439-89-6	160		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7439-95-4	3970		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7439-96-5	195		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	9/7/7440	677		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7440-23-5	2610		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7440-24-6	837		15/15/2013	FD-1
C130504-[	200.7	200.2 - TR	7440-66-6	1320		15/15/2013	FD-1
C130504-[	EPA 310.1	No Prep Re	NA	<5.00		15/15/2013	FD-1
C130504-[	EPA 300.0	No Prep Re	16887-00-[	<1.0		15/15/2013	FD-1
C130504-[	EPA 300.0	No Prep Re	16984-48-[	1.3		15/15/2013	FD-1
C130504-[	EPA 300.0	No Prep Re	NA	0.3		15/15/2013	FD-1

C130504-[	EPA 300.0	No Prep R	148-08-79		217	15/15/2013	FD-1
C130504-[	2340B	No Lab Pre	NA		79	15/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-36-0	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-38-2	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-39-3	<25.0		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-43-9	<0.500		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-47-3	<5.00		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-48-4		1.41	55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-50-8	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7439-92-1	<0.500		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-02-0	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7782-49-2	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-22-4	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-28-0	<2.50		55/14/2013	M34
C130504-[	200.8	No Lab Pre	7440-62-2	<10.0		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-36-0	<2.50		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-38-2	<2.50		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-39-3	<25.0		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-43-9	<0.500		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-47-3	<5.00		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-48-4		1.59	55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-50-8		9.16	55/14/2013	M34
C130504-[	200.8	200.2 - TR	7439-92-1		12.2	55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-02-0	<2.50		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7782-49-2	<2.50		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-22-4	<2.50		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-28-0	<2.50		55/14/2013	M34
C130504-[	200.8	200.2 - TR	7440-62-2	<10.0		55/14/2013	M34
C130504-[	200.7	No Lab Pre	7429-90-5		62.6	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7440-41-7	<2.00		15/14/2013	M34
C130504-[	200.7	No Lab Pre	7440-70-2		27800	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7439-89-6		554	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7439-95-4		2340	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7439-96-5		128	15/14/2013	M34
C130504-[	200.7	No Lab Pre	9/7/7440		431	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7440-23-5		1770	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7440-24-6		261	15/14/2013	M34
C130504-[	200.7	No Lab Pre	7440-66-6		100	15/14/2013	M34
C130504-[	200.7	200.2 - TR	7429-90-5		1270	15/14/2013	M34
C130504-[	200.7	200.2 - TR	7440-41-7	<2.00		15/14/2013	M34
C130504-[	200.7	200.2 - TR	7440-70-2		27200	15/14/2013	M34
C130504-[	200.7	200.2 - TR	7439-89-6		2720	15/14/2013	M34
C130504-[	200.7	200.2 - TR	7439-95-4		2330	15/14/2013	M34
C130504-[	200.7	200.2 - TR	7439-96-5		151	15/14/2013	M34
C130504-[	200.7	200.2 - TR	9/7/7440		520	15/14/2013	M34

C130504-[	200.7	200.2 - TR	7440-23-5	1810		15/14/2013	M34
C130504-[	200.7	200.2 - TR	7440-24-6	272		15/14/2013	M34
C130504-[	200.7	200.2 - TR	7440-66-6	121		15/14/2013	M34
C130504-[	EPA 310.1	No Prep R€	NA	13.6		15/14/2013	M34
C130504-[	EPA 300.0	No Prep R€	16887-00-(	1.5		15/14/2013	M34
C130504-[	EPA 300.0	No Prep R€	16984-48-{	0.2		15/14/2013	M34
C130504-[	EPA 300.0	No Prep R€	NA	0.2		15/14/2013	M34
C130504-[	EPA 300.0	No Prep R€	148-08-79{	71		15/14/2013	M34
C130504-[	2340B	No Lab Pre	NA	66		15/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-36-0	<2.50		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-38-2	<2.50		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-39-3	<25.0		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-43-9	6.47		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-47-3	<5.00		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-48-4	<0.500		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-50-8	106		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7439-92-1	1.32		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-02-0	2.79		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7782-49-2	<2.50		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-22-4	<2.50		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-28-0	<2.50		55/15/2013	MTD-4
C130504-[	200.8	No Lab Pre	7440-62-2	<10.0		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-36-0	<2.50		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-38-2	<2.50		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-39-3	<25.0		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-43-9	6.56		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-47-3	<5.00		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-48-4	<0.500		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-50-8	100		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7439-92-1	1.24		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-02-0	<2.50		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7782-49-2	<2.50		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-22-4	<2.50		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-28-0	<2.50		55/15/2013	MTD-4
C130504-[	200.8	200.2 - TR	7440-62-2	<10.0		55/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7429-90-5	756		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7440-41-7	<2.00		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7440-70-2	22300		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7439-89-6	<100		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7439-95-4	2570		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7439-96-5	354		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	9/7/7440	385		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7440-23-5	725		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7440-24-6	151		15/15/2013	MTD-4
C130504-[	200.7	No Lab Pre	7440-66-6	1760		15/15/2013	MTD-4

C130504-[	200.7	200.2 - TR	7429-90-5	734		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7440-41-7	<2.00		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7440-70-2	21700		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7439-89-6	<100		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7439-95-4	2540		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7439-96-5	354		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	9/7/7440	404		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7440-23-5	726		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7440-24-6	154		15/15/2013	MTD-4
C130504-[	200.7	200.2 - TR	7440-66-6	1710		15/15/2013	MTD-4
C130504-[	EPA 310.1	No Prep R€	NA	<5.00		15/15/2013	MTD-4
C130504-[	EPA 300.0	No Prep R€	16887-00-ł	<1.0		15/15/2013	MTD-4
C130504-[	EPA 300.0	No Prep R€	16984-48-ł	0.4		15/15/2013	MTD-4
C130504-[	EPA 300.0	No Prep R€	NA	0.4		15/15/2013	MTD-4
C130504-[	EPA 300.0	No Prep R€	148-08-79ł	74.7		15/15/2013	MTD-4